

Granularmetric Report

Depths and elevations based on measured values



American Vibracore Services
1215 Wallace Drive
Delray Beach, FL 33444

Project Name: Singer Island 2012

Sample Name: SIVC-12-6 #S-1 (1')

Analysis Date: 03-30-12

Analyzed By: ER

Easting (ft):	Northing (ft):	Coordinate System:	Elevation (ft):
975168.808	902297.625	Florida State Plane East	-68.7 NAVD 88

USCS:	Munsell:	Comments:
SP	Wet - 10YR-5/1	

Dry Weight (g):	Wash Weight (g):	Pan Retained (g):	Sieve Loss (%):	Fines (%):	Organics (%):	Carbonates (%):	Shells (%):
301.35	298.70	0.47	0.00	#230 - 1.04		69.60	0.00
Sieve Number	Sieve Size (Phi)	Sieve Size (Millimeters)	Grams Retained	% Weight Retained	Cum. Grams Retained	C. % Weight Retained	
3/4"	-4.25	19.03		0.00	0.00	0.00	
5/8"	-4.00	16.00	0.00	0.00	0.00	0.00	
3.5	-2.50	5.66	0.00	0.00	0.00	0.00	
4	-2.25	4.76	0.00	0.00	0.00	0.00	
5	-2.00	4.00	0.06	0.02	0.06	0.02	
7	-1.50	2.83	0.31	0.10	0.37	0.12	
10	-1.00	2.00	0.64	0.21	1.01	0.34	
14	-0.50	1.41	2.58	0.86	3.59	1.19	
18	0.00	1.00	8.48	2.81	12.07	4.01	
25	0.50	0.71	18.46	6.13	30.53	10.13	
35	1.00	0.50	36.09	11.98	66.62	22.11	
45	1.50	0.35	55.53	18.43	122.15	40.53	
60	2.00	0.25	95.54	31.70	217.69	72.24	
80	2.50	0.18	53.23	17.66	270.92	89.90	
120	3.00	0.13	19.21	6.37	290.13	96.28	
170	3.50	0.09	6.59	2.19	296.72	98.46	
230	4.00	0.06	1.51	0.50	298.23	98.96	

Phi 5	Phi 16	Phi 25	Phi 50	Phi 75	Phi 84	Phi 95
2.90	2.33	2.08	1.65	1.08	0.74	0.08
Moment	Mean Phi	Mean mm	Sorting	Skewness	Kurtosis	
Statistics	1.55	0.34	0.81	-0.44	3.66	

Granularmetric Report

Depths and elevations based on measured values



American Vibracore Services
1215 Wallace Drive
Delray Beach, FL 33444

Project Name: Singer Island 2012

Sample Name: SIVC-12-6 #S-2 (10')

Analysis Date: 03-30-12

Analyzed By: ER

Easting (ft): 975168.808	Northing (ft): 902297.625	Coordinate System: Florida State Plane East	Elevation (ft): -77.7 NAVD 88
-----------------------------	------------------------------	--	----------------------------------

USCS: SW	Munsell: Wet - 10YR-5/1	Comments:
-------------	----------------------------	-----------

Dry Weight (g): 304.30	Wash Weight (g): 300.43	Pan Retained (g): 1.17	Sieve Loss (%): 0.00	Fines (%): #230 - 1.66	Organics (%):	Carbonates (%): 66.40	Shells (%): 0.30
Sieve Number	Sieve Size (Phi)	Sieve Size (Millimeters)	Grams Retained	% Weight Retained	Cum. Grams Retained	C. % Weight Retained	
3/4"	-4.25	19.03		0.00	0.00	0.00	
5/8"	-4.00	16.00	0.00	0.00	0.00	0.00	
3.5	-2.50	5.66	0.68	0.22	0.68	0.22	
4	-2.25	4.76	0.18	0.06	0.86	0.28	
5	-2.00	4.00	0.47	0.15	1.33	0.44	
7	-1.50	2.83	1.56	0.51	2.89	0.95	
10	-1.00	2.00	2.59	0.85	5.48	1.80	
14	-0.50	1.41	4.94	1.62	10.42	3.42	
18	0.00	1.00	10.06	3.31	20.48	6.73	
25	0.50	0.71	18.73	6.16	39.21	12.89	
35	1.00	0.50	34.83	11.45	74.04	24.33	
45	1.50	0.35	49.93	16.41	123.97	40.74	
60	2.00	0.25	93.76	30.81	217.73	71.55	
80	2.50	0.18	55.65	18.29	273.38	89.84	
120	3.00	0.13	18.85	6.19	292.23	96.03	
170	3.50	0.09	5.46	1.79	297.69	97.83	
230	4.00	0.06	1.57	0.52	299.26	98.34	

Phi 5	Phi 16	Phi 25	Phi 50	Phi 75	Phi 84	Phi 95
2.92	2.34	2.09	1.65	1.02	0.64	-0.26
Moment	Mean Phi	Mean mm	Sorting	Skewness	Kurtosis	
Statistics	1.48	0.36	0.93	-1.03	5.35	

GRANULARMETRIC REPORT: SINGER ISLAND 2012.GPJ FL DEP ROSS.GDT 4/12/12

Granularmetric Report

Depths and elevations based on measured values



American Vibracore Services
1215 Wallace Drive
Delray Beach, FL 33444

Project Name: Singer Island 2012

Sample Name: SIVC-12-6 #S-3 (19')

Analysis Date: 03-30-12

Analyzed By: ER

Easting (ft):

975168.808

Northing (ft):

902297.625

Coordinate System:

Florida State Plane East

Elevation (ft):

-86.7 NAVD 88

USCS:

SW

Munsell:

Wet - 10YR-5/1

Comments:

Dry Weight (g):

303.89

Wash Weight (g):

301.54

Pan Retained (g):

0.48

Sieve Loss (%):

0.00

Fines (%):

#230 - 0.93

Organics (%):

Carbonates (%):

Shells (%):

2.10

Sieve Number

Sieve Size
(Phi)

Sieve Size
(Millimeters)

Grams
Retained

% Weight
Retained

Cum. Grams
Retained

C. % Weight
Retained

3/4"

-4.25

19.03

0.00

0.00

0.00

0.00

5/8"

-4.00

16.00

0.00

0.00

0.00

0.00

3.5

-2.50

5.66

5.14

1.69

5.14

1.69

4

-2.25

4.76

1.30

0.43

6.44

2.12

5

-2.00

4.00

0.98

0.32

7.42

2.44

7

-1.50

2.83

3.81

1.25

11.23

3.70

10

-1.00

2.00

8.54

2.81

19.77

6.51

14

-0.50

1.41

17.37

5.72

37.14

12.22

18

0.00

1.00

28.73

9.45

65.87

21.68

25

0.50

0.71

43.60

14.35

109.47

36.02

35

1.00

0.50

62.07

20.43

171.54

56.45

45

1.50

0.35

54.36

17.89

225.90

74.34

60

2.00

0.25

41.45

13.64

267.35

87.98

80

2.50

0.18

1.43

0.47

268.78

88.45

120

3.00

0.13

28.74

9.46

297.52

97.90

170

3.50

0.09

2.72

0.90

300.24

98.80

230

4.00

0.06

0.82

0.27

301.06

99.07

Phi 5

Phi 16

Phi 25

Phi 50

Phi 75

Phi 84

Phi 95

2.85

1.85

1.52

0.84

0.12

-0.30

-1.27

Moment

Mean Phi

Mean mm

Sorting

Skewness

Kurtosis

Statistics

0.77

0.59

1.21

-0.56

4.13

GRANULARMETRIC REPORT SINGER ISLAND 2012.GPJ FL DEP ROSS.GDT 4/12/12

Granularmetric Report

Depths and elevations based on measured values



American Vibracore Services
1215 Wallace Drive
Delray Beach, FL 33444

Project Name: Singer Island 2012

Sample Name: SIVC-12-6 Comp #S-1 (0'-10')

Analysis Date: 03-30-12

Analyzed By: ER

Easting (ft):

975168.808

Northing (ft):

902297.625

Coordinate System:

Florida State Plane East

Elevation (ft):

-67.7 NAVD 88

USCS:

SP

Munsell:

Wet - 10YR-5/1

Comments:

Dry Weight (g):

289.81

Wash Weight (g):

287.36

Pan Retained (g):

0.80

Sieve Loss (%):

0.00

Fines (%):

#230 - 1.12

Organics (%):

Carbonates (%):

Shells (%):

0.00

Sieve Number

Sieve Size
(Phi)

Sieve Size
(Millimeters)

Grams
Retained

% Weight
Retained

Cum. Grams
Retained

C. % Weight
Retained

3/4"

-4.25

19.03

0.00

0.00

0.00

0.00

5/8"

-4.00

16.00

0.00

0.00

0.00

0.00

3.5

-2.50

5.66

0.27

0.09

0.27

0.09

4

-2.25

4.76

0.00

0.00

0.27

0.09

5

-2.00

4.00

0.03

0.01

0.30

0.10

7

-1.50

2.83

0.27

0.09

0.57

0.20

10

-1.00

2.00

0.78

0.27

1.35

0.47

14

-0.50

1.41

2.23

0.77

3.58

1.24

18

0.00

1.00

7.93

2.74

11.51

3.97

25

0.50

0.71

18.12

6.25

29.63

10.22

35

1.00

0.50

36.53

12.60

66.16

22.83

45

1.50

0.35

52.94

18.27

119.10

41.10

60

2.00

0.25

89.19

30.78

208.29

71.87

80

2.50

0.18

51.71

17.84

260.00

89.71

120

3.00

0.13

18.94

6.54

278.94

96.25

170

3.50

0.09

6.42

2.22

285.36

98.46

230

4.00

0.06

1.20

0.41

286.56

98.88

Phi 5

Phi 16

Phi 25

Phi 50

Phi 75

Phi 84

Phi 95

2.90

2.34

2.09

1.64

1.06

0.73

0.08

Moment

Mean Phi

Mean mm

Sorting

Skewness

Kurtosis

Statistics

1.54

0.34

0.82

-0.58

4.43

GRANULARMETRIC REPORT SINGER ISLAND 2012.GPJ FL DEP ROSS.GDT 4/12/12

Granulometric Report

Depths and elevations based on measured values



American Vibracore Services
1215 Wallace Drive
Delray Beach, FL 33444

Project Name: Singer Island 2012

Sample Name: SIVC-12-6 PCC #S-1 (1')

Analysis Date: 04-05-12

Analyzed By: ER

Easting (ft):	Northing (ft):	Coordinate System:	Elevation (ft):
975168.808	902297.625	Florida State Plane East	-68.7 NAVD 88

USCS:	Munsell:	Comments:
SP	Wet - 10YR-5/1	

Dry Weight (g):	Wash Weight (g):	Pan Retained (g):	Sieve Loss (%):	Fines (%):	Organics (%):	Carbonates (%):	Shells (%):
12.29	12.20	0.02	0.00	#230 - 0.90			0.00

Sieve Number	Sieve Size (Phi)	Sieve Size (Millimeters)	Grams Retained	% Weight Retained	Cum. Grams Retained	C. % Weight Retained
3/4"	-4.25	19.03		0.00	0.00	0.00
5/8"	-4.00	16.00	0.00	0.00	0.00	0.00
3.5	-2.50	5.66	0.00	0.00	0.00	0.00
4	-2.25	4.76	0.00	0.00	0.00	0.00
5	-2.00	4.00	0.00	0.00	0.00	0.00
7	-1.50	2.83	0.00	0.00	0.00	0.00
10	-1.00	2.00	0.00	0.00	0.00	0.00
14	-0.50	1.41	0.00	0.00	0.00	0.00
18	0.00	1.00	0.03	0.24	0.03	0.24
25	0.50	0.71	0.07	0.57	0.10	0.81
35	1.00	0.50	0.40	3.25	0.50	4.07
45	1.50	0.35	1.92	15.62	2.42	19.69
60	2.00	0.25	4.95	40.28	7.37	59.97
80	2.50	0.18	3.06	24.90	10.43	84.87
120	3.00	0.13	1.06	8.62	11.49	93.49
170	3.50	0.09	0.60	4.88	12.09	98.37
230	4.00	0.06	0.09	0.73	12.18	99.10

--	--	--	--	--	--	--

Phi 5	Phi 16	Phi 25	Phi 50	Phi 75	Phi 84	Phi 95
3.15	2.48	2.30	1.88	1.57	1.38	1.03
Moment	Mean Phi	Mean mm	Sorting	Skewness	Kurtosis	
Statistics	1.93	0.26	0.6	0.28	3.77	