



Figure A-1: Comparison of borrow area (PK-01) and native beach grain size distributions, Perdido Key, FL.



Gravel		Sand					Silt and Clay						
Coarse		Fine		Coarse		Medium	Fine						
Sample	Symbol	Elev. (ft)	USCS	% Fines	% Organics	% Carbonates	Median	Mean	Skew	Kurt	Sort	Sample Information	
PK-01 #6.0	—●—	-23.9	SP	#200 - 1.47 #230 - 1.45			1.89	1.86	-1.66	12.48	0.58	Project Name:	Escambia County, FL Sand Search 05
Comments:												Analysis Date:	08-01-05
Depths and elevations based on measured values												Analyzed By:	SEA Inc.
												Easting (X, ft):	1,023,024
												Northing (Y, ft):	473,035
												Horizontal System:	NAD 1983
												Vertical System:	NAVD 88



Gravel			Sand				Silt and Clay						
Coarse		Fine	Coarse	Medium	Fine								
Sample	Symbol	Elev. (ft)	USCS	% Fines #200 - 2.61 #230 - 2.58	% Organics	% Carbonates	Median	Mean	Skew	Kurt	Sort	Sample Information	
PK-01 #18.0	—●—	-35.9	SP				1.58	1.58	0.3	5.27	0.45	Project Name:	Escambia County, FL Sand Search 05
Comments:												Analysis Date:	08-01-05
Depths and elevations based on measured values												Analyzed By:	SEA Inc.
												Easting (X, ft):	1,023,024
												Northing (Y, ft):	473,035
												Horizontal System:	NAD 1983
												Vertical System:	NAVD 88

