

DRILLING LOG		DIVISION		INSTALLATION		SHEET 1 OF 1	
1. PROJECT Pensacola Beach-Beach Restoration				10. SIZE AND TYPE OF BIT 4" VIBRA-CORE			
2. LOCATION (Coordinates of Sitterbox) X=1144237.400 Y=472552.000				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLLW			
3. DRILLING AGENCY AOSS/Olsen Associates, Inc.				12. MANUFACTURER'S DESIGNATION OF DRILL PNEUMATIC VIBRA-CORE			
4. HOLE NO. (As shown on drawing title and file number) P-118R1				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 6 undisturbed: 0			
5. NAME OF DRILLER J. Cole/A. Browder				14. TOTAL NUMBER OF CORE BOXES 2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				15. ELEVATION GROUND WATER			
7. THICKNESS OF BURDEN 0 Ft.				16. DATE HOLE STARTED COMPLETED 1-15-01 1-15-01			
8. DEPTH DRESSED INTO ROCK 0 Ft.				17. ELEVATION TOP OF HOLE -61.7 Ft.			
9. TOTAL DEPTH OF HOLE 15.6 Ft.				18. TOTAL CORE RECOVERY FOR BORING 100 %			
				19. SIGNATURE OF G. Zerk, SEA Inc.			

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	W/LR SAMPLE NUMBER	REMARKS	
-61.7	0					-61.7	0
-63.4	1.7		White fine quartz sand, few scattered shell fragments in coarse sand to fine gravel range, zero heavy/dark minerals. 10 YR 9.25/1 (SP)	100	0.5		2.5
			White to very pale brown medium to fine quartz sand, trace of shell fragments, trace of heavy/dark minerals. 10 YR 9/1-9/3 (SP)	100	3.0		
						-66.7	5
				100	6.0		7.5
-71.1	9.4		White fine quartz sand, trace of shell fragments. 10 YR 9.25/0.5 (SP)	100	9.0	-71.7	10
				100	12.0		12.5
-77.3	15.6			100	15.0	-76.7 -77.3	15
							17.5
							20
							22.5
						Composite 0-15.0 ft.	

DRILLING LOG		DIVISION		INSTALLATION		SHEET 1 OF 1	
1. PROJECT Pensacola Beach-Beach Restoration				10. SIZE AND TYPE OF BIT 4" VIBRACORE			
2. LOCATION (Coordinates or Station) X=1144247.200 Y=473659.600				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLLW			
3. DRILLING AGENCY AOSS/Olsen Associates, Inc.				12. MANUFACTURER'S DESIGNATION OF DRILL PNEUMATIC VIBRACORE			
4. HOLE NO. (As shown on drawing title and file number) P-118R3				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 4 undisturbed: 0			
5. NAME OF DRILLER J. Cole/A. Browder				14. TOTAL NUMBER OF CORE BOXES 2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				15. ELEVATION GROUND WATER			
7. THICKNESS OF BURDEN 0 Ft.				16. DATE HOLE STARTED COMPLETED 1-15-01 1-15-01			
8. DEPTH DRILLED INTO ROCK 0 Ft.				17. ELEVATION TOP OF HOLE -62.1 Ft.			
9. TOTAL DEPTH OF HOLE 23.3 Ft.				18. TOTAL CORE RECOVERY FOR BORING 100 %			
				19. SIGNATURE OF G. Ziemke, SEA Inc.			

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS
-62.1	0					-62.1
-72.9	10.8					
-73.6	11.5		White medium to fine quartz sand, abundant shell fragments and whole shells in medium to coarse gravel range, zero heavy/dark minerals. 10 YR 9.25/0.5 (SP)	100	11.0	
-75.6	13.5		White fine quartz sand, few shell fragments in medium to fine gravel range. 10 YR 9.25/0.5 (SP)	100		
			White fine quartz sand, inclusions of decayed organic matter, trace of shell fragments. 10 YR 8/1 (SP)	100	15.0	-77.1
-81.2	19.1			100	18.0	
			Light gray to very pale brown fine quartz sand, inclusions of decayed organic matter, scattered shell fragments in fine to coarse gravel range. 10 YR 7.5/1-7.5/3 (SP)	100	21.0	-82.1
						Composite 11.0-21.0 ft.
-85.4	23.3					-85.4