

Hole No. P-14

DRILLING LOG		DEVISION	INSTALLATION		SHEET 1 OF 1	
1. PROJECT Pensacola Beach-Beach Restoration			10. SIZE AND TYPE OF BIT 4" VIBRACORE			
2. LOCATION (Coordinates or Station) X=118184.900 Y=485301.900			11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLLM			
3. DRILLING AGENCY AOSS/Olsen Associates, Inc.			12. MANUFACTURER'S DESIGNATION OF DRILL PNEUMATIC VIBRACORE			
4. HOLE NO. (As shown on drawing title and file number) P-14			13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 3 undisturbed: 0			
5. NAME OF DRILLER J. Cole/A. Browder			14. TOTAL NUMBER OF CORE BOXES 2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			15. ELEVATION GROUND WATER			
7. THICKNESS OF BURDEN 0 Ft.			16. DATE HOLE STARTED COMPLETED 9-9-00 9-9-00			
8. DEPTH DRILLED INTO ROCK 0 Ft.			17. ELEVATION TOP OF HOLE -47.5 Ft.			
9. TOTAL DEPTH OF HOLE 19.1 Ft.			18. TOTAL CORE RECOVERY FOR BORING 100 %			
			19. SIGNATURE OF S. Zarbo, SEA, Inc.			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC #	SAMPLE NUMBER	REMARKS
-47.5	0					-47.5
			Light gray fine quartz sand, scattered large shell fragments. 10 YR 7/1-7/2 (SP)		0.5	
				100	3.0	
						-52.5
-53.6	6.1		Gray fine quartz sand, some mud. 10 YR 8/1 (SP)		6.0	
-54.4	6.9		Gray medium quartz sand, muddy. 10 YR 5/1 (SM)	100		
-55.2	8.4		Gray medium to fine quartz sand, trace of mud. 10 YR 5/1 (SP)			
-57.6	10.1		Light gray to pale yellowish brown, medium to fine quartz sand, inclusions of gray plastic mud, inclusions of decayed organic matter. 10 YR 7/1-6/4 (SP)	100		
-58.9	11.4		Gray to light gray medium to fine quartz sand, near zero heavy/dark minerals. 10 YR 7/1-6/1 (SP)			
				100		
						-62.5
-66.6	19.1					-66.6
						Composite 0-6.0 ft.