

DRILLING LOG		DIVISION		INSTALLATION	
1. PROJECT Pensacola Beach-Beach Restoration		10. SIZE AND TYPE OF BIT 4" VIBRACORE		SHEET 1 OF 1	
2. LOCATION (Coordinates or Station) X=1126922.200 Y=487831.800		11. DATUM FOR ELEVATION SHOWN (TBM or ABL) MLW			
3. DRILLING AGENCY ADSS/Disen Associates, Inc.		12. MANUFACTURER'S DESIGNATION OF DRILL PNEUMATIC VIBRACORE			
4. HOLE NO. (As shown on drawing title and file number) P-83		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 1 undisturbed: 0			
5. NAME OF DRILLER J. Cole/A. Browder		14. TOTAL NUMBER OF CORE BOXES 2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		15. ELEVATION GROUND WATER			
7. THICKNESS OF BURDEN 0 Ft.		16. DATE HOLE STARTED COMPLETED 1-11-01 1-11-01			
8. DEPTH DRILLED INTO ROCK 0 Ft.		17. ELEVATION TOP OF HOLE -46.2 Ft.			
9. TOTAL DEPTH OF HOLE 20.3 Ft.		18. TOTAL CORE RECOVERY FOR BORING 100 %			
19. SIGNATURE OF G. Zaring, SEA Inc.					

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS
-46.2	0		White fine sand, few scattered shell fragments in coarse sand to medium gravel range. 10 YR 8.25/1 (SP)			-46.2
-47.8	1.6		Gray silty, fine sand. 10 YR 6/1 (SM)	100		
-53.3	7.1		Gray plastic mud. 10 YR 5/1 (CL)	100		
-54.6	8.4		Gray fine silty sand. 10 YR 6/1 (SM)			
-58.4	13.2		Light gray silty, fine sand. 10 YR 7/1 (SM)	100		
-66.5	20.3			100		
						No composite.