

DRILLING LOG		DIVISION		INSTALLATION	
1. PROJECT Pensacola Beach-Beach Restoration				10. SIZE AND TYPE OF BIT: 4" VIBRACORE	
2. LOCATION (Coordinates or Station) X=1145857.000 Y=475814.200				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLLW	
3. DRILLING AGENCY ADSS/Disen Associates, Inc.				12. MANUFACTURER'S DESIGNATION OF DRILL PNEUMATIC VIBRACORE	
4. HOLE NO. (As shown on drawing title and file number) P-III				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 8 undisturbed: 0	
5. NAME OF DRILLER J. Cole/A. Browder				14. TOTAL NUMBER OF CORE BOXES: 2	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				15. ELEVATION GROUND WATER	
7. THICKNESS OF BURDEN: 0 Ft.				16. DATE HOLE STARTED COMPLETED 1-14-01 1-14-01	
8. DEPTH DRILLED INTO ROCK: 0 Ft.				17. ELEVATION TOP OF HOLE: -65.1 Ft.	
9. TOTAL DEPTH OF HOLE: 18.0 Ft.				18. TOTAL CORE RECOVERY FOR BORING: 100 %	
				19. SIGNATURE OF G. ZARILLO, SEA, Inc.	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS
-65.1	0		Very pale brown fine quartz sand, very few shell fragments in coarse sand range. 10 YR 8/2 (SP)		0.5	-65.1
				100	3.0	
-70.1	5.0		White medium to fine quartz sand, near zero shell fragments and heavy/dark minerals. 10 YR 9/1 (SP)		6.0	-70.1
				100	9.0	
					12.0	-75.1
				100	15.0	
-80.6	15.6		Very pale brown fine quartz sand, trace of shell fragments in medium to coarse sand range, near zero heavy/dark minerals. 10 YR 8/3 (SP)			-80.6
				100		
-83.1	18.0					-83.1
						Composite 0-15.0 ft.