

## Hole No. P-5

DRILLING LOG		DIVISION		INSTALLATION	
1. PROJECT Pensacola Beach-Beach Restoration				10. SIZE AND TYPE OF BIT 4" VIBRACORE	
2. LOCATION (Coast/Station) X=1133980.000 Y=489004.100				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLLW	
3. DRILLING AGENCY ADSS/Olsen Associates, Inc.				12. MANUFACTURER'S DESIGNATION OF DRILL PNEUMATIC VIBRACORE	
4. HOLE NO. (As shown on drawing title and file number) P-5				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 2 undisturbed: 0	
5. NAME OF DRILLER J. Cole/A. Browder				14. TOTAL NUMBER OF CORE BOXES 2	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				15. ELEVATION GROUND WATER	
7. THICKNESS OF BURDEN 0 Ft.				16. DATE HOLE STARTED COMPLETED 8-8-00 9-8-00	
8. DEPTH DRILLED INTO ROCK 0 Ft.				17. ELEVATION TOP OF HOLE -44.8 Ft.	
9. TOTAL DEPTH OF HOLE 18.4 Ft.				18. TOTAL CORE RECOVERY FOR BORING 100 %	
				19. SIGNATURE OF G. Ziegler, SEA, Inc.	

  

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS
-44.8	0		Light gray fine quartz sand, near zero heavy/dark mineral content, inclusions of brown decayed organic matter. 10 YR 7/2 (SP)		05	-44.8
-46.7	1.9		Light brownish gray fine quartz sand, scattered shell fragments in fine gravel size range. 10 YR 7/3 (SP)	100	20	
-48.0	3.2		Brownish gray medium to fine sand, scattered inclusions of plastic med 10 YR 5/2 (SP)			
-50.6	5.8		Dark brownish gray medium, muddy quartz sand. 10 YR 4/2 (ML)	100		-49.8
-53.7	8.9		Dark brownish gray medium to fine quartz sand. 10 YR 4/2 (SP)			
-55.0	10.2		Light gray to brownish gray medium to fine quartz sand, inclusions decayed organic material. 10 YR 7/2-4/2 (SP)	100		-54.8
-62.1	17.3		Very pale brown medium to fine quartz sand, inclusions of decayed organic matter. 10 YR 7/3-7/4 (SP)	100		-62.8
-63.2	18.4					-63.2
Composite 0-3.0 ft.						