

DRILLING LOG			DIVISION		INSTALLATION		SHEET 1 OF 1	
1. PROJECT Peracade Beach-Beach Restoration					10. SIZE AND TYPE OF BIT 4" VIBRACORE			
2. LOCATION (Coordinates or Station) X=1174002.500 Y=490051.400					11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLLW			
3. DRILLING AGENCY AOSS/Olsen Associates, Inc.					12. MANUFACTURER'S DESIGNATION OF DRILL PNEUMATIC VIBRACORE			
4. HOLE NO. (As shown on drawing title and file number) P-76					13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 5 undisturbed: 0			
5. NAME OF DRILLER J. Cole/A. Browder					14. TOTAL NUMBER OF CORE BOXES 2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED					15. ELEVATION GROUND WATER			
7. THICKNESS OF BURDEN 0 Ft.					16. DATE HOLE STARTED COMPLETED 1-10-01 1-10-01			
8. DEPTH DRILLED INTO ROCK 0 Ft.					17. ELEVATION TOP OF HOLE -53.3 Ft.			
9. TOTAL DEPTH OF HOLE 13.6 Ft.					18. TOTAL CORE RECOVERY FOR BORING 100 %			
					19. SIGNATURE OF G. Zarbo, SEA, Inc.			
ELEV.	DEPTH	USED	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	LOG SAMPLE NUMBER	REMARKS		
-53.3	0		White medium to fine quartz sand, shell fragments in the coarse sand to fine gravel range. 10 YR 9.25/1 (SP)		0.5	-53.3	0	
				100	3.0		2.5	
					6.0	-56.3	5	
				100	9.0		7.5	
-63.6	10.3		Light gray medium to fine quartz sand, trace of shell fragments in coarse sand to fine gravel range, trace of decayed organic matter. 10 YR 7.5/0.5 (SP)	100	12.0	-63.3	10	
-65.9	13.6					-65.9	15	
							17.5	
							20	
							22.5	
Composite 0-13.0 ft.								