



DRILLING LOG		DIVISION		INSTALLATION		SHEET 1 OF 1	
1. PROJECT Pensacola Beach-Beach Restoration				10. SIZE AND TYPE OF BIT 4" VIBRACORE			
2. LOCATION (Coordinates or Station) X=1153041.000 Y=481023.700				11. DATUM FOR ELEVATION SHOWN (FSM or MSL) MLLW			
3. DRILLING AGENCY AOSS/Olsen Associates, Inc.				12. MANUFACTURER'S DESIGNATION OF DRILL PNEUMATIC VIBRACORE			
4. HOLE NO. (As shown on drawing title and file number) P-79R2				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 2 undisturbed: 0			
5. NAME OF DRILLER J. Cole/A. Browder				14. TOTAL NUMBER OF CORE BOXES 2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				15. ELEVATION GROUND WATER			
7. THICKNESS OF BURDEN 0 Ft.				16. DATE HOLE STARTED COMPLETED 1-10-01 1-10-01			
8. DEPTH DILLED INTO ROCK 0 Ft.				17. ELEVATION TOP OF HOLE -55.8 Ft.			
9. TOTAL DEPTH OF HOLE 18.2 Ft.				18. TOTAL CORE RECOVERY FOR BORING 100 %			
				19. SIGNATURE OF G. Zarbo, SEA, Inc.			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	LOG SAMPLE NO.	REMARKS	
-55.8	0					-55.8	0
							2.7
							5.4
							8.1
-66.8	10.0						10.8
-67.8	11.1		White fine quartz sand, scattered shell fragments in fine gravel range. 10 YR 9.25/1 (SP)	100	11.0		13.5
-68.8	12.1		White fine quartz sand, very large shell fragments and whole shells in coarse gravel range. 10 YR 9.25/0.5 (SP)	100			16.2
			White fine quartz sand, very few shell fragments. 10 YR 9.25/1 (SP)				18.9
-73.0	18.2			100	15.0	-71.8	21.6
						-73.0	
Composite P-79R1&R2 0-18.0 ft.							