

DRILLING LOG		DIVISION South Atlantic		INSTALLATION Jacksonville District		SHEET OF 1 SHEETS	
1. PROJECT Dade County Beach Restoration				10. SIZE AND TYPE OF BIT See remarks			
2. LOCATION (Coordinates or Station) X=798,577 Y=558,220				11. DAYTIME FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY Corps of Engineers				12. MANUFACTURER'S DESIGNATION OF DRILL Alpine Vibracore			
4. HOLE NO. (As shown on drawing title and file number) CB-DAC-124				13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		DISTURBED UNDISTURBED	
5. NAME OF DRILLER E. R. Lagrone				14. TOTAL NUMBER CORE BOXES 1		15. ELEVATION GROUND WATER TIDAL	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				16. DATE HOLE 9 Jun 76		STARTED COMPLETED 9 Jun 76	
7. THICKNESS OF OVERBURDEN				17. ELEVATION TOP OF HOLE -65.8		18. TOTAL CORE RECOVERY FOR BORING 100 %	
8. DEPTH DRILLED INTO ROCK				19. SIGNATURE OF INSPECTOR GEOLOGIST: C. Dreves			
9. TOTAL DEPTH OF HOLE 20.0'							
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g	
-65.8	0.0					BIT OR BARREL -65.8	
-70.8	5.0		SAND, very fine, calcareous, silty (chalky) (SM)			3-1/2" I.D. Vibracore	
-85.8	20.0		SILT, calcareous, chalky, sandy, lenses of coral below -75.8	100			
			NOTES:				
			1. Sample removed from Vibracore tube, logged and placed in "NX" core box.				
			2. No samples sent to Laboratory				