

DRILLING LOG			DIVISION South Atlantic		INSTALLATION Jacksonville District		SHEET OF 1 SHEETS	
1. PROJECT Dade County Beach Restoration					10. SIZE AND TYPE OF BIT See remarks			
2. LOCATION (Coordinates or Station) X=798,912 Y=559,149					11. DAYUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY Corps of Engineers					12. MANUFACTURER'S DESIGNATION OF DRILL Alpine Vibracore			
4. HOLE NO. (As shown on drawing title and file number) CB-DAC-117A					13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		DISTURBED UNDISTURBED	
5. NAME OF DRILLER E. R. Lagrone					14. TOTAL NUMBER CORE BOXES 1		15. ELEVATION GROUND WATER Tidal	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED DEG. FROM VERT.					16. DATE HOLE STARTED 9 Jun 76		COMPLETED 9 Jun 76	
7. THICKNESS OF OVERBURDEN					17. ELEVATION TOP OF HOLE -66.4			
8. DEPTH DRILLED INTO ROCK					18. TOTAL CORE RECOVERY FOR BORING 80 %			
9. TOTAL DEPTH OF HOLE 20.0'					19. XXXXXXXXXX INSPECTOR GEOLOGIST: C. DREVES			
ELEVATION e	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g		
-66.4	0.0					BIT OR BARREL -66.4		
			SAND, very fine, calcareous, silty (SM)	100	1	3-1/2" I.D. Vibracore		
-86.4	20.0					-86.4		
			NOTES:					
			1. Sample removed from Vibracore tube, logged and placed in "NX" core box.					
			2. Sample No. refers to samples sent to SAD Laboratory for grain size analysis.					
			3. Classification of granular material based on laboratory analysis.					