

DRILLING LOG		DIVISION South Atlantic		INSTALLATION Jacksonville District		SHEET 1 OF 1 SHEETS	
1. PROJECT Bade County Beach Restoration				10. SIZE AND TYPE OF BIT See Remarks			
2. LOCATION (Coordinates or Station) X = 797.141 Y = 557.042				11. DAYUM FOR ELEVATION SHOWN (TBM or BSL) M.L.W.			
3. DRILLING AGENCY Alpine Geophysical (Contract)				12. MANUFACTURER'S DESIGNATION OF DRILL Vibrocure			
4. HOLE NO. (As shown on drawing title and file number) CB-DAC-21A				13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		DISTURBED	UNDISTURBED
5. NAME OF DRILLER C. Dill				14. TOTAL NUMBER CORE BOXES 1		15. ELEVATION GROUND WATER Tidal	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				16. DATE HOLE STARTED 8/1/77 COMPLETED 8/1/77			
7. THICKNESS OF OVERBURDEN				17. ELEVATION TOP OF HOLE -55.0			
8. DEPTH DRILLED INTO ROCK				18. TOTAL CORE RECOVERY FOR BORING 100 %			
9. TOTAL DEPTH OF HOLE 12'				19. XXXXXXXXXXXXXXXXXXXX GEOLOGIST: R. Kretchman			

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
-55.0	0.0					BIT OR BARREL
-60.0	5.0		SAND, medium to fine, calcareous, gray, silty, shell fragments, trace of gravel, (SM)	100	1	3½" I.D. Vibrocure
-67.0	12.0		LIMESTONE, soft, coralline, sandy			
			NOTES: 1. Sample removed from Vibrocure tube, logged and placed in "NX" core box. 2. Sample No. refers to samples sent to SAD Laboratory for grain size analysis. 3. Classification of granular materials based on laboratory analysis.			