

DIVISION Drilling Log		South Atlantic		INSTALLATION Jacksonville District		SHEET OF 1 SHEETS	
1. PROJECT Dade County Beach Erosion				10. SIZE AND TYPE OF BIT NA			
2. LOCATION (Coordinates or Station) X=798,793 Y=547,702				11. DAYUM FOR ELEVATION SHOWN (TBM or HSL) MLW			
3. DRILLING AGENCY Corps of Engineers				12. MANUFACTURER'S DESIGNATION OF DRILL Vibracore			
4. HOLE NO. (As shown on drawing title and file number) CB-DAC-248				13. TOTAL NO. OF OVER- BURDEN SAMPLES TAKEN <input type="checkbox"/> DISTURBED <input type="checkbox"/> UNDISTURBED			
5. NAME OF DRILLER R. Gordon				14. TOTAL NUMBER CORE BOXES			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				15. ELEVATION GROUND WATER Tidal			
7. THICKNESS OF OVERBURDEN				16. DATE HOLE <input type="checkbox"/> STARTED 25 May 78 <input type="checkbox"/> COMPLETED 25 May 78			
8. DEPTH DRILLED INTO ROCK				17. ELEVATION TOP OF HOLE -61.7			
9. TOTAL DEPTH OF HOLE 14.0'				18. TOTAL CORE RECOVERY FOR BORING 100 %			
				19. SIGNATURE OF INSPECTOR Geologist: D. Rosen			

ELEVATION e	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOV- ERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
-61.0	0.0					BIT OR BARREL
-61.0	8.7		SAND, light gray, fine to medium, shell sand, (SH) slightly silty.		1	VIBRACORE
-69.0	14.0		SAND, light gray, fine, silty, shell sand. (S:1)		2	
-75.0	14.0					
			NOTES: 1. Sample removed from Vibracore tube, logged and placed in "NX" core box. 2. Sample No. refers to samples sent to SAD Laboratory for grain size analysis. 3. Classification of granular materials conforms to laboratory analysis.			