

DRILLING LOG		DIVISION South Atlantic		INSTALLATION Jacksonville District		SHEET OF 1 SHEETS	
1. PROJECT Dade County Beach Erosion				10. SIZE AND TYPE OF BIT NA			
2. LOCATION (Coordinates per Section) X=799,229 Y=551,379				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY Corps of Engineers				12. MANUFACTURER'S DESIGNATION OF DRILL Vibracore			
4. HOLE NO. (As shown on drawing title and file number) CB-DAC-188				13. TOTAL NO. OF OVER- BURDEN SAMPLES TAKEN			
5. NAME OF DRILLER R. Gordon				14. TOTAL NUMBER CORE BOXES			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				15. ELEVATION GROUND WATER Tidal			
7. THICKNESS OF OVERBURDEN				16. DATE HOLE STARTED 24 May 78 COMPLETED 24 May 78			
8. DEPTH DRILLED INTO ROCK				17. ELEVATION TOP OF HOLE -62.0			
9. TOTAL DEPTH OF HOLE 8.0'				18. TOTAL CORE RECOVERY FOR BORING 100 %			
				19. SIGNATURE OF INSPECTOR Geologist: D. Posen			
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOV- ERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g	
-62.0	0.0					BIT OR BARREL	
-68.4	6.4		SAND, slightly silty, light gray, slightly shelly, fine to coarse, shell sand, (SP)		1	VIBRACORE	
-70.0	8.0		LIMESTONE, hard, gray, composed of cemented shell fragments and coral, numerous solution holes filled with silty sand.			-68.4	
						-70.0	