

Drilling Log		1 of 2 Sheets	
1. Project		Martin County Shore Protection Project	
2. Location		774474.7E 1049378.5N	
3. Drilling Agency		Alpine Ocean Seismic Survey, Inc.	
4. Hole No. (As shown on drawing title)		ATM 2/2R2	
5. Name of Driller		Chris Moore	
6. Direction of Hole		<input checked="" type="checkbox"/> Vertical <input type="checkbox"/> Inclined _____ Degree from Vertical	
7. Thickness of Overburden		10. Size and Type of Bit	
8. Depth Drilled into Rock		11. Datum for Elevation Shown (TDM or MSL) NGVD	
9. Total Depth of Hole 16 ft		12. Manufacturer's Designation of Drill Vibracore	
		13. Total No. of Overburden Samples Taken Disturbed Undisturbed	
		14. Total No. of Core Boxes 2	
		15. Elevation Ground Water Tidal	
		16. Date Hole Started 11/18/93 Completed 11/18/93	
		17. Elevation Top of Hole -30.45	
		18. Total Core Recovery for Boring %	
		19. Signature of Inspector	

Elevation	Depth	Legend	Classification of Materials (Description)	% Core Recovery	Box or Sample No.	Remarks (Drilling time, water loss, depth of weathering, if significant)
a	b	c	d	e	f	g
-30.45	0	SP	Medium to coarse, brown, shelly sand		1	
-31.65	1				2	1.2 ft
-32.45	2	SP	Medium to coarse, gray, shelly sand		3	2 ft
	3					
	4	SP	Very medium to coarse sand		4	4 ft
-34.45	5					
	6				5	6 ft
-36.45	7	SP	Large mollusk shell hash/lag at 7.2 ft to 7.4 ft			
	8				6	8 ft
-38.45	9					
	10	SP	Fine sand, shell layers		7	
-40.45						

Drilling Log (Cont Sheet)		Elevation Top of Hole		Hole No.			
Project		Installation		Sheet of 2 Sheets			
Elevation	Depth	Legend	Classification of Materials (Description)	% Core Recovery	Box or Sample No.	Remarks (Drilling time, water loss, depth of weathering, if significant)	
a	b	c	d	e	f	g	
-40.45	10	SP	Fine, gray sand; shells sparse, poorly graded; local intervals of coarse shelly sand		7	10 ft	
	11		Bottom ATM 2				
	11		Top ATM 2/2R2				
-42.35	11	SP	Medium to coarse sand; very shelly, brown sand		8	11 ft	
	12						
-44.35	13				9	13 ft	
	14						
-46.35	15	SP	Fine, gray, shelly sand; shell layers		10	15 ft	
	16	SW	Fine to coarse shelly sand				
-47.35	16		Bottom 16 ft				
	17						
	18						
	19						
	20						