

DRILLING LOG		DIVISION South Atlantic		INSTALLATION Jacksonville District		SHEET 1 OF 1 SHEETS	
1. PROJECT Dade County Beach Restoration				10. SIZE AND TYPE OF BIT See Remarks			
2. LOCATION (Coordinates or Station) X = 798.824 Y = 549.584				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY Contract-Alpine Geophysical, Inc.				12. MANUFACTURER'S DESIGNATION OF DRILL Alpine Vibracore			
4. HOLE NO. (As shown on drawing title and file number) CB-DAC-64				13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		DISTURBED 1 UNDISTURBED	
5. NAME OF DRILLER J. Katsolis				14. TOTAL NUMBER CORE BOXES		1	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				15. ELEVATION GROUND WATER		TIDAL	
7. THICKNESS OF OVERBURDEN				16. DATE HOLE		STARTED 6-1-75 COMPLETED 6-1-75	
8. DEPTH DRILLED INTO ROCK				17. ELEVATION TOP OF HOLE		-59.0	
9. TOTAL DEPTH OF HOLE 20.0'				18. TOTAL CORE RECOVERY FOR BORING		95	
				19. <del>Geologist</del>		GEOLOGIST: R. Kretzman	
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOV- ERY e	SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g	
-59.0	0.0					Bit or Barrell -59.0	
			SAND, fine to coarse, mostly pulverized shell, some fine quartz, gray, silty (SM)	95	1	3-1/2" I.D. Vibracore	
-79.0	20.0					-79.0	
			NOTES:  1. Sample removed from Vibracore tube, logged and placed in "NX" core box.  2. Sample No. refers to samples sent to SAD Laboratory for grain size analysis.  3. Classification of granular materials based on laboratory analysis.				