

DRILLING LOG		DIVISION	INSTALLATION		SHEET 1 OF 1	
1. PROJECT South Amelia Island Shoreline Stabilization			10. SIZE AND TYPE OF BIT 4" VIBRACORE			
2. LOCATION (Coordinates or Station) X=368604.900 Y=2249118.100			11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLLW			
3. DRILLING AGENCY AOSS/Olsen Associates, Inc.			12. MANUFACTURER'S DESIGNATION OF DRILL PNEUMATIC VIBRACORE			
4. HOLE NO. (As shown on drawing title and file number) A-27R2			13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 4 undisturbed: 0			
5. NAME OF DRILLER J. Cole/E. Olsen			14. TOTAL NUMBER OF CORE BOXES 2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			15. ELEVATION GROUND WATER			
7. THICKNESS OF BURDEN 0 Ft.			16. DATE HOLE STARTED COMPLETED 4-16-01 4-19-01			
8. DEPTH DRILLED INTO ROCK 0 Ft.			17. ELEVATION TOP OF HOLE -14.0 Ft.			
9. TOTAL DEPTH OF HOLE 20.1 Ft.			18. TOTAL CORE RECOVERY FOR BORING 100 %			
			19. SIGNATURE OF G. Zarillo, SEA, Inc.			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	SAMPLE NUMBER	REMARKS
-14.0	.0					-14.0
-24.4	10.4		White fine quartz sand, scattered gray to light gray shell fragments in medium to coarse gravel range. 10 YR 8.5/0.5 (SP)	100	11.0	
-26.0	12.0		White fine quartz sand, trace of shell fragments in fine to medium gravel range. 10 YR 8.5/0.5 (SP)	100	14.0	
					17.0	
					19.0	
-34.1	20.1					-34.1
						Composite 10.4-20.1 ft.