

Gradation Analysis Report

Project Name: Collier County

Sample Name: CCVC-03-38 S#1

Sample Date: 8/29/03

Analyzed By: ID/JB



Coastal Planning & Engineering, Inc.

2481 N.W. Boca Raton Blvd.
Boca Raton, FL 33431

Easting: 202074	Northing: 752906	Coordinate System: State Plane 1983 FL East Ft	Elevation: -42.3 NGVD 1929 Feet
--------------------	---------------------	---	------------------------------------

USCS: SW	Dry Munsel: 5Y-7/1	Wet Munsel: 5Y-7/1	Comments:
-------------	-----------------------	-----------------------	-----------

Dry Weight: 41.69	Wash Weight: 41.31	Sieve Loss: 0.02	Percent Silt: 0.98	Estimated Percent Shell Content: 3.51
----------------------	-----------------------	---------------------	-----------------------	--

Sieve Number	Sieve Size (Phi)	Sieve Size (Millimeters)	Grams Retained	% Weight Retained	Cum. Grams Retained	C. % Weight Retained
3/4	-4.25	19.02	0.00	0.00	0.00	0.00
5/8	-4.00	16.00	0.00	0.00	0.00	0.00
5/16	-3.25	9.51	0.00	0.00	0.00	0.00
4	-3.00	8.00	0.00	0.00	0.00	0.00
5	-2.00	4.00	0.16	0.38	0.16	0.38
7	-1.50	2.82	0.20	0.48	0.36	0.86
10	-1.00	2.00	1.33	3.19	1.69	4.05
14	-0.50	1.41	2.64	6.33	4.33	10.39
18	0.00	1.00	3.45	8.28	7.78	18.66
25	0.50	0.70	3.86	9.26	11.64	27.92
35	1.00	0.50	5.66	13.58	17.30	41.50
45	1.50	0.35	10.26	24.61	27.56	66.11
60	2.00	0.25	10.02	24.03	37.58	90.14
80	2.50	0.17	3.32	7.96	40.90	98.11
120	3.00	0.12	0.40	0.96	41.30	99.06
170	3.50	0.08	-0.04	-0.10	41.26	98.97
200	3.75	0.07	0.01	0.02	41.27	98.99
230	4.00	0.06	0.01	0.02	41.28	99.02
Pan	Pan	Pan	0.39	0.94	41.67	99.95
Phi 5	Phi 16	Phi 25	Phi 50	Phi 75	Phi 84	Phi 95
-0.93	-0.16	0.34	1.17	1.69	1.87	2.31

Statistics	Mean Phi	Mean mm	Sorting	Skewness	Kurtosis
Graphic	0.85	0.55	1.00	-0.45	0.99
Moment	0.90	0.54	1.18	-0.33	1.51

Gradation Analysis Report

Project Name: Collier County

Sample Name: CCVC-03-38 S#2

Sample Date: 8/21/03

Analyzed By: ID/JB



Coastal Planning & Engineering, Inc.

2481 N.W. Boca Raton Blvd.

Boca Raton, FL 33431

Easting: 202074	Northing: 752906	Coordinate System: State Plane 1983 FL East Ft	Elevation: -43.7 NGVD 1929 Feet
--------------------	---------------------	---	------------------------------------

USCS: SW	Dry Munsel: 5Y-7/1	Wet Munsel: 5Y-7/1	Comments:
-------------	-----------------------	-----------------------	-----------

Dry Weight: 66.41	Wash Weight: 65.52	Sieve Loss: 0.02	Percent Silt: 1.39	Estimated Percent Shell Content: 4.44
----------------------	-----------------------	---------------------	-----------------------	--

Sieve Number	Sieve Size (Phi)	Sieve Size (Millimeters)	Grams Retained	% Weight Retained	Cum. Grams Retained	C. % Weight Retained
3/4	-4.25	19.02	0.00	0.00	0.00	0.00
5/8	-4.00	16.00	0.00	0.00	0.00	0.00
5/16	-3.25	9.51	0.00	0.00	0.00	0.00
4	-3.00	8.00	0.27	0.41	0.27	0.41
5	-2.00	4.00	0.04	0.06	0.31	0.47
7	-1.50	2.82	0.15	0.23	0.46	0.69
10	-1.00	2.00	0.58	0.87	1.04	1.57
14	-0.50	1.41	1.16	1.75	2.20	3.31
18	0.00	1.00	1.96	2.95	4.16	6.26
25	0.50	0.70	2.59	3.90	6.75	10.16
35	1.00	0.50	7.67	11.55	14.42	21.71
45	1.50	0.35	16.86	25.39	31.28	47.10
60	2.00	0.25	23.17	34.89	54.45	81.99
80	2.50	0.17	9.84	14.82	64.29	96.81
120	3.00	0.12	1.07	1.61	65.36	98.42
170	3.50	0.08	0.09	0.14	65.45	98.55
200	3.75	0.07	0.02	0.03	65.47	98.58
230	4.00	0.06	0.02	0.03	65.49	98.61
Pan	Pan	Pan	0.90	1.36	66.39	99.97
Phi 5	Phi 16	Phi 25	Phi 50	Phi 75	Phi 84	Phi 95
-0.21	0.75	1.06	1.54	1.9	2.07	2.44

Statistics	Mean Phi	Mean mm	Sorting	Skewness	Kurtosis
Graphic	1.32	0.40	0.73	-0.52	1.30
Moment	1.36	0.39	0.91	-0.55	1.99

Gradation Analysis Report

Project Name: Collier County

Sample Name: CCVC-03-38 S#3

Sample Date: 8/15/03

Analyzed By: ID/JB



Coastal Planning & Engineering, Inc.

2481 N.W. Boca Raton Blvd.

Boca Raton, FL 33431

Easting: 202074	Northing: 752906	Coordinate System: State Plane 1983 FL East Ft	Elevation: -45.4 NGVD 1929 Feet
--------------------	---------------------	---	------------------------------------

USCS: SW	Dry Munsel: 5Y-7/1	Wet Munsel: 5Y-7/1	Comments:
-------------	-----------------------	-----------------------	-----------

Dry Weight: 46.56	Wash Weight: 45.93	Sieve Loss: 0.03	Percent Silt: 1.44	Estimated Percent Shell Content: 1.12
----------------------	-----------------------	---------------------	-----------------------	--

Sieve Number	Sieve Size (Phi)	Sieve Size (Millimeters)	Grams Retained	% Weight Retained	Cum. Grams Retained	C. % Weight Retained
3/4	-4.25	19.02	0.00	0.00	0.00	0.00
5/8	-4.00	16.00	0.00	0.00	0.00	0.00
5/16	-3.25	9.51	0.00	0.00	0.00	0.00
4	-3.00	8.00	0.00	0.00	0.00	0.00
5	-2.00	4.00	0.03	0.06	0.03	0.06
7	-1.50	2.82	0.22	0.47	0.25	0.54
10	-1.00	2.00	0.34	0.73	0.59	1.27
14	-0.50	1.41	0.88	1.89	1.47	3.16
18	0.00	1.00	1.15	2.47	2.62	5.63
25	0.50	0.70	2.00	4.30	4.62	9.92
35	1.00	0.50	4.02	8.63	8.64	18.56
45	1.50	0.35	10.11	21.71	18.75	40.27
60	2.00	0.25	17.93	38.51	36.68	78.78
80	2.50	0.17	8.23	17.68	44.91	96.46
120	3.00	0.12	0.91	1.95	45.82	98.41
170	3.50	0.08	0.05	0.11	45.87	98.52
200	3.75	0.07	0.01	0.02	45.88	98.54
230	4.00	0.06	0.01	0.02	45.89	98.56
Pan	Pan	Pan	0.64	1.37	46.53	99.94
Phi 5	Phi 16	Phi 25	Phi 50	Phi 75	Phi 84	Phi 95
-0.13	0.85	1.15	1.63	1.95	2.15	2.46

Statistics	Mean Phi	Mean mm	Sorting	Skewness	Kurtosis
Graphic	1.39	0.38	0.72	-0.57	1.32
Moment	1.44	0.37	0.89	-0.59	2.02

Gradation Analysis Report

Project Name: Collier County

Sample Name: CCVC-03-38 S#4

Sample Date: 8/15/03

Analyzed By: ID/JB



Coastal Planning & Engineering, Inc.

2481 N.W. Boca Raton Blvd.

Boca Raton, FL 33431

Easting: 202074	Northing: 752906	Coordinate System: State Plane 1983 FL East Ft	Elevation: -48.1 NGVD 1929 Feet
--------------------	---------------------	---	------------------------------------

USCS: SW	Dry Munsel: 5Y-7/1	Wet Munsel: 5Y-7/1	Comments:
-------------	-----------------------	-----------------------	-----------

Dry Weight: 42.65	Wash Weight: 42.08	Sieve Loss: 0.02	Percent Silt: 1.41	Estimated Percent Shell Content: 5.4
----------------------	-----------------------	---------------------	-----------------------	---

Sieve Number	Sieve Size (Phi)	Sieve Size (Millimeters)	Grams Retained	% Weight Retained	Cum. Grams Retained	C. % Weight Retained
3/4	-4.25	19.02	0.00	0.00	0.00	0.00
5/8	-4.00	16.00	0.00	0.00	0.00	0.00
5/16	-3.25	9.51	0.60	1.41	0.60	1.41
4	-3.00	8.00	0.60	1.41	1.20	2.81
5	-2.00	4.00	0.10	0.23	1.30	3.05
7	-1.50	2.82	0.50	1.17	1.80	4.22
10	-1.00	2.00	0.58	1.36	2.38	5.58
14	-0.50	1.41	1.16	2.72	3.54	8.30
18	0.00	1.00	1.91	4.48	5.45	12.78
25	0.50	0.70	2.38	5.58	7.83	18.36
35	1.00	0.50	5.37	12.59	13.20	30.95
45	1.50	0.35	10.22	23.96	23.42	54.91
60	2.00	0.25	11.80	27.67	35.22	82.58
80	2.50	0.17	5.96	13.97	41.18	96.55
120	3.00	0.12	0.77	1.81	41.95	98.36
170	3.50	0.08	0.07	0.16	42.02	98.52
200	3.75	0.07	0.02	0.05	42.04	98.57
230	4.00	0.06	0.01	0.02	42.05	98.59
Pan	Pan	Pan	0.58	1.36	42.63	99.95
Phi 5	Phi 16	Phi 25	Phi 50	Phi 75	Phi 84	Phi 95
-1.21	0.29	0.76	1.4	1.86	2.05	2.44

Statistics	Mean Phi	Mean mm	Sorting	Skewness	Kurtosis
Graphic	0.99	0.50	0.99	-0.71	1.36
Moment	1.08	0.47	1.26	-0.73	2.19

Gradation Analysis Report

Project Name: Collier County

Sample Name: CCVC-03-38 S#5

Sample Date: 8/15/03

Analyzed By: ID/JB



Coastal Planning & Engineering, Inc.

2481 N.W. Boca Raton Blvd.
Boca Raton, FL 33431

Easting: 202074	Northing: 752906	Coordinate System: State Plane 1983 FL East Ft	Elevation: -51.6 NGVD 1929 Feet
--------------------	---------------------	---	------------------------------------

USCS: SP	Dry Munsel: 5Y-7/1	Wet Munsel: 5Y-7/1	Comments:
-------------	-----------------------	-----------------------	-----------

Dry Weight: 53.38	Wash Weight: 52.47	Sieve Loss: 0.05	Percent Silt: 1.87	Estimated Percent Shell Content: 0.87
----------------------	-----------------------	---------------------	-----------------------	--

Sieve Number	Sieve Size (Phi)	Sieve Size (Millimeters)	Grams Retained	% Weight Retained	Cum. Grams Retained	C. % Weight Retained
3/4	-4.25	19.02	0.00	0.00	0.00	0.00
5/8	-4.00	16.00	0.00	0.00	0.00	0.00
5/16	-3.25	9.51	0.00	0.00	0.00	0.00
4	-3.00	8.00	0.00	0.00	0.00	0.00
5	-2.00	4.00	0.00	0.00	0.00	0.00
7	-1.50	2.82	0.05	0.09	0.05	0.09
10	-1.00	2.00	0.16	0.30	0.21	0.39
14	-0.50	1.41	0.36	0.67	0.57	1.07
18	0.00	1.00	0.74	1.39	1.31	2.45
25	0.50	0.70	0.87	1.63	2.18	4.08
35	1.00	0.50	3.68	6.89	5.86	10.98
45	1.50	0.35	9.87	18.49	15.73	29.47
60	2.00	0.25	21.23	39.77	36.96	69.24
80	2.50	0.17	8.63	16.17	45.59	85.41
120	3.00	0.12	6.39	11.97	51.98	97.38
170	3.50	0.08	0.25	0.47	52.23	97.85
200	3.75	0.07	0.09	0.17	52.32	98.01
230	4.00	0.06	0.06	0.11	52.38	98.13
Pan	Pan	Pan	0.95	1.78	53.33	99.91
Phi 5	Phi 16	Phi 25	Phi 50	Phi 75	Phi 84	Phi 95
0.57	1.14	1.38	1.76	2.18	2.46	2.9

Statistics	Mean Phi	Mean mm	Sorting	Skewness	Kurtosis
Graphic	1.76	0.29	0.68	0.00	1.20
Moment	1.77	0.29	0.81	-0.06	1.63

Gradation Analysis Report

Project Name: Collier County

Sample Name: CCVC-03-38 S#6

Sample Date: 8/21/03

Analyzed By: ID/JB



Coastal Planning & Engineering, Inc.

2481 N.W. Boca Raton Blvd.


Boca Raton, FL 33431

Easting:	Northing:	Coordinate System:	Elevation:
202074	752906	State Plane 1983 FL East Ft	-54.2 NGVD 1929 Feet




USCS:	Dry Munsel:	Wet Munsel:	Comments:
SP	5Y-7/1	5Y-7/1	


Dry Weight:	Wash Weight:	Sieve Loss:	Percent Silt:	Estimated Percent Shell Content:
52.96	51.34	0.02	3.12	6.35

Sieve Number	Sieve Size (Phi)	Sieve Size (Millimeters)	Grams Retained	% Weight Retained	Cum. Grams Retained	C. % Weight Retained
3/4	-4.25	19.02	0.00	0.00	0.00	0.00
5/8	-4.00	16.00	0.00	0.00	0.00	0.00
5/16	-3.25	9.51	0.00	0.00	0.00	0.00
4	-3.00	8.00	0.00	0.00	0.00	0.00
5	-2.00	4.00	0.00	0.00	0.00	0.00
7	-1.50	2.82	0.06	0.11	0.06	0.11
10	-1.00	2.00	0.16	0.30	0.22	0.42
14	-0.50	1.41	0.39	0.74	0.61	1.15
18	0.00	1.00	0.57	1.08	1.18	2.23
25	0.50	0.70	1.02	1.93	2.20	4.15
35	1.00	0.50	2.44	4.61	4.64	8.76
45	1.50	0.35	7.16	13.52	11.80	22.28
60	2.00	0.25	16.97	32.04	28.77	54.32
80	2.50	0.17	17.91	33.82	46.68	88.14
120	3.00	0.12	3.71	7.01	50.39	95.15
170	3.50	0.08	0.57	1.08	50.96	96.22
200	3.75	0.07	0.21	0.40	51.17	96.62
230	4.00	0.06	0.14	0.26	51.31	96.88
Pan	Pan	Pan	1.63	3.08	52.94	99.96
Phi 5	Phi 16	Phi 25	Phi 50	Phi 75	Phi 84	Phi 95
0.59	1.27	1.54	1.93	2.31	2.44	2.99
Statistics	Mean Phi	Mean mm	Sorting	Skewness	Kurtosis	
Graphic	1.84	0.28	0.66	-0.22	1.29	
Moment	1.87	0.27	0.80	-0.20	1.81	







Gravel		Sand			Silt and Clay
Coarse	Fine	Coarse	Medium	Fine	

Sample	Symbol	Elev.	Comments	USCS	% Silt	Median	Mean	Skew	Kurt	Sort	Sample Information	
CCVC-03-38 S#1		-42.3		SW	0.98	0.44	0.54	-0.33	1.51	1.18	Project Name:	Collier County
Incremental % Weight		N/A	Use Left Hand Scale								Collection Date:	8/29/03
											Analyzed By:	ID/JB
				Coastal Planning & Engineering, Inc. 2481 N.W. Boca Raton Blvd. Boca Raton, FL 33431 ph 561 391-8102								







Gravel		Sand			Silt and Clay
Coarse	Fine	Coarse	Medium	Fine	

Sample	Symbol	Elev.	Comments	USCS	% Silt	Median	Mean	Skew	Kurt	Sort	Sample Information	
CCVC-03-38 S#2		-43.7		SW	1.39	0.34	0.39	-0.55	1.99	0.91	Project Name:	Collier County
Incremental % Weight		N/A	Use Left Hand Scale								Collection Date:	8/21/03
											Analyzed By:	ID/JB
				Coastal Planning & Engineering, Inc. 2481 N.W. Boca Raton Blvd. Boca Raton, FL 33431 ph 561 391-8102								





Gravel		Sand			Silt and Clay
Coarse	Fine	Coarse	Medium	Fine	

Sample	Symbol	Elev.	Comments	USCS	% Silt	Median	Mean	Skew	Kurt	Sort	Sample Information	
CCVC-03-38 S#3		-45.4		SW	1.44	0.32	0.37	-0.59	2.02	0.89	Project Name:	Collier County
Incremental % Weight		N/A	Use Left Hand Scale								Collection Date:	8/15/03
											Analyzed By:	ID/JB
				Coastal Planning & Engineering, Inc. 2481 N.W. Boca Raton Blvd. Boca Raton, FL 33431 ph 561 391-8102 fax 561 391-9116							Easting (X):	202074
											Northing (Y):	752906
											Horizontal System:	State Plane 1983 FL East Ft
											Vertical System:	NGVD 1929 Feet






Gravel		Sand			Silt and Clay
Coarse	Fine	Coarse	Medium	Fine	

Sample	Symbol	Elev.	Comments	USCS	% Silt	Median	Mean	Skew	Kurt	Sort	Sample Information	
CCVC-03-38 S#4		-48.1		SW	1.41	0.38	0.47	-0.73	2.19	1.26	Project Name:	Collier County
Incremental % Weight		N/A	Use Left Hand Scale								Collection Date:	8/15/03
											Analyzed By:	ID/JB
 <div> Coastal Planning & Engineering, Inc. 2481 N.W. Boca Raton Blvd. Boca Raton, FL 33431 ph 561 391-8102 </div> <div> fax 561 391-9116 </div>											Easting (X):	202074
											Northing (Y):	752906
											Horizontal System:	State Plane 1983 FL East Ft
											Vertical System:	NGVD 1929 Feet



Gravel		Sand			Silt and Clay
Coarse	Fine	Coarse	Medium	Fine	

Sample	Symbol	Elev.	Comments	USCS	% Silt	Median	Mean	Skew	Kurt	Sort	Sample Information		
CCVC-03-38 S#6		-54.2		SP	3.12	0.26	0.27	-0.20	1.81	0.80	Project Name:	Collier County	
Incremental % Weight		N/A	Use Left Hand Scale								Collection Date:	8/21/03	
											Analyzed By:	ID/JB	
 <div>Coastal Planning & Engineering, Inc. 2481 N.W. Boca Raton Blvd. Boca Raton, FL 33431 ph 561 391-8102 fax 561 391-9116</div>												Easting (X):	202074
												Northing (Y):	752906
												Horizontal System:	State Plane 1983 FL East Ft
												Vertical System:	NGVD 1929 Feet