

Hole No. CB-18

DRILLING LOG		Tetra Tech, Inc.		INSTALLATION		SHEET OF SHEETS	
1. PROJECT South Seas Plantation Beach Improvement				10. SIZE AND TYPE OF BIT 3" Sampler			
2. LOCATION (Coordinates of Station) X = 431,268      Y = 806,754				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MSL			
3. DRILLING AGENCY Ocean Seismic Survey, Inc.				12. MANUFACTURER'S DESIGNATION OF DRILL VIDRACORE			
4. HOLE NO. (As shown on drawing title and file number) CB-18				13. TOTAL NO. OF OVER- BURDEN SAMPLES TAKEN			
5. NAME OF DRILLER Hume/Oblinger				14. TOTAL NUMBER CORE BOXES			
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				15. ELEVATION GROUND WATER Tidal			
7. THICKNESS OF OVERBURDEN				16. DATE MOLE 29 Mar 79			
8. DEPTH DRILLED INTO ROCK				17. ELEVATION TOP OF HOLE -9'			
9. TOTAL DEPTH OF HOLE				18. TOTAL CORE RECOVERY FOR BORING 1			
				19. SIGNATURE OF INSPECTOR H. Miller (OSS); E. J. Olsen (Tr)			
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOV- ERY e	SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g	
-7						EXISTENCE	
-9.0	0.0	( )	Shell, light gray, compact, coarse to medium; little sand, medium to fine.		1		
-11.7	2.7	( )	Sand, light gray, fine, compact, trace medium to fine shell fragments, compact		2		
-15.6	6.6	( )	Shell light gray, medium to coarse fragments; little medium to fine sand, medium clay.				
-16.0	7.0	( )	Silty fine sand, brownish gray changing downward from loose to med. compact. (SM)			15% silt	
-17.5	8.5	( )	Silty fine sand changes gradually downward to clayey silt. (SC)		3		
-19.0	10.0	( )	Little shell fragments				
-19.9	10.9	( )	Silty fine sand, light gray very loose; trace fine shell fragments		4	25% silt	
-26.1	17.1	( )	Cemented shell fragment, cobbles		5	57% silt	
-29.1	20.1	( )					

TE

PROJECT  
South Seas Plantation  
Beach ImprovementHOLE NO.  
CB-18