

<b>DRILLING LOG</b>		<b>DIVISION</b>		<b>INSTALLATION</b>		<b>SHEET 1 OF 1 SHEETS</b>	
<b>1. PROJECT</b> Walton County Borrow Area A Walton County, Florida				<b>9. SIZE AND TYPE OF BIT</b>			
<b>2. BORING DESIGNATION</b> WA-46				<b>LOCATION COORDINATES</b> X = 1,381,152 Y = 480,096		<b>10. COORDINATE SYSTEM/DATUM</b> Florida State Plane North	
<b>3. DRILLING AGENCY</b>				<b>CONTRACTOR FILE NO.</b>		<b>11. MANUFACTURER'S DESIGNATION OF DRILL</b> Vibrocure	
<b>4. NAME OF DRILLER</b> Alpine				<b>12. TOTAL SAMPLES</b>		<b>13. TOTAL NUMBER CORE BOXES</b>	
<b>5. DIRECTION OF BORING</b> <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				<b>DEG. FROM VERTICAL</b>		<b>BEARING</b>	
<b>6. THICKNESS OF OVERBURDEN</b> 0.0 Ft.				<b>14. ELEVATION GROUND WATER</b>		<b>15. DATE BORING</b> 08-27-06 09:16	
<b>7. DEPTH DRILLED INTO ROCK</b> 0.0 Ft.				<b>16. ELEVATION TOP OF BORING</b> -70.5 Ft.		<b>17. TOTAL RECOVERY FOR BORING</b> 9.6 Ft.	
<b>8. TOTAL DEPTH OF BORING</b> 10.1 Ft.				<b>18. SIGNATURE AND TITLE OF INSPECTOR</b>		<b>COMPLETED</b> 08-27-06 09:19	

ELEV. (ft)	DEPTH (ft)	LEGEND	CLASSIFICATION OF MATERIALS Depths and elevations based on measured values	% REC.	BOX OR SAMPLE	REMARKS
-70.5	0.0					
-76.5	6.0		Medium sand. Scattered mud-filled burrows at depth of 2.4' to 2.6', 3.1' to 3.3', 3.9' to 4.4', and 5.5' to 6'. Shells at 0' to 1.1', and 4.5' to 4.7', (SP).		WA-46 0' WA-46 1.5' WA-46 3.0' WA-46 4.5' WA-46 6.0' WA-46 7.5'	Sample #WA-46 0', Depth = 0.0' Sample #WA-46 1.5', Depth = 1.5' Sample #WA-46 3.0', Depth = 3.0' Sample #WA-46 4.5', Depth = 4.5' Sample #WA-46 6.0', Depth = 6.0' Sample #WA-46 7.5', Depth = 7.5'
-79.3	8.8		Fine sand. Scattered mud-filled burrows at depth of 6' to 6.9', (SP).			
			End of Boring			

FLORIDA DEP ROSS WALTON COUNTY DETAIL PHASE II.GPJ FL DEP ROSS.GDT 09/12/07