

\*\*\* GRAIN-SIZE ANALYSES REPORT \*\*\*  
COASTAL STUDIES INSTITUTE, LOUISIANA STATE UNIVERSITY

SAMPLE: WN-8 0'

PHI (MM)	WEIGHT (G)	WEIGHT %	CUMULATIVE WEIGHT %
-0.75 (1.682)	0.004	0.02	0.02
-0.50 (1.414)	0.143	0.81	0.83
-0.25 (1.189)	0.273	1.54	2.37
0.00 (1.000)	0.597	3.36	5.73
0.25 (0.841)	1.016	5.73	11.46
0.50 (0.707)	1.140	6.43	17.88
0.75 (0.595)	1.298	7.32	25.20
1.00 (0.500)	1.943	10.95	36.15
1.25 (0.420)	1.387	7.82	43.97
1.50 (0.354)	2.865	16.15	60.11
1.75 (0.297)	1.842	10.38	70.50
2.00 (0.250)	2.857	16.10	86.60
2.25 (0.210)	1.346	7.59	94.18
2.50 (0.177)	0.520	2.93	97.11
2.75 (0.149)	0.281	1.58	98.70
3.00 (0.125)	0.160	0.90	99.60
3.25 (0.105)	0.052	0.29	99.89
3.50 (0.088)	0.008	0.05	99.94
3.75 (0.074)	0.001	0.01	99.94
4.00 (0.063)	0.001	0.01	99.95
4.25 (0.053)	0.000	0.00	99.95
4.50 (0.044)	0.009	0.05	100.00

TOTAL WEIGHT OF SAMPLE IS 17.743 (g)

FOLK & WARD (1957) METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.243 (0.422)	0.743 (0.598)	-0.187	0.904

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; MESOKURITIC

INMAN METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.193 (0.437)	0.766 (0.588)	-0.196	0.549

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; VERY PLATYKURITIC

MOMENTS METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1ST MOMENT	2ND MOMENT	3RD MOMENT	4TH MOMENT
1.250 (0.421)	0.740 (0.599)	-0.243	2.704

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; MESOKURITIC

PREPARED BY BL ON 01/23/2006

\*\*\* GRAIN-SIZE ANALYSES REPORT \*\*\*  
COASTAL STUDIES INSTITUTE, LOUISIANA STATE UNIVERSITY

SAMPLE: WN-8 1.5'

PHI (MM)	WEIGHT (G)	WEIGHT %	CUMULATIVE WEIGHT %
-0.75 (1.682)	0.000	0.00	0.00
-0.50 (1.414)	0.024	0.14	0.14
-0.25 (1.189)	0.098	0.59	0.73
0.00 (1.000)	0.269	1.61	2.34
0.25 (0.841)	0.634	3.79	6.13
0.50 (0.707)	0.710	4.25	10.38
0.75 (0.595)	0.852	5.10	15.48
1.00 (0.500)	1.282	7.67	23.16
1.25 (0.420)	0.968	5.79	28.95
1.50 (0.354)	2.261	13.53	42.48
1.75 (0.297)	1.799	10.77	53.25
2.00 (0.250)	3.497	20.93	74.18
2.25 (0.210)	2.062	12.34	86.52
2.50 (0.177)	0.904	5.41	91.93
2.75 (0.149)	0.608	3.64	95.57
3.00 (0.125)	0.392	2.35	97.91
3.25 (0.105)	0.154	0.92	98.83
3.50 (0.088)	0.049	0.29	99.13
3.75 (0.074)	0.033	0.20	99.32
4.00 (0.063)	0.030	0.18	99.50
4.25 (0.053)	0.016	0.10	99.60
4.50 (0.044)	0.067	0.40	100.00

TOTAL WEIGHT OF SAMPLE IS 16.709 (g)

FOLK & WARD (1957) METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.547 (0.342)	0.742 (0.598)	-0.225	1.109

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; MESOKURITIC

INMAN METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.483 (0.358)	0.716 (0.609)	-0.268	0.771

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; PLATYKURITIC

MOMENTS METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1ST MOMENT	2ND MOMENT	3RD MOMENT	4TH MOMENT
1.561 (0.339)	0.758 (0.591)	-0.087	3.539

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; MESOKURITIC

PREPARED BY BL ON 01/23/2006

\*\*\* GRAIN-SIZE ANALYSES REPORT \*\*\*  
COASTAL STUDIES INSTITUTE, LOUISIANA STATE UNIVERSITY

SAMPLE: WN-8 3.0'

PHI (MM)	WEIGHT (G)	WEIGHT %	CUMULATIVE WEIGHT %
0.00 (1.000)	0.683	3.99	3.99
0.25 (0.841)	0.541	3.16	7.14
0.50 (0.707)	0.551	3.22	10.36
0.75 (0.595)	0.675	3.94	14.30
1.00 (0.500)	1.015	5.92	20.22
1.25 (0.420)	0.856	5.00	25.22
1.50 (0.354)	2.160	12.61	37.83
1.75 (0.297)	1.811	10.57	48.40
2.00 (0.250)	3.921	22.89	71.28
2.25 (0.210)	2.589	15.11	86.39
2.50 (0.177)	1.056	6.16	92.56
2.75 (0.149)	0.701	4.09	96.65
3.00 (0.125)	0.409	2.39	99.04
3.25 (0.105)	0.126	0.74	99.77
3.50 (0.088)	0.032	0.19	99.96
3.75 (0.074)	0.006	0.04	99.99
4.00 (0.063)	0.001	0.01	100.00
4.25 (0.053)	0.000	0.00	100.00
4.50 (0.044)	0.000	0.00	100.00
4.75 (0.037)	0.000	0.00	100.00
5.00 (0.031)	0.000	0.00	100.00
5.25 (0.026)	0.000	0.00	100.00

TOTAL WEIGHT OF SAMPLE IS 17.133 (g)

FOLK & WARD (1957) METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.600 (0.330)	0.736 (0.600)	-0.338	1.280

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; LEPTOKURITIC

INMAN METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.516 (0.350)	0.694 (0.618)	-0.362	0.850

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY WELL SORTED; STRONGLY COARSE SKEWED; PLATYKURITIC

MOMENTS METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1ST MOMENT	2ND MOMENT	3RD MOMENT	4TH MOMENT
1.592 (0.332)	0.724 (0.605)	-0.605	3.024

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; MESOKURITIC

PREPARED BY BL ON 01/23/2006

\*\*\* GRAIN-SIZE ANALYSES REPORT \*\*\*  
COASTAL STUDIES INSTITUTE, LOUISIANA STATE UNIVERSITY

SAMPLE: WN-8 4.5'

PHI (MM)	WEIGHT (G)	WEIGHT %	CUMULATIVE WEIGHT %
0.00 (1.000)	0.528	3.27	3.27
0.25 (0.841)	0.354	2.19	5.47
0.50 (0.707)	0.376	2.33	7.80
0.75 (0.595)	0.480	2.97	10.77
1.00 (0.500)	0.794	4.92	15.69
1.25 (0.420)	0.635	3.93	19.62
1.50 (0.354)	1.530	9.48	29.11
1.75 (0.297)	1.317	8.16	37.27
2.00 (0.250)	3.274	20.29	57.55
2.25 (0.210)	2.743	17.00	74.55
2.50 (0.177)	1.482	9.18	83.73
2.75 (0.149)	1.254	7.77	91.50
3.00 (0.125)	0.908	5.63	97.13
3.25 (0.105)	0.327	2.03	99.16
3.50 (0.088)	0.083	0.51	99.67
3.75 (0.074)	0.024	0.15	99.82
4.00 (0.063)	0.010	0.06	99.88
4.25 (0.053)	0.008	0.05	99.93
4.50 (0.044)	0.004	0.02	99.96
4.75 (0.037)	0.004	0.02	99.98
5.00 (0.031)	0.003	0.02	100.00
5.25 (0.026)	0.000	0.00	100.00

TOTAL WEIGHT OF SAMPLE IS 16.138 (g)

FOLK & WARD (1957) METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.812 (0.285)	0.783 (0.581)	-0.227	1.275

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; LEPTOKURITIC

INMAN METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.764 (0.294)	0.744 (0.597)	-0.192	0.819

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; PLATYKURITIC

MOMENTS METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1ST MOMENT	2ND MOMENT	3RD MOMENT	4TH MOMENT
1.795 (0.288)	0.763 (0.589)	-0.591	3.305

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; MESOKURITIC

PREPARED BY BL ON 01/23/2006

\*\*\* GRAIN-SIZE ANALYSES REPORT \*\*\*  
COASTAL STUDIES INSTITUTE, LOUISIANA STATE UNIVERSITY

SAMPLE: WN-8 6.0'

PHI (MM)	WEIGHT (G)	WEIGHT %	CUMULATIVE WEIGHT %
0.00 (1.000)	0.511	2.54	2.54
0.25 (0.841)	0.274	1.36	3.91
0.50 (0.707)	0.387	1.93	5.83
0.75 (0.595)	0.476	2.37	8.20
1.00 (0.500)	0.809	4.03	12.23
1.25 (0.420)	0.819	4.08	16.31
1.50 (0.354)	1.817	9.04	25.35
1.75 (0.297)	1.408	7.01	32.36
2.00 (0.250)	3.958	19.70	52.06
2.25 (0.210)	3.682	18.33	70.39
2.50 (0.177)	2.074	10.32	80.72
2.75 (0.149)	1.842	9.17	89.89
3.00 (0.125)	1.379	6.86	96.75
3.25 (0.105)	0.509	2.53	99.28
3.50 (0.088)	0.068	0.34	99.62
3.75 (0.074)	0.042	0.21	99.83
4.00 (0.063)	0.017	0.08	99.92
4.25 (0.053)	0.009	0.04	99.96
4.50 (0.044)	0.004	0.02	99.98
4.75 (0.037)	0.003	0.01	100.00
5.00 (0.031)	0.001	0.00	100.00
5.25 (0.026)	0.000	0.00	100.00

TOTAL WEIGHT OF SAMPLE IS 20.089 (g)

FOLK & WARD (1957) METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.932 (0.262)	0.725 (0.605)	-0.168	1.197

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; LEPTOKURITIC

INMAN METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.910 (0.266)	0.679 (0.625)	-0.093	0.873

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY WELL SORTED; STRONGLY COARSE SKEWED; PLATYKURITIC

MOMENTS METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1ST MOMENT	2ND MOMENT	3RD MOMENT	4TH MOMENT
1.887 (0.270)	0.730 (0.603)	-0.674	3.550

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; MESOKURITIC

PREPARED BY BL ON 01/23/2006

\*\*\* GRAIN-SIZE ANALYSES REPORT \*\*\*  
COASTAL STUDIES INSTITUTE, LOUISIANA STATE UNIVERSITY

SAMPLE: WN-8 7.5'

PHI (MM)	WEIGHT (G)	WEIGHT %	CUMULATIVE WEIGHT %
0.00 (1.000)	0.424	2.30	2.30
0.25 (0.841)	0.458	2.49	4.79
0.50 (0.707)	0.409	2.22	7.02
0.75 (0.595)	0.564	3.07	10.08
1.00 (0.500)	0.874	4.75	14.84
1.25 (0.420)	0.646	3.51	18.35
1.50 (0.354)	1.287	7.00	25.34
1.75 (0.297)	1.153	6.27	31.61
2.00 (0.250)	3.371	18.33	49.94
2.25 (0.210)	3.129	17.01	66.95
2.50 (0.177)	1.672	9.09	76.04
2.75 (0.149)	1.543	8.39	84.43
3.00 (0.125)	1.450	7.88	92.31
3.25 (0.105)	0.764	4.15	96.46
3.50 (0.088)	0.308	1.67	98.14
3.75 (0.074)	0.107	0.58	98.72
4.00 (0.063)	0.059	0.32	99.04
4.25 (0.053)	0.046	0.25	99.29
4.50 (0.044)	0.034	0.18	99.47
4.75 (0.037)	0.046	0.25	99.72
5.00 (0.031)	0.026	0.14	99.86
5.25 (0.026)	0.025	0.14	100.00

TOTAL WEIGHT OF SAMPLE IS 18.395 (g)

FOLK & WARD (1957) METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.940 (0.261)	0.851 (0.554)	-0.153	1.204

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; LEPTOKURITIC

INMAN METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.910 (0.266)	0.827 (0.564)	-0.110	0.746

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; PLATYKURITIC

MOMENTS METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1ST MOMENT	2ND MOMENT	3RD MOMENT	4TH MOMENT
1.938 (0.261)	0.845 (0.557)	-0.238	3.574

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; MESOKURITIC

PREPARED BY BL ON 01/23/2006

\*\*\* GRAIN-SIZE ANALYSES REPORT \*\*\*  
COASTAL STUDIES INSTITUTE, LOUISIANA STATE UNIVERSITY

SAMPLE: WN-8 9.0'

PHI (MM)	WEIGHT (G)	WEIGHT %	CUMULATIVE WEIGHT %
0.00 (1.000)	0.832	4.42	4.42
0.25 (0.841)	0.591	3.14	7.56
0.50 (0.707)	0.811	4.31	11.87
0.75 (0.595)	1.165	6.19	18.06
1.00 (0.500)	2.135	11.34	29.40
1.25 (0.420)	1.560	8.29	37.68
1.50 (0.354)	2.528	13.43	51.11
1.75 (0.297)	1.502	7.98	59.09
2.00 (0.250)	2.711	14.40	73.49
2.25 (0.210)	1.961	10.42	83.91
2.50 (0.177)	0.993	5.27	89.18
2.75 (0.149)	0.870	4.62	93.81
3.00 (0.125)	0.695	3.69	97.50
3.25 (0.105)	0.277	1.47	98.97
3.50 (0.088)	0.101	0.54	99.51
3.75 (0.074)	0.034	0.18	99.69
4.00 (0.063)	0.015	0.08	99.77
4.25 (0.053)	0.013	0.07	99.84
4.50 (0.044)	0.009	0.05	99.88
4.75 (0.037)	0.012	0.06	99.95
5.00 (0.031)	0.006	0.03	99.98
5.25 (0.026)	0.004	0.02	100.00

TOTAL WEIGHT OF SAMPLE IS 18.825 (g)

FOLK & WARD (1957) METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.467 (0.362)	0.819 (0.567)	-0.026	1.007

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; MESOKURITIC

INMAN METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.461 (0.363)	0.794 (0.577)	-0.024	0.754

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; PLATYKURITIC

MOMENTS METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1ST MOMENT	2ND MOMENT	3RD MOMENT	4TH MOMENT
1.488 (0.356)	0.811 (0.570)	0.073	2.853

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; MESOKURITIC

PREPARED BY BL ON 01/23/2006

\*\*\* GRAIN-SIZE ANALYSES REPORT \*\*\*  
COASTAL STUDIES INSTITUTE, LOUISIANA STATE UNIVERSITY

SAMPLE: WN-8 10.5'

PHI (MM)	WEIGHT (G)	WEIGHT %	CUMULATIVE WEIGHT %
0.00 (1.000)	0.088	0.52	0.52
0.25 (0.841)	0.123	0.73	1.25
0.50 (0.707)	0.235	1.39	2.65
0.75 (0.595)	0.454	2.69	5.34
1.00 (0.500)	1.041	6.18	11.52
1.25 (0.420)	0.875	5.19	16.72
1.50 (0.354)	1.629	9.67	26.39
1.75 (0.297)	1.193	7.08	33.47
2.00 (0.250)	2.425	14.40	47.86
2.25 (0.210)	2.218	13.17	61.03
2.50 (0.177)	1.603	9.52	70.54
2.75 (0.149)	1.851	10.99	81.53
3.00 (0.125)	1.771	10.51	92.05
3.25 (0.105)	0.734	4.36	96.40
3.50 (0.088)	0.301	1.79	98.19
3.75 (0.074)	0.109	0.65	98.84
4.00 (0.063)	0.051	0.30	99.14
4.25 (0.053)	0.028	0.17	99.31
4.50 (0.044)	0.021	0.12	99.43
4.75 (0.037)	0.031	0.18	99.61
5.00 (0.031)	0.013	0.08	99.69
5.25 (0.026)	0.052	0.31	100.00

TOTAL WEIGHT OF SAMPLE IS 16.846 (g)

FOLK & WARD (1957) METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
2.022 (0.246)	0.770 (0.587)	-0.057	0.883

GRANULOMETRIC DESCRIPTION:

FINE SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; PLATYKURITIC

INMAN METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
2.012 (0.248)	0.797 (0.576)	-0.036	0.539

GRANULOMETRIC DESCRIPTION:

FINE SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; VERY PLATYKURITIC

MOMENTS METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1ST MOMENT	2ND MOMENT	3RD MOMENT	4TH MOMENT
2.021 (0.246)	0.790 (0.578)	0.038	3.437

GRANULOMETRIC DESCRIPTION:

FINE SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; MESOKURITIC

PREPARED BY BL ON 01/23/2006



\*\*\* GRAIN-SIZE ANALYSES REPORT \*\*\*  
COASTAL STUDIES INSTITUTE, LOUISIANA STATE UNIVERSITY

SAMPLE: WN-8 12.0'

PHI (MM)	WEIGHT (G)	WEIGHT %	CUMULATIVE WEIGHT %
0.00 (1.000)	0.297	2.18	2.18
0.25 (0.841)	0.134	0.98	3.16
0.50 (0.707)	0.144	1.06	4.22
0.75 (0.595)	0.244	1.79	6.01
1.00 (0.500)	0.426	3.13	9.13
1.25 (0.420)	0.434	3.18	12.32
1.50 (0.354)	0.754	5.53	17.85
1.75 (0.297)	0.651	4.78	22.63
2.00 (0.250)	1.574	11.55	34.18
2.25 (0.210)	1.703	12.50	46.67
2.50 (0.177)	1.473	10.81	57.48
2.75 (0.149)	1.961	14.39	71.87
3.00 (0.125)	2.125	15.59	87.46
3.25 (0.105)	1.004	7.37	94.83
3.50 (0.088)	0.429	3.15	97.97
3.75 (0.074)	0.131	0.96	98.94
4.00 (0.063)	0.053	0.39	99.32
4.25 (0.053)	0.032	0.23	99.56
4.50 (0.044)	0.020	0.15	99.71
4.75 (0.037)	0.023	0.17	99.88
5.00 (0.031)	0.011	0.08	99.96
5.25 (0.026)	0.006	0.04	100.00

TOTAL WEIGHT OF SAMPLE IS 13.629 (g)

FOLK & WARD (1957) METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
2.229 (0.213)	0.784 (0.581)	-0.243	1.089

GRANULOMETRIC DESCRIPTION:

FINE SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; MESOKURITIC

INMAN METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
2.180 (0.221)	0.764 (0.589)	-0.192	0.737

GRANULOMETRIC DESCRIPTION:

FINE SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; PLATYKURITIC

MOMENTS METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1ST MOMENT	2ND MOMENT	3RD MOMENT	4TH MOMENT
2.212 (0.216)	0.819 (0.567)	-0.690	3.682

GRANULOMETRIC DESCRIPTION:

FINE SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; MESOKURITIC

PREPARED BY BL ON 01/23/2006