

<b>DRILLING LOG</b>		<b>DIVISION</b>	<b>INSTALLATION</b>	<b>SHEET 1</b> <b>OF 1 SHEETS</b>
<b>1. PROJECT</b> Walton County Borrow Area A Walton County, Florida			<b>9. SIZE AND TYPE OF BIT</b>	
<b>2. BORING DESIGNATION</b> WA-27			<b>10. COORDINATE SYSTEM/DATUM</b> Florida State Plane North	
<b>LOCATION COORDINATES</b> X = 1,385,096 Y = 478,585			<b>HORIZONTAL</b> NAD 1983	
<b>3. DRILLING AGENCY</b>			<b>11. MANUFACTURER'S DESIGNATION OF DRILL</b> Vibracore	
<b>CONTRACTOR FILE NO.</b>			<input type="checkbox"/> <b>AUTO HAMMER</b> <input type="checkbox"/> <b>MANUAL HAMMER</b>	
<b>4. NAME OF DRILLER</b> Alpine			<b>12. TOTAL SAMPLES</b>	
<b>5. DIRECTION OF BORING</b> <input checked="" type="checkbox"/> <b>VERTICAL</b> <input type="checkbox"/> <b>INCLINED</b>			<b>13. TOTAL NUMBER CORE BOXES</b>	
<b>DEG. FROM VERTICAL</b>			<b>14. ELEVATION GROUND WATER</b>	
<b>BEARING</b>			<b>15. DATE BORING</b> 08-28-06 15:30	
<b>6. THICKNESS OF OVERBURDEN</b> 0.0 Ft.			<b>16. ELEVATION TOP OF BORING</b> -72.6 Ft.	
<b>7. DEPTH DRILLED INTO ROCK</b> 0.0 Ft.			<b>17. TOTAL RECOVERY FOR BORING</b> 18.7 Ft.	
<b>8. TOTAL DEPTH OF BORING</b> 18.9 Ft.			<b>18. SIGNATURE AND TITLE OF INSPECTOR</b>	

ELEV. (ft)	DEPTH (ft)	LEGEND	CLASSIFICATION OF MATERIALS Depths and elevations based on measured values	% REC.	BOX OR SAMPLE	REMARKS
-72.6	0.0					
73.0	0.4		Coarse sand., (SP).		WA-27 0'	Sample #WA-27 0', Depth = 0.0'
					WA-27 1.5'	Sample #WA-27 1.5', Depth = 1.5'
					WA-27 3.0'	Sample #WA-27 3.0', Depth = 3.0'
			Medium sand. Burrows at depth of 3.7' to 4.7'. Shells at depth of 1.2' to 1.3', 2.5' to 3.4', and 6.4' to 6.5'. Scattered organics at depth of 0.9' to 1.3', and 7' to 8.1', (SP).			
-82.6	10.0					
			Carbonate-cemented sediment..			
-91.5	18.9					
			End of Boring			

FLORIDA DEP ROSS WALTON COUNTY DETAIL PHASE II.GPJ FL DEP ROSS.GDT 09/12/07