

\*\*\* GRAIN-SIZE ANALYSES REPORT \*\*\*  
COASTAL STUDIES INSTITUTE, LOUISIANA STATE UNIVERSITY

SAMPLE: WN-9 0'

PHI (MM)	WEIGHT (G)	WEIGHT %	CUMULATIVE WEIGHT %
0.00 (1.000)	0.795	3.48	3.48
0.25 (0.841)	1.270	5.56	9.05
0.50 (0.707)	1.507	6.60	15.65
0.75 (0.595)	2.375	10.41	26.06
1.00 (0.500)	4.262	18.67	44.73
1.25 (0.420)	2.788	12.22	56.94
1.50 (0.354)	3.788	16.60	73.54
1.75 (0.297)	1.898	8.32	81.86
2.00 (0.250)	2.346	10.28	92.14
2.25 (0.210)	0.879	3.85	95.99
2.50 (0.177)	0.330	1.45	97.43
2.75 (0.149)	0.214	0.94	98.37
3.00 (0.125)	0.174	0.76	99.13
3.25 (0.105)	0.055	0.24	99.37
3.50 (0.088)	0.033	0.14	99.52
3.75 (0.074)	0.025	0.11	99.63
4.00 (0.063)	0.016	0.07	99.70
4.25 (0.053)	0.009	0.04	99.74
4.50 (0.044)	0.009	0.04	99.78
4.75 (0.037)	0.021	0.09	99.87
5.00 (0.031)	0.004	0.02	99.89
5.25 (0.026)	0.026	0.11	100.00

TOTAL WEIGHT OF SAMPLE IS 22.824 (g)

FOLK & WARD (1957) METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.139 (0.454)	0.644 (0.640)	0.046	1.059

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY WELL SORTED; STRONGLY COARSE SKEWED; MESOKURITIC

INMAN METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.155 (0.449)	0.647 (0.639)	0.073	0.637

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY WELL SORTED; STRONGLY COARSE SKEWED; VERY PLATYKURITIC

MOMENTS METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1ST MOMENT	2ND MOMENT	3RD MOMENT	4TH MOMENT
1.145 (0.452)	0.669 (0.629)	0.714	5.387

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY WELL SORTED; FINE SKEWED; LEPTOKURITIC

PREPARED BY BL ON 01/23/2006

\*\*\* GRAIN-SIZE ANALYSES REPORT \*\*\*  
COASTAL STUDIES INSTITUTE, LOUISIANA STATE UNIVERSITY

SAMPLE: WN-9 1.5'

PHI (MM)	WEIGHT (G)	WEIGHT %	CUMULATIVE WEIGHT %
0.00 (1.000)	0.237	1.11	1.11
0.25 (0.841)	0.679	3.17	4.28
0.50 (0.707)	1.179	5.51	9.79
0.75 (0.595)	1.777	8.30	18.09
1.00 (0.500)	3.650	17.05	35.14
1.25 (0.420)	2.621	12.25	47.39
1.50 (0.354)	3.886	18.16	65.55
1.75 (0.297)	2.068	9.66	75.21
2.00 (0.250)	2.751	12.85	88.06
2.25 (0.210)	1.202	5.62	93.68
2.50 (0.177)	0.446	2.08	95.76
2.75 (0.149)	0.301	1.41	97.17
3.00 (0.125)	0.238	1.11	98.28
3.25 (0.105)	0.088	0.41	98.69
3.50 (0.088)	0.062	0.29	98.98
3.75 (0.074)	0.045	0.21	99.19
4.00 (0.063)	0.033	0.15	99.35
4.25 (0.053)	0.028	0.13	99.48
4.50 (0.044)	0.020	0.09	99.57
4.75 (0.037)	0.026	0.12	99.69
5.00 (0.031)	0.018	0.08	99.78
5.25 (0.026)	0.048	0.22	100.00

TOTAL WEIGHT OF SAMPLE IS 21.403 (g)

FOLK & WARD (1957) METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.298 (0.407)	0.631 (0.646)	0.043	0.975

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY WELL SORTED; STRONGLY COARSE SKEWED; MESOKURITIC

INMAN METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.304 (0.405)	0.617 (0.652)	0.029	0.723

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY WELL SORTED; STRONGLY COARSE SKEWED; PLATYKURITIC

MOMENTS METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1ST MOMENT	2ND MOMENT	3RD MOMENT	4TH MOMENT
1.314 (0.402)	0.691 (0.619)	1.039	6.528

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY WELL SORTED; FINE SKEWED; LEPTOKURITIC

PREPARED BY BL ON 01/23/2006

\*\*\* GRAIN-SIZE ANALYSES REPORT \*\*\*  
COASTAL STUDIES INSTITUTE, LOUISIANA STATE UNIVERSITY

SAMPLE: WN-9 3.0'

PHI (MM)	WEIGHT (G)	WEIGHT %	CUMULATIVE WEIGHT %
0.00 (1.000)	0.795	3.48	3.48
0.25 (0.841)	1.210	5.30	8.78
0.50 (0.707)	1.409	6.17	14.95
0.75 (0.595)	2.156	9.44	24.40
1.00 (0.500)	3.904	17.10	41.50
1.25 (0.420)	2.631	11.52	53.02
1.50 (0.354)	3.866	16.93	69.95
1.75 (0.297)	2.046	8.96	78.91
2.00 (0.250)	2.628	11.51	90.43
2.25 (0.210)	1.130	4.95	95.37
2.50 (0.177)	0.416	1.82	97.20
2.75 (0.149)	0.263	1.15	98.35
3.00 (0.125)	0.195	0.85	99.20
3.25 (0.105)	0.055	0.24	99.44
3.50 (0.088)	0.032	0.14	99.58
3.75 (0.074)	0.024	0.11	99.69
4.00 (0.063)	0.014	0.06	99.75
4.25 (0.053)	0.008	0.04	99.79
4.50 (0.044)	0.006	0.03	99.81
4.75 (0.037)	0.012	0.05	99.86
5.00 (0.031)	0.006	0.03	99.89
5.25 (0.026)	0.025	0.11	100.00

TOTAL WEIGHT OF SAMPLE IS 22.831 (g)

FOLK & WARD (1957) METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.191 (0.438)	0.660 (0.633)	-0.008	1.003

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY WELL SORTED; STRONGLY COARSE SKEWED; MESOKURITIC

INMAN METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.194 (0.437)	0.666 (0.630)	0.014	0.620

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY WELL SORTED; STRONGLY COARSE SKEWED; VERY PLATYKURITIC

MOMENTS METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1ST MOMENT	2ND MOMENT	3RD MOMENT	4TH MOMENT
1.192 (0.438)	0.679 (0.625)	0.535	4.708

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY WELL SORTED; FINE SKEWED; LEPTOKURITIC

PREPARED BY BL ON 01/23/2006

\*\*\* GRAIN-SIZE ANALYSES REPORT \*\*\*  
COASTAL STUDIES INSTITUTE, LOUISIANA STATE UNIVERSITY

SAMPLE: WN-9 4.5'

PHI (MM)	WEIGHT (G)	WEIGHT %	CUMULATIVE WEIGHT %
0.00 (1.000)	0.235	1.06	1.06
0.25 (0.841)	0.600	2.71	3.78
0.50 (0.707)	0.742	3.36	7.13
0.75 (0.595)	1.335	6.04	13.17
1.00 (0.500)	2.792	12.62	25.79
1.25 (0.420)	2.228	10.07	35.87
1.50 (0.354)	3.980	18.00	53.86
1.75 (0.297)	2.493	11.27	65.13
2.00 (0.250)	3.971	17.96	83.09
2.25 (0.210)	1.849	8.36	91.45
2.50 (0.177)	0.742	3.36	94.80
2.75 (0.149)	0.513	2.32	97.12
3.00 (0.125)	0.362	1.64	98.76
3.25 (0.105)	0.114	0.52	99.28
3.50 (0.088)	0.044	0.20	99.48
3.75 (0.074)	0.032	0.14	99.62
4.00 (0.063)	0.022	0.10	99.72
4.25 (0.053)	0.012	0.05	99.77
4.50 (0.044)	0.011	0.05	99.82
4.75 (0.037)	0.015	0.07	99.89
5.00 (0.031)	0.006	0.03	99.92
5.25 (0.026)	0.018	0.08	100.00

TOTAL WEIGHT OF SAMPLE IS 22.116 (g)

FOLK & WARD (1957) METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.427 (0.372)	0.636 (0.644)	-0.031	0.989

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY WELL SORTED; STRONGLY COARSE SKEWED; MESOKURITIC

INMAN METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.417 (0.375)	0.611 (0.655)	-0.049	0.785

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY WELL SORTED; STRONGLY COARSE SKEWED; PLATYKURITIC

MOMENTS METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1ST MOMENT	2ND MOMENT	3RD MOMENT	4TH MOMENT
1.454 (0.365)	0.662 (0.632)	0.352	4.405

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY WELL SORTED; STRONGLY COARSE SKEWED; LEPTOKURITIC

PREPARED BY BL ON 01/23/2006

\*\*\* GRAIN-SIZE ANALYSES REPORT \*\*\*  
COASTAL STUDIES INSTITUTE, LOUISIANA STATE UNIVERSITY

SAMPLE: WN-9 6.0'

PHI (MM)	WEIGHT (G)	WEIGHT %	CUMULATIVE WEIGHT %
0.00 (1.000)	0.090	0.38	0.38
0.25 (0.841)	0.280	1.18	1.56
0.50 (0.707)	0.475	2.01	3.57
0.75 (0.595)	0.937	3.96	7.54
1.00 (0.500)	2.295	9.71	17.24
1.25 (0.420)	2.064	8.73	25.97
1.50 (0.354)	4.150	17.55	43.52
1.75 (0.297)	3.002	12.70	56.22
2.00 (0.250)	5.024	21.25	77.47
2.25 (0.210)	2.611	11.04	88.51
2.50 (0.177)	1.066	4.51	93.02
2.75 (0.149)	0.775	3.28	96.30
3.00 (0.125)	0.509	2.15	98.45
3.25 (0.105)	0.167	0.71	99.15
3.50 (0.088)	0.069	0.29	99.45
3.75 (0.074)	0.036	0.15	99.60
4.00 (0.063)	0.016	0.07	99.67
4.25 (0.053)	0.015	0.06	99.73
4.50 (0.044)	0.010	0.04	99.77
4.75 (0.037)	0.018	0.08	99.85
5.00 (0.031)	0.008	0.03	99.88
5.25 (0.026)	0.028	0.12	100.00

TOTAL WEIGHT OF SAMPLE IS 23.645 (g)

FOLK & WARD (1957) METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.581 (0.334)	0.607 (0.656)	-0.062	1.128

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY WELL SORTED; STRONGLY COARSE SKEWED; LEPTOKURITIC

INMAN METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.558 (0.340)	0.590 (0.664)	-0.118	0.747

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY WELL SORTED; STRONGLY COARSE SKEWED; PLATYKURITIC

MOMENTS METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1ST MOMENT	2ND MOMENT	3RD MOMENT	4TH MOMENT
1.608 (0.328)	0.629 (0.647)	0.396	4.893

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; MODERATELY WELL SORTED; STRONGLY COARSE SKEWED; LEPTOKURITIC

PREPARED BY BL ON 01/23/2006

\*\*\* GRAIN-SIZE ANALYSES REPORT \*\*\*  
COASTAL STUDIES INSTITUTE, LOUISIANA STATE UNIVERSITY

SAMPLE: WN-9 7.5'

PHI (MM)	WEIGHT (G)	WEIGHT %	CUMULATIVE WEIGHT %
0.00 (1.000)	0.000	0.00	0.00
0.25 (0.841)	0.003	0.03	0.03
0.50 (0.707)	0.018	0.21	0.24
0.75 (0.595)	0.045	0.51	0.75
1.00 (0.500)	0.239	2.73	3.49
1.25 (0.420)	0.246	2.81	6.30
1.50 (0.354)	0.608	6.95	13.25
1.75 (0.297)	0.630	7.20	20.46
2.00 (0.250)	1.686	19.28	39.73
2.25 (0.210)	1.581	18.08	57.81
2.50 (0.177)	0.959	10.97	68.77
2.75 (0.149)	0.995	11.38	80.15
3.00 (0.125)	0.924	10.56	90.72
3.25 (0.105)	0.359	4.10	94.82
3.50 (0.088)	0.146	1.67	96.49
3.75 (0.074)	0.075	0.86	97.35
4.00 (0.063)	0.037	0.42	97.77
4.25 (0.053)	0.033	0.38	98.15
4.50 (0.044)	0.025	0.29	98.43
4.75 (0.037)	0.042	0.48	98.91
5.00 (0.031)	0.027	0.31	99.22
5.25 (0.026)	0.068	0.78	100.00

TOTAL WEIGHT OF SAMPLE IS 8.746 (g)

FOLK & WARD (1957) METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
2.193 (0.219)	0.636 (0.643)	0.091	1.061

GRANULOMETRIC DESCRIPTION:

FINE SAND; MODERATELY WELL SORTED; STRONGLY COARSE SKEWED; MESOKURITIC

INMAN METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
2.218 (0.215)	0.623 (0.649)	0.122	0.720

GRANULOMETRIC DESCRIPTION:

FINE SAND; MODERATELY WELL SORTED; STRONGLY COARSE SKEWED; PLATYKURITIC

MOMENTS METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1ST MOMENT	2ND MOMENT	3RD MOMENT	4TH MOMENT
2.218 (0.215)	0.705 (0.613)	0.867	5.523

GRANULOMETRIC DESCRIPTION:

FINE SAND; MODERATELY WELL SORTED; FINE SKEWED; LEPTOKURITIC

PREPARED BY BL ON 01/23/2006

\*\*\* GRAIN-SIZE ANALYSES REPORT \*\*\*  
COASTAL STUDIES INSTITUTE, LOUISIANA STATE UNIVERSITY

SAMPLE: WN-9 9.0'

PHI (MM)	WEIGHT (G)	WEIGHT %	CUMULATIVE WEIGHT %
0.00 (1.000)	0.069	0.57	0.57
0.25 (0.841)	0.063	0.52	1.10
0.50 (0.707)	0.090	0.75	1.85
0.75 (0.595)	0.166	1.38	3.23
1.00 (0.500)	0.469	3.90	7.13
1.25 (0.420)	0.367	3.05	10.18
1.50 (0.354)	0.774	6.44	16.62
1.75 (0.297)	0.781	6.49	23.11
2.00 (0.250)	2.036	16.93	40.04
2.25 (0.210)	2.053	17.07	57.11
2.50 (0.177)	1.268	10.54	67.66
2.75 (0.149)	1.253	10.42	78.08
3.00 (0.125)	1.148	9.55	87.63
3.25 (0.105)	0.499	4.15	91.78
3.50 (0.088)	0.249	2.07	93.85
3.75 (0.074)	0.146	1.21	95.06
4.00 (0.063)	0.097	0.81	95.87
4.25 (0.053)	0.080	0.67	96.53
4.50 (0.044)	0.067	0.56	97.09
4.75 (0.037)	0.090	0.75	97.84
5.00 (0.031)	0.025	0.21	98.05
5.25 (0.026)	0.235	1.95	100.00

TOTAL WEIGHT OF SAMPLE IS 12.025 (g)

FOLK & WARD (1957) METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
2.176 (0.221)	0.793 (0.577)	0.085	1.311

GRANULOMETRIC DESCRIPTION:

FINE SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; LEPTOKURITIC

INMAN METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
2.191 (0.219)	0.714 (0.609)	0.063	1.011

GRANULOMETRIC DESCRIPTION:

FINE SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; MESOKURITIC

MOMENTS METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1ST MOMENT	2ND MOMENT	3RD MOMENT	4TH MOMENT
2.224 (0.214)	0.868 (0.548)	0.705	4.931

GRANULOMETRIC DESCRIPTION:

FINE SAND; MODERATELY SORTED; FINE SKEWED; LEPTOKURITIC

PREPARED BY BL ON 01/23/2006

\*\*\* GRAIN-SIZE ANALYSES REPORT \*\*\*  
COASTAL STUDIES INSTITUTE, LOUISIANA STATE UNIVERSITY

SAMPLE: WN-9 10.5'

PHI (MM)	WEIGHT (G)	WEIGHT %	CUMULATIVE WEIGHT %
0.00 (1.000)	0.704	2.84	2.84
0.25 (0.841)	0.958	3.87	6.71
0.50 (0.707)	1.123	4.53	11.24
0.75 (0.595)	1.380	5.57	16.82
1.00 (0.500)	1.833	7.40	24.22
1.25 (0.420)	0.942	3.80	28.02
1.50 (0.354)	1.312	5.30	33.32
1.75 (0.297)	0.914	3.69	37.01
2.00 (0.250)	1.987	8.02	45.03
2.25 (0.210)	2.093	8.45	53.48
2.50 (0.177)	1.663	6.71	60.19
2.75 (0.149)	2.137	8.63	68.82
3.00 (0.125)	2.722	10.99	79.81
3.25 (0.105)	1.525	6.16	85.97
3.50 (0.088)	0.879	3.55	89.52
3.75 (0.074)	0.451	1.82	91.34
4.00 (0.063)	0.294	1.19	92.53
4.25 (0.053)	0.243	0.98	93.51
4.50 (0.044)	0.247	1.00	94.51
4.75 (0.037)	0.261	1.05	95.56
5.00 (0.031)	0.139	0.56	96.12
5.25 (0.026)	0.961	3.88	100.00

TOTAL WEIGHT OF SAMPLE IS 24.768 (g)

FOLK & WARD (1957) METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
2.010 (0.248)	1.293 (0.408)	-0.032	0.998

GRANULOMETRIC DESCRIPTION:

FINE SAND; POORLY SORTED; STRONGLY COARSE SKEWED; MESOKURITIC

INMAN METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1.942 (0.260)	1.228 (0.427)	-0.167	0.823

GRANULOMETRIC DESCRIPTION:

MEDIUM SAND; POORLY SORTED; STRONGLY COARSE SKEWED; PLATYKURITIC

MOMENTS METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1ST MOMENT	2ND MOMENT	3RD MOMENT	4TH MOMENT
2.109 (0.232)	1.261 (0.417)	0.319	2.776

GRANULOMETRIC DESCRIPTION:

FINE SAND; POORLY SORTED; STRONGLY COARSE SKEWED; MESOKURITIC

PREPARED BY BL ON 01/23/2006



\*\*\* GRAIN-SIZE ANALYSES REPORT \*\*\*  
COASTAL STUDIES INSTITUTE, LOUISIANA STATE UNIVERSITY

SAMPLE: WN-9 12.0'

PHI (MM)	WEIGHT (G)	WEIGHT %	CUMULATIVE WEIGHT %
0.00 (1.000)	0.543	2.24	2.24
0.25 (0.841)	0.434	1.79	4.03
0.50 (0.707)	0.363	1.50	5.53
0.75 (0.595)	0.450	1.86	7.39
1.00 (0.500)	0.853	3.52	10.91
1.25 (0.420)	0.610	2.52	13.43
1.50 (0.354)	1.210	4.99	18.42
1.75 (0.297)	1.285	5.30	23.73
2.00 (0.250)	3.488	14.40	38.12
2.25 (0.210)	3.533	14.58	52.71
2.50 (0.177)	2.446	10.10	62.80
2.75 (0.149)	2.510	10.36	73.16
3.00 (0.125)	2.839	11.72	84.88
3.25 (0.105)	1.467	6.06	90.94
3.50 (0.088)	0.786	3.24	94.18
3.75 (0.074)	0.321	1.32	95.51
4.00 (0.063)	0.169	0.70	96.20
4.25 (0.053)	0.140	0.58	96.78
4.50 (0.044)	0.122	0.50	97.28
4.75 (0.037)	0.149	0.62	97.90
5.00 (0.031)	0.043	0.18	98.08
5.25 (0.026)	0.466	1.92	100.00

TOTAL WEIGHT OF SAMPLE IS 24.227 (g)

FOLK & WARD (1957) METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
2.188 (0.219)	0.892 (0.539)	-0.067	1.307

GRANULOMETRIC DESCRIPTION:

FINE SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; LEPTOKURITIC

INMAN METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
2.180 (0.221)	0.801 (0.574)	-0.029	1.024

GRANULOMETRIC DESCRIPTION:

FINE SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; MESOKURITIC

MOMENTS METHOD

MEAN PHI (MM)	SORTING PHI(MM)	SKEWNESS	KURTOSIS
1ST MOMENT	2ND MOMENT	3RD MOMENT	4TH MOMENT
2.214 (0.215)	0.964 (0.513)	0.123	4.144

GRANULOMETRIC DESCRIPTION:

FINE SAND; MODERATELY SORTED; STRONGLY COARSE SKEWED; LEPTOKURITIC

PREPARED BY BL ON 01/23/2006