

<b>DRILLING LOG</b>		<b>DIVISION</b>		<b>INSTALLATION</b>		<b>SHEET 1 OF 1 SHEETS</b>	
<b>1. PROJECT</b> Walton County Borrow Area A Walton County, Florida				<b>9. SIZE AND TYPE OF BIT</b>			
<b>2. BORING DESIGNATION</b> WA-62				<b>LOCATION COORDINATES</b> X = 1,378,938 Y = 479,440		<b>10. COORDINATE SYSTEM/DATUM</b> Florida State Plane North	
<b>3. DRILLING AGENCY</b>				<b>CONTRACTOR FILE NO.</b>		<b>11. MANUFACTURER'S DESIGNATION OF DRILL</b> Vibrocure	
<b>4. NAME OF DRILLER</b> Alpine				<b>12. TOTAL SAMPLES</b>		<b>13. TOTAL NUMBER CORE BOXES</b>	
<b>5. DIRECTION OF BORING</b> <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				<b>DEG. FROM VERTICAL</b>		<b>BEARING</b>	
<b>6. THICKNESS OF OVERBURDEN</b> 0.0 Ft.				<b>14. ELEVATION GROUND WATER</b>		<b>15. DATE BORING</b> 08-29-06 13:15	
<b>7. DEPTH DRILLED INTO ROCK</b> 0.0 Ft.				<b>16. ELEVATION TOP OF BORING</b> -72.7 Ft.		<b>17. TOTAL RECOVERY FOR BORING</b> 16.2 Ft.	
<b>8. TOTAL DEPTH OF BORING</b> 18.4 Ft.				<b>18. SIGNATURE AND TITLE OF INSPECTOR</b>		<b>COMPLETED</b> 08-29-06 13:17	

ELEV. (ft)	DEPTH (ft)	LEGEND	CLASSIFICATION OF MATERIALS Depths and elevations based on measured values	% REC.	BOX OR SAMPLE	REMARKS
-72.7	0.0					
-77.8	5.1		Medium sand. Scattered burrows at 1.2' to 2'. Scattered shells at 1' to 2.9', (SP).		WA-62 0' WA-62 1.5' WA-62 3.0' WA-62 4.5'	Sample #WA-62 0', Depth = 0.0' Sample #WA-62 1.5', Depth = 1.5' Sample #WA-62 3.0', Depth = 3.0' Sample #WA-62 4.5', Depth = 4.5'
-82.5	9.8		Fine sand. There is a very thin mud layer at the top. Scattered burrows at 6.6' to 6.8', and scattered shells at 8.4' to 8.6', (SP).		WA-62 6.0' WA-62 7.5' WA-62 9.0'	Sample #WA-62 6.0', Depth = 6.0' Sample #WA-62 7.5', Depth = 7.5' Sample #WA-62 9.0', Depth = 9.0'
-89.7	17.0		Carbonate-cemented sediment, with scattered shells..			
			End of Boring			

FLORIDA DEP ROSS WALTON COUNTY DETAIL PHASE II.GPJ FL DEP ROSS.GDT 09/12/07