

DRILLING LOG		DIVISION <b>SOUTH ATLANTIC</b>		INSTALLATION <b>MOBILE DISTRICT</b>		Hole No. <b>V-35-94</b> SHEET <b>1</b> OF <b>1</b> SHEETS		
1. PROJECT <b>BAY CO FL OFFSHORE PANAMA CITY BEACHES NOURISHMENT</b>				10. SIZE AND TYPE OF BIT <b>3.5" x 25' VIBRACORE</b>				
2. LOCATION (Coordinates or Station) <b>ZONE FLN: N 445098 E 1559593</b>				11. ELEVATION DATUM <b>NGVD, FOOT U.S.</b> COORDINATE DATUM <b>STATE PLANE, NAD27, FOOT U.S.</b>				
3. DRILLING AGENCY <b>TET, INC.</b>				12. MANUFACTURER'S DESIGNATION OF DRILL <b>VIBRACORE</b>				
4. HOLE NO. (As shown on drawing title and file number) <b>V-35-94</b>				13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN <b>5</b>		DISTURBED <b>5</b>		
5. NAME OF DRILLER <b>CHARLIE WESTON</b>				14. TOTAL NUMBER CORE BOXES <b>0</b>		UNDISTURBED <b>0</b>		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED    DEG. FROM VERTICAL				15. ELEVATION GROUNDWATER				
7. THICKNESS OF OVERBURDEN <b>-</b>				16. DATE HOLE STARTED <b>28 NOV 94</b> COMPLETED <b>28 NOV 94</b>				
8. DEPTH DRILLED INTO ROCK <b>-</b>				17. ELEVATION TOP OF HOLE <b>EL. -44.7</b>				
9. TOTAL DEPTH OF HOLE <b>12.0 (EL. -56.7)</b>				18. TOTAL CORE RECOVERY FOR BORING <b>0</b>				
				19. SIGNATURE OF INSPECTOR <b>BRAD RALPH</b> DRAFTED '    CHECKED ' <b>BCR    BCR</b>				
ELEVATION <small>a</small>	DEPTH <small>b</small>	LEGEND <small>c</small>	CLASSIFICATION OF MATERIALS (Description) <small>d</small>	% CORE RECOVERY OR W.C. <small>e</small>	BOX OR SAMPLE NO. <small>f</small>	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) <small>g</small>		
<b>-44.7</b>	<b>0.0</b>	• • •	(SP) White to light gray medium to fine SAND, some shell		<b>S-1</b>	LAB: (SP), 5% FINES (FINER THAN #200 SIEVE)		
<b>-46.2</b>	<b>1.5</b>	• • •	(OL-SP) Black organic SILT into white medium to fine SAND		X			
<b>-46.5</b>	<b>1.8</b>	• • •			X			
<b>-48.0</b>	<b>3.3</b>	• • •	(SM) Brown silty medium to fine SAND		<b>S-2</b>			LAB: (SP-SM), 5% FINES
		• • •	(SP-SM) Brown medium to fine SAND		<b>S-3</b>			LAB: (SP), 4% FINES
		• • •	(SP to SM) Gray medium to fine SAND into dark gray silty medium to fine SAND		<b>S-4</b>	LAB: (SP), 2% FINES		
<b>-50.5</b>	<b>5.8</b>	• • •		<b>96% RECOV</b>	X			
		• • •						
		• • •	(SP) White medium to fine SAND		<b>S-5</b>	LAB: (SP), 1% FINES		
<b>-56.2</b>	<b>11.5</b>	• • •			X			
<b>-56.7</b>	<b>12.0</b>	X	SAMPLE NOT RECOVERED		X			