

Hole No. S2T6E

DRILLING LOG		DIVISION SOUTH ATLANTIC		INSTALLATION MOBILE DISTRICT		SHEET 1 OF 1 SHEETS	
1. PROJECT SANTA ROSA COUNTY				10. SIZE AND TYPE OF BIT 4" x 20' VIBRACORE			
2. LOCATION (Coordinates or Station) E: 1219902.36 N: 501318.91				11. ELEVATION DATUM MLLW COORDINATE DATUM NAD-83			
3. DRILLING AGENCY ALPINE OCEAN SEISMIC SURVEY, INC.				12. MANUFACTURER'S DESIGNATION OF DRILL R/V ATLANTIC TWIN			
4. HOLE NO. (As shown on drawing title and file number) S2T6E				13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		DISTURBED N/A	
5. NAME OF DRILLER FRANCESCO GERVASI				14. TOTAL NUMBER CORE BOXES		UNDISTURBED N/A	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED DEG. FROM VERTICAL				15. ELEVATION GROUNDWATER 66.5' UNDERWATER			
7. THICKNESS OF OVERBURDEN N/A				16. DATE HOLE		STARTED 10-2-00	
8. DEPTH DRILLED INTO ROCK N/A				17. ELEVATION TOP OF HOLE 66.5' UNDERWATER		COMPLETED 10-2-00	
9. TOTAL DEPTH OF HOLE 18.66'				18. TOTAL CORE RECOVERY FOR BORING 14.8'		19. SIGNATURE OF INSPECTOR	
						DRAFTED TAM	
ELEVATION a		DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY OR W.C. e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g SPT BLOWS/FT
-71.0	4.5		(SP) SHELLY FINE-MED QTZ SAND CLAYEY INTERVAL AT: 2.5'-3.0' 3.5'-4.0'		0.0-0.3	MUNSELL 10YR 8/1 (WHITE) IMBEDDED CLAY = 10YR 3/1 (VERY DK. GRAY)	
-73.0	5.0		(SP-SM) SILTY TO MUDDY SHELLY QTZ SAND		4.5-4.8	MUNSELL 10YR 6/1 (GRAY)	
-74.5	6.5		(OL-SM) ORGANIC-RICH, SILTY VERY CSE QTZ SAND		6.0-6.3	MUNSELL 10YR 6/1 (GRAY)	
-75.5	8.0		(PT) WOOD / PEAT			MUNSELL 10YR 3/1 (VERY DK. GRAY)	
-76.5	9.0		(SP-SM) SILTY QTZ SAND		9.5-9.8	MUNSELL 10YR 2/1 (BLACK)	
-76.5	10.0		(SP) MED QTZ SAND		10.0-10.3	MUNSELL 10YR 5/1 (GRAY)	
-81.3	14.8				14.0-14.3	MUNSELL 10YR 8/1 (WHITE)	