

Boring Designation PB-96-C59

DRILLING LOG		DIVISION		INSTALLATION		SHEET 1 OF 1 SHEETS	
1. PROJECT Juno Historic Palm Beach County				9. SIZE AND TYPE OF BIT			
2. BORING DESIGNATION PB-96-C59				10. COORDINATE SYSTEM/DATUM Florida State Plane East		HORIZONTAL NAD 1983	
3. DRILLING AGENCY Olsen Associates Inc				11. MANUFACTURER'S DESIGNATION OF DRILL 4-inch Alpine Pneumatic		VERTICAL NAVD 88	
4. NAME OF DRILLER Alpine Ocean Seismic Survey, Inc.				12. TOTAL SAMPLES		DISTURBED UNDISTURBED (UD)	
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				13. TOTAL NUMBER CORE BOXES		14. ELEVATION GROUND WATER	
6. THICKNESS OF OVERBURDEN 0.0 Ft.				15. DATE BORING 07-27-96		STARTED COMPLETED 07-27-96	
7. DEPTH DRILLED INTO ROCK 0.0 Ft.				16. ELEVATION TOP OF BORING -68.8 Ft.		17. TOTAL RECOVERY FOR BORING 20 Ft.	
8. TOTAL DEPTH OF BORING 20.0 Ft.				18. SIGNATURE AND TITLE OF INSPECTOR			
ELEV. (ft)	DEPTH (ft)	LEGEND	CLASSIFICATION OF MATERIALS Depths and elevations based on measured values	% REC.	BOX OR SAMPLE	REMARKS	
-68.8	0.0						
-69.4	0.6		Gray, medium sand, medium shell fragments, (SP).		0.5	Sample #0.5, Depth = 0.5'	
-70.8	2.0		Gray, fine sand, coarse shell fragments and whole 1" shells, (SP).		2.0	Sample #2.0, Depth = 2.0'	
-72.5	3.7		Gray, fine sand, trace of small shell fragments, (SP).				
-73.4	4.6		Tannish-gray, fine sand, coarse shell fragments, (SP).				
-75.2	6.4		Gray, fine sand, (SP).		5.0	Sample #5.0, Depth = 5.0'	
-76.7	7.9		Light tan, very fine sand, compacted with localized shell fragments, (SP).				
-77.1	8.3		Very dark-gray silt, coarse shell fragments, (SM).		8.0	Sample #8.0, Depth = 8.0'	
-78.0	9.2		Light tan, quartz sand, (SP).				
-81.3	12.5		Black organic clay, (OH).				
-83.8	15.0		Tan, very fine, silty sand, (SM).				
-88.8	20.0		Grayish-tan, very fine sand, root fragments, (SP).		Comp	Sample #Comp, Depth = 19.5' 0.0'-7.9' Composite sample	
			End of Boring				