

Granularmetric Report Depths and elevations based on measured values				Scientific Environmental Applications 5575 Willoughby Drive Melbourne, FL 32934 seappinc.com seapp1@aol.com (321) 254-2708			
Project Name: Juno Historic							
Sample Name: PB-95-C19 R2 #0.5							
Analysis Date: 08-09-95							
Analyzed By:							
Easting (ft):		Northing (ft):		Coordinate System:		Elevation (ft):	
967,853		953,689		Florida State Plane East		-71.9 NAVD 88	
USCS:		Munsell:		Comments:			
SW							
Dry Weight (g):	Wash Weight (g):	Pan Retained (g):	Sieve Loss (%):	Fines (%):	Organics (%):	Carbonates (%):	Shells (%):
38.32	38.32	0.03	0.00	#200 - 0.07		87.14	
Sieve Number	Sieve Size (Phi)	Sieve Size (Millimeters)	Grams Retained	% Weight Retained	Cum. Grams Retained	C. % Weight Retained	
5/8"	-4.00	16.00	0.00	0.00	0.00	0.00	
11/16"	-3.50	11.31	0.00	0.00	0.00	0.00	
5/16"	-3.00	8.00	0.53	1.38	0.53	1.38	
3.5	-2.50	5.66	0.00	0.00	0.53	1.38	
5	-2.00	4.00	1.84	4.80	2.37	6.18	
7	-1.50	2.83	0.77	2.01	3.14	8.19	
10	-1.00	2.00	1.19	3.11	4.33	11.30	
14	-0.50	1.41	2.33	6.08	6.66	17.38	
18	0.00	1.00	4.52	11.80	11.18	29.18	
25	0.50	0.71	4.33	11.30	15.51	40.48	
35	1.00	0.50	5.23	13.65	20.74	54.13	
45	1.50	0.35	4.92	12.84	25.66	66.97	
60	2.00	0.25	7.01	18.29	32.67	85.26	
80	2.50	0.18	4.54	11.85	37.21	97.11	
120	3.00	0.13	0.83	2.17	38.04	99.28	
170	3.50	0.09	0.20	0.52	38.24	99.80	
200	3.75	0.07	0.05	0.13	38.29	99.93	
Phi 5	Phi 16	Phi 25	Phi 50	Phi 75	Phi 84	Phi 95	
2.41	1.97	1.72	0.85	-0.18	-0.61	-2.25	
Moment	Mean Phi	Mean mm	Sorting	Skewness	Kurtosis		
Statistics	0.66	0.63	1.34	-0.71	3.08		

Granularmetric Report Depths and elevations based on measured values				Scientific Environmental Applications 5575 Willoughby Drive Melbourne, FL 32934 seappinc.com seapp1@aol.com (321) 254-2708			
Project Name: Juno Historic							
Sample Name: PB-95-C19 R2 #2.5							
Analysis Date: 08-09-95							
Analyzed By:							
Easting (ft):		Northing (ft):		Coordinate System:		Elevation (ft):	
967,853		953,689		Florida State Plane East		-73.9 NAVD 88	
USCS:		Munsell:		Comments:			
SW							
Dry Weight (g):	Wash Weight (g):	Pan Retained (g):	Sieve Loss (%):	Fines (%):	Organics (%):	Carbonates (%):	Shells (%):
47.84	47.84	0.04	0.00	#200 - 0.09		70.25	
Sieve Number	Sieve Size (Phi)	Sieve Size (Millimeters)	Grams Retained	% Weight Retained	Cum. Grams Retained	C. % Weight Retained	
5/8"	-4.00	16.00	0.00	0.00	0.00	0.00	
11/16"	-3.50	11.31	0.00	0.00	0.00	0.00	
5/16"	-3.00	8.00	0.00	0.00	0.00	0.00	
3.5	-2.50	5.66	0.00	0.00	0.00	0.00	
5	-2.00	4.00	0.21	0.44	0.21	0.44	
7	-1.50	2.83	0.12	0.25	0.33	0.69	
10	-1.00	2.00	0.27	0.56	0.60	1.25	
14	-0.50	1.41	0.32	0.67	0.92	1.92	
18	0.00	1.00	0.74	1.55	1.66	3.47	
25	0.50	0.71	1.12	2.34	2.78	5.81	
35	1.00	0.50	3.86	8.07	6.64	13.88	
45	1.50	0.35	8.32	17.39	14.96	31.27	
60	2.00	0.25	12.99	27.15	27.95	58.42	
80	2.50	0.18	7.80	16.30	35.75	74.72	
120	3.00	0.13	6.65	13.90	42.40	88.62	
170	3.50	0.09	5.30	11.08	47.70	99.70	
200	3.75	0.07	0.10	0.21	47.80	99.91	
Phi 5	Phi 16	Phi 25	Phi 50	Phi 75	Phi 84	Phi 95	
3.29	2.83	2.51	1.84	1.32	1.06	0.33	
Moment	Mean Phi	Mean mm	Sorting	Skewness	Kurtosis		
Statistics	1.85	0.28	0.93	-0.82	4.9		

Granularmetric Report Depths and elevations based on measured values				Scientific Environmental Applications 5575 Willoughby Drive Melbourne, FL 32934 seappinc.com seapp1@aol.com (321) 254-2708			
Project Name: Juno Historic							
Sample Name: PB-95-C19 R2 #4.5							
Analysis Date: 08-09-95							
Analyzed By:							
Easting (ft):		Northing (ft):		Coordinate System:		Elevation (ft):	
967,853		953,689		Florida State Plane East		-75.9 NAVD 88	
USCS:		Munsell:		Comments:			
SP							
Dry Weight (g):	Wash Weight (g):	Pan Retained (g):	Sieve Loss (%):	Fines (%):	Organics (%):	Carbonates (%):	Shells (%):
50.40	50.40	0.07	0.00	#200 - 0.13		64.79	
Sieve Number	Sieve Size (Phi)	Sieve Size (Millimeters)	Grams Retained	% Weight Retained	Cum. Grams Retained	C. % Weight Retained	
5/8"	-4.00	16.00	0.00	0.00	0.00	0.00	
11/16"	-3.50	11.31	0.00	0.00	0.00	0.00	
5/16"	-3.00	8.00	0.00	0.00	0.00	0.00	
3.5	-2.50	5.66	0.10	0.20	0.10	0.20	
5	-2.00	4.00	0.00	0.00	0.10	0.20	
7	-1.50	2.83	0.08	0.16	0.18	0.36	
10	-1.00	2.00	0.29	0.58	0.47	0.94	
14	-0.50	1.41	0.14	0.28	0.61	1.22	
18	0.00	1.00	0.28	0.56	0.89	1.78	
25	0.50	0.71	0.31	0.62	1.20	2.40	
35	1.00	0.50	1.71	3.39	2.91	5.79	
45	1.50	0.35	5.54	10.99	8.45	16.78	
60	2.00	0.25	13.20	26.19	21.65	42.97	
80	2.50	0.18	11.94	23.69	33.59	66.66	
120	3.00	0.13	7.44	14.76	41.03	81.42	
170	3.50	0.09	8.89	17.64	49.92	99.06	
200	3.75	0.07	0.41	0.81	50.33	99.87	
Phi 5	Phi 16	Phi 25	Phi 50	Phi 75	Phi 84	Phi 95	
3.38	3.07	2.78	2.15	1.66	1.46	0.88	
Moment	Mean Phi	Mean mm	Sorting	Skewness	Kurtosis		
Statistics	2.15	0.23	0.84	-1.08	6.65		

Granularmetric Report Depths and elevations based on measured values				Scientific Environmental Applications 5575 Willoughby Drive Melbourne, FL 32934 seappinc.com seapp1@aol.com (321) 254-2708			
Project Name: Juno Historic							
Sample Name: PB-95-C19 R2 #6.5							
Analysis Date: 08-09-95							
Analyzed By:							
Easting (ft):		Northing (ft):		Coordinate System:		Elevation (ft):	
967,853		953,689		Florida State Plane East		-77.9 NAVD 88	
USCS:		Munsell:		Comments:			
Dry Weight (g):	Wash Weight (g):	Pan Retained (g):	Sieve Loss (%):	Fines (%):	Organics (%):	Carbonates (%):	Shells (%):
37.54	34.60	0.02	0.00	#200 - 7.89		24.59	
Sieve Number	Sieve Size (Phi)	Sieve Size (Millimeters)	Grams Retained	% Weight Retained	Cum. Grams Retained	C. % Weight Retained	
5/8"	-4.00	16.00	0.00	0.00	0.00	0.00	
11/16"	-3.50	11.31	0.00	0.00	0.00	0.00	
5/16"	-3.00	8.00	0.67	1.78	0.67	1.78	
3.5	-2.50	5.66	1.41	3.76	2.08	5.54	
5	-2.00	4.00	1.16	3.09	3.24	8.63	
7	-1.50	2.83	1.32	3.52	4.56	12.15	
10	-1.00	2.00	0.71	1.89	5.27	14.04	
14	-0.50	1.41	0.85	2.26	6.12	16.30	
18	0.00	1.00	0.64	1.70	6.76	18.00	
25	0.50	0.71	0.71	1.89	7.47	19.89	
35	1.00	0.50	1.97	5.25	9.44	25.14	
45	1.50	0.35	4.35	11.59	13.79	36.73	
60	2.00	0.25	8.75	23.31	22.54	60.04	
80	2.50	0.18	4.88	13.00	27.42	73.04	
120	3.00	0.13	3.96	10.55	31.38	83.59	
170	3.50	0.09	2.97	7.91	34.35	91.50	
200	3.75	0.07	0.23	0.61	34.58	92.11	
Phi 5	Phi 16	Phi 25	Phi 50	Phi 75	Phi 84	Phi 95	
	3.03	2.59	1.78	0.99	-0.57	-2.57	
Moment	Mean Phi	Mean mm	Sorting	Skewness	Kurtosis		
Statistics	1.22	0.43	1.72	-1.15	3.39		

Granularmetric Report Depths and elevations based on measured values				Scientific Environmental Applications 5575 Willoughby Drive Melbourne, FL 32934 seappinc.com seapp1@aol.com (321) 254-2708			
Project Name: Juno Historic							
Sample Name: PB-95-C19 R2 #7.7							
Analysis Date: 08-09-95							
Analyzed By:							
Easting (ft):		Northing (ft):		Coordinate System:		Elevation (ft):	
967,853		953,689		Florida State Plane East		-79.1 NAVD 88	
USCS:		Munsell:		Comments:			
SW							
Dry Weight (g):	Wash Weight (g):	Pan Retained (g):	Sieve Loss (%):	Fines (%):	Organics (%):	Carbonates (%):	Shells (%):
27.07	27.07	0.08	0.00	#200 - 0.28		53.88	
Sieve Number	Sieve Size (Phi)	Sieve Size (Millimeters)	Grams Retained	% Weight Retained	Cum. Grams Retained	C. % Weight Retained	
5/8"	-4.00	16.00	0.00	0.00	0.00	0.00	
11/16"	-3.50	11.31	0.00	0.00	0.00	0.00	
5/16"	-3.00	8.00	0.00	0.00	0.00	0.00	
3.5	-2.50	5.66	0.00	0.00	0.00	0.00	
5	-2.00	4.00	0.40	1.48	0.40	1.48	
7	-1.50	2.83	0.27	1.00	0.67	2.48	
10	-1.00	2.00	0.15	0.55	0.82	3.03	
14	-0.50	1.41	0.04	0.15	0.86	3.18	
18	0.00	1.00	0.10	0.37	0.96	3.55	
25	0.50	0.71	0.12	0.44	1.08	3.99	
35	1.00	0.50	0.21	0.78	1.29	4.77	
45	1.50	0.35	0.30	1.11	1.59	5.88	
60	2.00	0.25	5.18	19.14	6.77	25.02	
80	2.50	0.18	6.09	22.50	12.86	47.52	
120	3.00	0.13	5.30	19.58	18.16	67.10	
170	3.50	0.09	7.33	27.08	25.49	94.18	
200	3.75	0.07	1.50	5.54	26.99	99.72	
Phi 5	Phi 16	Phi 25	Phi 50	Phi 75	Phi 84	Phi 95	
3.54	3.31	3.15	2.56	2.00	1.76	1.10	
Moment	Mean Phi	Mean mm	Sorting	Skewness	Kurtosis		
Statistics	2.43	0.19	1.03	-2.36	10.8		

Granularmetric Report Depths and elevations based on measured values				Scientific Environmental Applications 5575 Willoughby Drive Melbourne, FL 32934 seappinc.com seapp1@aol.com (321) 254-2708			
Project Name: Juno Historic							
Sample Name: PB-95-C19 R2 #12.5							
Analysis Date: 08-09-95							
Analyzed By:							
Easting (ft): <div style="text-align: center;">967,853</div>		Northing (ft): <div style="text-align: center;">953,689</div>		Coordinate System: <div style="text-align: center;">Florida State Plane East</div>		Elevation (ft): <div style="text-align: center;">-83.9 NAVD 88</div>	
USCS:		Munsell:		Comments:			
Dry Weight (g): <div style="text-align: center;">32.74</div>	Wash Weight (g): <div style="text-align: center;">29.10</div>	Pan Retained (g): <div style="text-align: center;">0.72</div>	Sieve Loss (%): <div style="text-align: center;">0.00</div>	Fines (%): <div style="text-align: center;">#200 - 13.31</div>	Organics (%):	Carbonates (%): <div style="text-align: center;">61.06</div>	Shells (%):
Sieve Number	Sieve Size (Phi)	Sieve Size (Millimeters)	Grams Retained	% Weight Retained	Cum. Grams Retained	C. % Weight Retained	
5/8"	-4.00	16.00	0.00	0.00	0.00	0.00	
11/16"	-3.50	11.31	0.00	0.00	0.00	0.00	
5/16"	-3.00	8.00	0.00	0.00	0.00	0.00	
3.5	-2.50	5.66	0.00	0.00	0.00	0.00	
5	-2.00	4.00	0.36	1.10	0.36	1.10	
7	-1.50	2.83	0.17	0.52	0.53	1.62	
10	-1.00	2.00	0.17	0.52	0.70	2.14	
14	-0.50	1.41	0.16	0.49	0.86	2.63	
18	0.00	1.00	0.33	1.01	1.19	3.64	
25	0.50	0.71	0.42	1.28	1.61	4.92	
35	1.00	0.50	0.80	2.44	2.41	7.36	
45	1.50	0.35	1.17	3.57	3.58	10.93	
60	2.00	0.25	1.16	3.54	4.74	14.47	
80	2.50	0.18	1.25	3.82	5.99	18.29	
120	3.00	0.13	4.33	13.23	10.32	31.52	
170	3.50	0.09	16.32	49.85	26.64	81.37	
200	3.75	0.07	1.74	5.32	28.38	86.69	
Phi 5	Phi 16	Phi 25	Phi 50	Phi 75	Phi 84	Phi 95	
	3.62	3.44	3.19	2.75	2.20	0.52	
Moment	Mean Phi	Mean mm	Sorting	Skewness	Kurtosis		
Statistics	2.7	0.15	1.12	-2.46	9.28		

Granularmetric Report Depths and elevations based on measured values				Scientific Environmental Applications 5575 Willoughby Drive Melbourne, FL 32934 seappinc.com seapp1@aol.com (321) 254-2708			
Project Name: Juno Historic							
Sample Name: PB-95-C19 R2 #14.5							
Analysis Date: 08-09-95							
Analyzed By:							
Easting (ft):		Northing (ft):		Coordinate System:		Elevation (ft):	
967,853		953,689		Florida State Plane East		-85.9 NAVD 88	
USCS:		Munsell:		Comments:			
Dry Weight (g):	Wash Weight (g):	Pan Retained (g):	Sieve Loss (%):	Fines (%):	Organics (%):	Carbonates (%):	Shells (%):
45.18	42.38	0.18	-0.02	#200 - 6.56		74.27	
Sieve Number	Sieve Size (Phi)	Sieve Size (Millimeters)	Grams Retained	% Weight Retained	Cum. Grams Retained	C. % Weight Retained	
5/8"	-4.00	16.00	0.00	0.00	0.00	0.00	
11/16"	-3.50	11.31	1.99	4.40	1.99	4.40	
5/16"	-3.00	8.00	2.45	5.42	4.44	9.82	
3.5	-2.50	5.66	2.65	5.87	7.09	15.69	
5	-2.00	4.00	2.06	4.56	9.15	20.25	
7	-1.50	2.83	1.33	2.94	10.48	23.19	
10	-1.00	2.00	1.21	2.68	11.69	25.87	
14	-0.50	1.41	0.85	1.88	12.54	27.75	
18	0.00	1.00	1.01	2.24	13.55	29.99	
25	0.50	0.71	0.85	1.88	14.40	31.87	
35	1.00	0.50	1.22	2.70	15.62	34.57	
45	1.50	0.35	1.79	3.96	17.41	38.53	
60	2.00	0.25	3.35	7.42	20.76	45.95	
80	2.50	0.18	3.13	6.93	23.89	52.88	
120	3.00	0.13	5.29	11.71	29.18	64.59	
170	3.50	0.09	11.50	25.46	40.68	90.05	
200	3.75	0.07	1.53	3.39	42.21	93.44	
Phi 5	Phi 16	Phi 25	Phi 50	Phi 75	Phi 84	Phi 95	
	3.38	3.20	2.29	-1.16	-2.47	-3.44	
Moment	Mean Phi	Mean mm	Sorting	Skewness	Kurtosis		
Statistics	0.99	0.50	2.49	-0.7	1.91		

Granularmetric Report Depths and elevations based on measured values				Scientific Environmental Applications 5575 Willoughby Drive Melbourne, FL 32934 seappinc.com seapp1@aol.com (321) 254-2708			
Project Name: Juno Historic							
Sample Name: PB-95-C19 R2 #16.5							
Analysis Date: 08-09-95							
Analyzed By:							
Easting (ft):		Northing (ft):		Coordinate System:		Elevation (ft):	
967,853		953,689		Florida State Plane East		-87.9 NAVD 88	
USCS:		Munsell:		Comments:			
Dry Weight (g):	Wash Weight (g):	Pan Retained (g):	Sieve Loss (%):	Fines (%):	Organics (%):	Carbonates (%):	Shells (%):
54.51	51.42	0.06	-0.02	#200 - 5.75		88.28	
Sieve Number	Sieve Size (Phi)	Sieve Size (Millimeters)	Grams Retained	% Weight Retained	Cum. Grams Retained	C. % Weight Retained	
5/8"	-4.00	16.00	0.00	0.00	0.00	0.00	
11/16"	-3.50	11.31	0.00	0.00	0.00	0.00	
5/16"	-3.00	8.00	1.81	3.32	1.81	3.32	
3.5	-2.50	5.66	2.11	3.87	3.92	7.19	
5	-2.00	4.00	4.05	7.43	7.97	14.62	
7	-1.50	2.83	2.02	3.71	9.99	18.33	
10	-1.00	2.00	1.56	2.86	11.55	21.19	
14	-0.50	1.41	2.04	3.74	13.59	24.93	
18	0.00	1.00	2.63	4.83	16.22	29.76	
25	0.50	0.71	3.03	5.56	19.25	35.32	
35	1.00	0.50	5.71	10.48	24.96	45.80	
45	1.50	0.35	10.87	19.94	35.83	65.74	
60	2.00	0.25	7.78	14.27	43.61	80.01	
80	2.50	0.18	1.98	3.63	45.59	83.64	
120	3.00	0.13	2.52	4.62	48.11	88.26	
170	3.50	0.09	2.93	5.38	51.04	93.64	
200	3.75	0.07	0.33	0.61	51.37	94.25	
Phi 5	Phi 16	Phi 25	Phi 50	Phi 75	Phi 84	Phi 95	
	2.54	1.82	1.11	-0.49	-1.81	-2.78	
Moment	Mean Phi	Mean mm	Sorting	Skewness	Kurtosis		
Statistics	0.5	0.71	1.77	-0.56	2.38		

Granularmetric Report Depths and elevations based on measured values				Scientific Environmental Applications 5575 Willoughby Drive Melbourne, FL 32934 seappinc.com seapp1@aol.com (321) 254-2708			
Project Name: Juno Historic							
Sample Name: PB-95-C19 R2 #Comp							
Analysis Date: 08-09-95							
Analyzed By:							
Easting (ft):		Northing (ft):		Coordinate System:		Elevation (ft):	
967,853		953,689		Florida State Plane East		-88.9 NAVD 88	
USCS:		Munsell:		Comments:			
Dry Weight (g):	Wash Weight (g):	Pan Retained (g):	Sieve Loss (%):	Fines (%):	Organics (%):	Carbonates (%):	Shells (%):
61.60	57.20	0.39	0.00	#200 - 7.78		72.65	
Sieve Number	Sieve Size (Phi)	Sieve Size (Millimeters)	Grams Retained	% Weight Retained	Cum. Grams Retained	C. % Weight Retained	
5/8"	-4.00	16.00	0.00	0.00	0.00	0.00	
11/16"	-3.50	11.31	0.00	0.00	0.00	0.00	
5/16"	-3.00	8.00	3.17	5.15	3.17	5.15	
3.5	-2.50	5.66	1.80	2.92	4.97	8.07	
5	-2.00	4.00	0.94	1.53	5.91	9.60	
7	-1.50	2.83	1.34	2.18	7.25	11.78	
10	-1.00	2.00	1.08	1.75	8.33	13.53	
14	-0.50	1.41	0.85	1.38	9.18	14.91	
18	0.00	1.00	1.84	2.99	11.02	17.90	
25	0.50	0.71	1.69	2.74	12.71	20.64	
35	1.00	0.50	2.64	4.29	15.35	24.93	
45	1.50	0.35	4.48	7.27	19.83	32.20	
60	2.00	0.25	7.03	11.41	26.86	43.61	
80	2.50	0.18	5.19	8.42	32.05	52.03	
120	3.00	0.13	7.98	12.95	40.03	64.98	
170	3.50	0.09	14.97	24.30	55.00	89.28	
200	3.75	0.07	1.81	2.94	56.81	92.22	
Phi 5	Phi 16	Phi 25	Phi 50	Phi 75	Phi 84	Phi 95	
	3.39	3.21	2.38	1.00	-0.32	-3.03	
Moment	Mean Phi	Mean mm	Sorting	Skewness	Kurtosis		
Statistics	1.53	0.35	1.98	-1.18	3.3		