

FROMWELL &  
ARRIER, INC.

# TEST BORING REPORT

HOLE NO. LB-11

PROJECT: LONGBOAT KEY

CLIENT: ATM

CONTRACTOR: TET

FILE NO. 8102

SHEET NO. 1 of 2

LOCATION: \_\_\_\_\_

ELEVATION: \_\_\_\_\_

GROUNDWATER

DEPTH TO:

CASING

SAMPLER

CORE  
BARREL

DATE

TIME

WATER

BOTTOM OF  
CASING

BOTTOM OF  
HOLE

TYPE:

SIZE I.D.:

HAMMER WT.:

HAMMER FALL:

SPT

1 3/8"

140#

30"

DATE START: 3-12-89

DATE FINISH: 3-12-89

DRILLER: JAY

INSPECTOR: MSR

DEPTH  
SAMP.  
NO.  
CASING  
BLOWS  
PER  
FOOT  
SAMPLER  
BLOWS  
PER  
6 INCHES  
SPT  
BLOWS  
PER  
FOOT  
STRATA  
CHANGE

## FIELD CLASSIFICATION AND REMARKS

WATER DEPTH 25'4" @ 12:40<sup>PM</sup> (START)

WATER DEPTH 25'4" @ 3:30<sup>PM</sup> (FINISH)

5

10

15

20

25

30

1s

2

13

8

10

9

6

9

6

7

2

18

15

SP/SM

COMPACT GREY FINE GR. SAND W/TRACE OF SHELL FRAGMENTS

BLOWS/FT.

DENSITY

BLOWS/FT.

CONSISTENCY

SAMPLE IDENTIFICATION

0 - 4 VERY LOOSE  
4 - 10 LOOSE  
10 - 30 COMPACT/M. DENSE  
30 - 50 DENSE  
50 + VERY DENSE

0 - 2 VERY SOFT  
2 - 4 SOFT  
4 - 8 FIRM  
8 - 15 STIFF  
15 - 30 VERY STIFF

S \_\_\_\_\_ SPLIT SPOON  
T \_\_\_\_\_ THIN WALL TUBE  
U \_\_\_\_\_ UNDISTURBED PISTON  
O \_\_\_\_\_ OPEN END ROD  
W \_\_\_\_\_ WASH SAMPLE



