

Table 2 - Latitude and Longitude of Beach Sampling Locations					
Sample	Latitude (DMS)	Longitude (DMS)	Latitude (Dec. Deg.)	Longitude (Dec. Deg.)	Sampling Date
GA-01-SS	30° 42' 56.70"	81° 26' 53.60"	30.715750	-81.448222	01/28/03
GA-01-MB	30° 42' 56.70"	81° 26' 54.10"	30.715750	-81.448361	01/28/03
GA-01-BB	30° 42' 57.30"	81° 26' 54.60"	30.715917	-81.448500	01/28/03
NA-01-SS	30° 42' 2.52"	81° 25' 31.56"	30.700700	-81.425433	12/03/02
NA-01-B	30° 42' 2.58"	81° 25' 32.28"	30.700717	-81.425633	12/03/02
NA-01-MB	30° 42' 2.52"	81° 25' 33.36"	30.700700	-81.425933	12/03/02
NA-01-BB	30° 42' 1.86"	81° 25' 34.98"	30.700517	-81.426383	12/03/02
NA-02-SS	30° 41' 46.20"	81° 25' 38.00"	30.696167	-81.427222	12/03/02
NA-02-MB	30° 41' 46.10"	81° 25' 38.30"	30.696139	-81.427306	12/03/02
NA-02-BB	30° 41' 46.20"	81° 25' 38.90"	30.696167	-81.427472	12/03/02
NA-03-SS	30° 40' 54.00"	81° 25' 43.20"	30.681667	-81.428667	12/03/02
NA-03-MB	30° 40' 54.00"	81° 25' 43.50"	30.681667	-81.428750	12/03/02
NA-03-BB	30° 40' 53.90"	81° 25' 44.00"	30.681639	-81.428889	12/03/02
NA-04-SS	30° 40' 2.10"	81° 25' 50.40"	30.667250	-81.430667	12/03/02
NA-04-MB	30° 40' 1.90"	81° 25' 50.40"	30.667194	-81.430667	12/03/02
NA-04-BB	30° 40' 2.00"	81° 25' 50.80"	30.667222	-81.430778	12/03/02
NA-05-SS	30° 39' 9.50"	81° 25' 59.40"	30.652639	-81.433167	12/03/02
NA-05-MB	30° 39' 9.50"	81° 25' 59.80"	30.652639	-81.433278	12/03/02
NA-05-BB	30° 39' 9.80"	81° 26' 0.40"	30.652722	-81.433444	12/03/02
NA-06-SS	30° 38' 17.90"	81° 26' 9.10"	30.638306	-81.435861	12/03/02
NA-06-MB	30° 38' 18.00"	81° 26' 9.50"	30.638333	-81.435972	12/03/02
NA-06-BB	30° 38' 17.90"	81° 26' 10.10"	30.638306	-81.436139	12/03/02
NA-07-SS	30° 37' 25.60"	81° 26' 18.70"	30.623778	-81.438528	12/03/02
NA-07-MB	30° 37' 25.70"	81° 26' 18.70"	30.623806	-81.438528	12/03/02
NA-07-BB	30° 37' 25.80"	81° 26' 19.10"	30.623833	-81.438639	12/03/02
NA-08-SS	30° 36' 33.80"	81° 26' 26.90"	30.609389	-81.440806	12/03/02
NA-08-MB	30° 36' 33.70"	81° 26' 27.40"	30.609361	-81.440944	12/03/02
NA-08-BB	30° 36' 33.80"	81° 26' 27.90"	30.609389	-81.441083	12/03/02
NA-09-SS	30° 35' 41.50"	81° 26' 32.50"	30.594861	-81.442361	12/03/02
NA-09-B	30° 35' 41.60"	81° 26' 33.50"	30.594889	-81.442639	12/03/02
NA-09-MB	30° 35' 41.60"	81° 26' 33.70"	30.594889	-81.442694	12/03/02
NA-09-BB	30° 35' 41.70"	81° 26' 34.10"	30.594917	-81.442806	12/03/02
NA-10-SS	30° 34' 49.30"	81° 26' 33.70"	30.580361	-81.442694	12/03/02
NA-10-B	30° 34' 49.40"	81° 26' 34.90"	30.580389	-81.443028	12/03/02
NA-10-MB	30° 34' 49.50"	81° 26' 34.80"	30.580417	-81.443000	12/03/02
NA-10-BB	30° 34' 49.30"	81° 26' 36.00"	30.580361	-81.443333	12/03/02
NA-11-SS	30° 33' 57.40"	81° 26' 33.70"	30.565944	-81.442694	12/03/02
NA-11-B	30° 33' 57.40"	81° 26' 34.70"	30.565944	-81.442972	12/03/02
NA-11-MB	30° 33' 57.40"	81° 26' 35.50"	30.565944	-81.443194	12/03/02
NA-11-BB	30° 33' 57.40"	81° 26' 36.20"	30.565944	-81.443389	12/03/02
NA-12-SS	30° 33' 4.90"	81° 26' 26.90"	30.551361	-81.440806	12/03/02
NA-12-B	30° 33' 4.60"	81° 26' 26.90"	30.551278	-81.440806	12/03/02
NA-12-MB	30° 33' 4.70"	81° 26' 30.50"	30.551306	-81.441806	12/03/02
NA-12-BB	30° 33' 4.50"	81° 26' 31.80"	30.551250	-81.442167	12/03/02
NA-13-SS	30° 32' 12.80"	81° 26' 16.20"	30.536889	-81.437833	12/03/02

Table 2 cont.					
NA-13-B	30° 32' 12.50"	81° 26' 18.80"	30.536806	-81.438556	12/03/02
NA-13-MB	30° 32' 12.30"	81° 26' 19.80"	30.536750	-81.438833	12/03/02
NA-13-BB	30° 32' 12.10"	81° 26' 21.50"	30.536694	-81.439306	12/03/02
NA-14-SS	30° 31' 19.90"	81° 26' 4.60"	30.522194	-81.434611	12/03/02
NA-14-B	30° 31' 20.00"	81° 26' 6.00"	30.522222	-81.435000	12/03/02
NA-14-MB	30° 31' 20.10"	81° 26' 8.40"	30.522250	-81.435667	12/03/02
NA-14-BB	30° 31' 20.40"	81° 26' 12.20"	30.522333	-81.436722	12/03/02
DU-01-SS	30° 23' 28.70"	81° 23' 38.00"	30.391306	-81.393889	12/04/02
DU-01-MB	30° 23' 29.30"	81° 23' 39.50"	30.391472	-81.394306	12/04/02
DU-01-BB	30° 23' 29.80"	81° 23' 40.70"	30.391611	-81.394639	12/04/02
DU-02-SS	30° 22' 33.40"	81° 23' 47.00"	30.375944	-81.396389	12/04/02
DU-02-MB	30° 22' 33.80"	81° 23' 49.60"	30.376056	-81.397111	12/04/02
DU-02-BB	30° 22' 33.90"	81° 23' 50.50"	30.376083	-81.397361	12/04/02
DU-03-SS	30° 21' 42.60"	81° 23' 48.10"	30.361833	-81.396694	12/04/02
DU-03-MB	30° 21' 42.60"	81° 23' 49.80"	30.361833	-81.397167	12/04/02
DU-03-BB	30° 21' 42.40"	81° 23' 51.80"	30.361778	-81.397722	12/04/02
DU-04-SS	30° 20' 50.70"	81° 23' 45.30"	30.347417	-81.395917	12/04/02
DU-04-MB	30° 20' 50.50"	81° 23' 47.60"	30.347361	-81.396556	12/04/02
DU-04-BB	30° 20' 50.30"	81° 23' 49.30"	30.347306	-81.397028	12/04/02
DU-05-SS	30° 19' 58.40"	81° 23' 40.00"	30.332889	-81.394444	12/04/02
DU-05-MB	30° 19' 58.30"	81° 23' 42.30"	30.332861	-81.395083	12/04/02
DU-05-BB	30° 19' 58.20"	81° 23' 43.80"	30.332833	-81.395500	12/04/02
DU-06-SS	30° 19' 6.30"	81° 23' 33.40"	30.318417	-81.392611	12/04/02
DU-06-MB	30° 19' 6.00"	81° 23' 35.30"	30.318333	-81.393139	12/04/02
DU-06-BB	30° 19' 6.00"	81° 23' 36.70"	30.318333	-81.393528	12/04/02
DU-07-SS	30° 18' 14.30"	81° 23' 25.50"	30.303972	-81.390417	12/04/02
DU-07-MB	30° 18' 14.10"	81° 23' 27.00"	30.303917	-81.390833	12/04/02
DU-07-BB	30° 18' 12.80"	81° 23' 28.70"	30.303556	-81.391306	12/04/02
DU-08-SS	30° 17' 21.90"	81° 23' 14.00"	30.289417	-81.387222	12/04/02
DU-08-MB	30° 17' 21.70"	81° 23' 16.80"	30.289361	-81.388000	12/04/02
DU-08-BB	30° 17' 21.40"	81° 23' 18.00"	30.289278	-81.388333	12/04/02
DU-09-SS	30° 16' 29.30"	81° 23' 4.30"	30.274806	-81.384528	12/04/02
DU-09-MB	30° 16' 29.10"	81° 23' 6.30"	30.274750	-81.385083	12/04/02
DU-09-BB	30° 16' 28.60"	81° 23' 8.30"	30.274611	-81.385639	12/04/02
DU-10-SS	30° 15' 37.10"	81° 22' 53.30"	30.260306	-81.381472	12/04/02
DU-10-MB	30° 15' 36.80"	81° 22' 54.80"	30.260222	-81.381889	12/04/02
DU-10-BB	30° 15' 36.30"	81° 22' 56.50"	30.260083	-81.382361	12/04/02
DU-11-SS	30° 30' 28.10"	81° 27' 13.50"	30.507806	-81.453750	12/03/02
DU-11-MB	30° 30' 28.00"	81° 27' 14.20"	30.507778	-81.453944	12/03/02
DU-11-BB	30° 30' 27.70"	81° 27' 14.80"	30.507694	-81.454111	12/03/02
DU-12	30° 29' 38.60"	81° 26' 15.90"	30.494056	-81.437750	12/03/02
DU-13-SS	30° 28' 39.60"	81° 24' 42.10"	30.477667	-81.411694	01/28/03
DU-13-MB	30° 28' 39.40"	81° 24' 43.30"	30.477611	-81.412028	01/28/03
DU-13-BB	30° 28' 39.30"	81° 24' 44.00"	30.477583	-81.412222	01/28/03
DU-14-SS	30° 27' 49.60"	81° 24' 40.60"	30.463778	-81.411278	12/03/02
DU-14-BB	30° 27' 49.80"	81° 24' 41.40"	30.463833	-81.411500	12/03/02
DU-15-SS	30° 26' 57.10"	81° 24' 36.20"	30.449194	-81.410056	12/03/02

Table 2 cont.					
DU-15-MB	30° 26' 57.10"	81° 24' 36.90"	30.449194	-81.410250	12/03/02
DU-15-BB	30° 26' 57.20"	81° 24' 37.60"	30.449222	-81.410444	12/03/02
DU-16-SS	30° 26' 4.00"	81° 24' 25.70"	30.434444	-81.407139	12/03/02
DU-16-MB	30° 26' 4.10"	81° 24' 26.70"	30.434472	-81.407417	12/03/02
DU-16-BB	30° 26' 4.10"	81° 24' 27.10"	30.434472	-81.407528	12/03/02
DU-17-SS	30° 25' 2.90"	81° 24' 23.10"	30.417472	-81.406417	12/03/02
DU-17-MB	30° 25' 2.60"	81° 24' 24.20"	30.417389	-81.406722	12/03/02
DU-17-BB	30° 25' 2.20"	81° 24' 24.70"	30.417278	-81.406861	12/03/02
DU-18-SS	30° 24' 20.30"	81° 24' 9.50"	30.405639	-81.402639	12/03/02
DU-18-MB	30° 24' 20.00"	81° 24' 11.10"	30.405556	-81.403083	12/03/02
DU-18-BB	30° 24' 20.20"	81° 24' 12.10"	30.405611	-81.403361	12/03/02
SJ-01-SS	30° 14' 44.00"	81° 22' 41.30"	30.245556	-81.378139	12/04/02
SJ-01-B	30° 14' 43.80"	81° 22' 43.50"	30.245500	-81.378750	12/04/02
SJ-01-MB	30° 14' 43.80"	81° 22' 43.20"	30.245500	-81.378667	12/04/02
SJ-01-BB	30° 14' 43.70"	81° 22' 43.60"	30.245472	-81.378778	12/04/02
SJ-02-SS	30° 14' 31.44"	81° 22' 38.88"	30.242067	-81.377467	12/02/03
SJ-02-MB	30° 14' 31.14"	81° 22' 40.08"	30.241983	-81.377800	12/02/03
SJ-02-BB	30° 14' 30.96"	81° 22' 40.68"	30.241933	-81.377967	12/02/03
SJ-03-SS	30° 13' 42.42"	81° 22' 26.28"	30.228450	-81.373967	12/02/03
SJ-03-BB	30° 13' 42.36"	81° 22' 27.24"	30.228433	-81.374233	12/02/03
SJ-04-SS	30° 12' 50.34"	81° 22' 11.58"	30.213983	-81.369883	12/02/03
SJ-04-BB	30° 12' 49.92"	81° 22' 12.42"	30.213867	-81.370117	12/02/03
SJ-05-SS	30° 12' 1.02"	81° 21' 56.94"	30.200283	-81.365817	12/02/03
SJ-05-BB	30° 12' 0.84"	81° 21' 57.48"	30.200233	-81.365967	12/02/03
SJ-06-SS	30° 11' 5.76"	81° 21' 41.58"	30.184933	-81.361550	12/04/03
SJ-06-BB	30° 11' 5.88"	81° 21' 41.76"	30.184967	-81.361600	12/04/03
SJ-07-SS	30° 10' 21.18"	81° 21' 30.30"	30.172550	-81.358417	12/02/03
SJ-07-BB	30° 10' 21.18"	81° 21' 30.60"	30.172550	-81.358500	12/02/03
SJ-08-SS	30° 09' 31.80"	81° 21' 17.40"	30.158833	-81.354833	12/02/03
SJ-08-BB	30° 09' 31.74"	81° 21' 17.70"	30.158817	-81.354917	12/02/03
SJ-09-SS	30° 08' 40.68"	81° 21' 4.92"	30.144633	-81.351367	12/02/03
SJ-09-BB	30° 08' 40.56"	81° 21' 5.10"	30.144600	-81.351417	12/02/03
SJ-10-SS	30° 07' 50.40"	81° 20' 52.80"	30.130667	-81.348000	12/02/03
SJ-10-BB	30° 07' 50.28"	81° 20' 53.22"	30.130633	-81.348117	12/02/03
SJ-11-SS	30° 07' 0.66"	81° 20' 40.38"	30.116850	-81.344550	12/02/03
SJ-11-BB	30° 07' 0.60"	81° 20' 41.10"	30.116833	-81.344750	12/02/03
SJ-12-SS	30° 06' 9.84"	81° 20' 28.08"	30.102733	-81.341133	12/02/03
SJ-12-BB	30° 06' 9.60"	81° 20' 28.68"	30.102667	-81.341300	12/02/03
SJ-13-SS	30° 05' 17.58"	81° 20' 15.90"	30.088217	-81.337750	12/02/03
SJ-13-BB	30° 05' 17.52"	81° 20' 16.26"	30.088200	-81.337850	12/02/03
SJ-14-SS	30° 04' 26.52"	81° 20' 3.54"	30.074033	-81.334317	12/02/03
SJ-14-BB	30° 4' 26.34"	81° 20' 3.84"	30.073983	-81.334400	12/02/03
SJ-15-SS	30° 03' 35.16"	81° 19' 52.08"	30.059767	-81.331133	12/02/03
SJ-15-BB	30° 03' 35.10"	81° 19' 52.38"	30.059750	-81.331217	12/02/03
SJ-16-SS	30° 02' 46.08"	81° 19' 42.00"	30.046133	-81.328333	12/02/03
SJ-16-BB	30° 02' 45.96"	81° 19' 42.48"	30.046100	-81.328467	12/02/03
SJ-17-SS	30° 01' 54.96"	81° 19' 30.06"	30.031933	-81.325017	12/02/03

Table 2 cont.					
SJ-17-BB	30° 01' 54.90"	81° 19' 30.18"	30.031917	-81.325050	12/02/03
SJ-18-SS	30° 01' 3.60"	81° 19' 16.68"	30.017667	-81.321300	12/03/03
SJ-18-BB	30° 01' 3.36"	81° 19' 17.16"	30.017600	-81.321433	12/03/03
SJ-19-SS	30° 00' 13.14"	81° 19' 4.02"	30.003650	-81.317783	12/03/03
SJ-19-BB	30° 00' 13.02"	81° 19' 4.92"	30.003617	-81.318033	12/03/03
SJ-20-SS	29° 59' 24.18"	81° 18' 52.26"	29.990050	-81.314517	12/03/03
SJ-20-BB	29° 59' 24.24"	81° 18' 51.48"	29.990067	-81.314300	12/03/03
SJ-21-SS	29° 58' 35.10"	81° 18' 38.22"	29.976417	-81.310617	12/03/03
SJ-21-BB	29° 58' 33.36"	81° 18' 38.76"	29.975933	-81.310767	12/03/03
SJ-22-SS	29° 57' 43.50"	81° 18' 23.88"	29.962083	-81.306633	12/03/03
SJ-22-BB	29° 57' 43.14"	81° 18' 24.54"	29.961983	-81.306817	12/03/03
SJ-23-SS	29° 56' 55.86"	81° 18' 9.54"	29.948850	-81.302650	12/03/03
SJ-23-BB	29° 56' 55.68"	81° 18' 10.26"	29.948800	-81.302850	12/03/03
SJ-24-SS	29° 56' 6.60"	81° 17' 53.82"	29.935167	-81.298283	12/03/03
SJ-24-BB	29° 56' 6.54"	81° 17' 54.42"	29.935150	-81.298450	12/03/03
SJ-25-SS	29° 55' 15.00"	81° 17' 29.88"	29.920833	-81.291633	12/03/03
SJ-25-BB	29° 55' 14.70"	81° 17' 31.08"	29.920750	-81.291967	12/03/03
SJ-26-SS	29° 54' 11.34"	81° 16' 34.92"	29.903150	-81.276367	12/01/03
SJ-26-MB	29° 54' 11.40"	81° 16' 36.54"	29.903167	-81.276817	12/01/03
SJ-26-BB	29° 54' 10.56"	81° 16' 38.94"	29.902933	-81.277483	12/01/03
SJ-27-SS	29° 53' 20.46"	81° 16' 27.12"	29.889017	-81.274200	12/01/03
SJ-27-MB	29° 53' 20.28"	81° 16' 28.20"	29.888967	-81.274500	12/01/03
SJ-27-BB	29° 53' 20.16"	81° 16' 29.10"	29.888933	-81.274750	12/01/03
SJ-28-SS	29° 52' 32.22"	81° 16' 13.32"	29.875617	-81.270367	12/01/03
SJ-28-MB	29° 52' 31.98"	81° 16' 14.46"	29.875550	-81.270683	12/01/03
SJ-28-BB	29° 52' 31.80"	81° 16' 15.06"	29.875500	-81.270850	12/01/03
SJ-29-SS	29° 51' 44.46"	81° 15' 58.14"	29.862350	-81.266150	12/01/03
SJ-29-MB	29° 51' 44.10"	81° 16' 0.00"	29.862250	-81.266667	12/01/03
SJ-29-BB	29° 51' 43.38"	81° 16' 3.18"	29.862050	-81.267550	12/01/03
SJ-30-SS	29° 50' 54.06"	81° 15' 50.82"	29.848350	-81.264117	12/01/03
SJ-30-MB	29° 50' 54.12"	81° 15' 51.72"	29.848367	-81.264367	12/01/03
SJ-30-BB	29° 50' 54.18"	81° 15' 55.02"	29.848383	-81.265283	12/01/03
SJ-31-SS	29° 50' 5.58"	81° 15' 48.96"	29.834883	-81.263600	12/01/03
SJ-31-MB	29° 50' 5.46"	81° 15' 50.28"	29.834850	-81.263967	12/01/03
SJ-31-BB	29° 50' 5.58"	81° 15' 51.90"	29.834883	-81.264417	12/01/03
SJ-32-SS	29° 49' 16.92"	81° 15' 44.94"	29.821367	-81.262483	12/01/03
SJ-32-MB	29° 49' 17.04"	81° 15' 46.14"	29.821400	-81.262817	12/01/03
SJ-32-BB	29° 49' 16.80"	81° 15' 47.40"	29.821333	-81.263167	12/01/03
SJ-33-SS	29° 48' 25.92"	81° 15' 38.22"	29.807200	-81.260617	12/01/03
SJ-33-MB	29° 48' 25.98"	81° 15' 39.42"	29.807217	-81.260950	12/01/03
SJ-33-BB	29° 48' 25.74"	81° 15' 40.68"	29.807150	-81.261300	12/01/03
SJ-34-SS	29° 47' 35.94"	81° 15' 28.44"	29.793317	-81.257900	12/01/03
SJ-34-MB	29° 47' 36.42"	81° 15' 29.88"	29.793450	-81.258300	12/01/03
SJ-34-BB	29° 47' 36.42"	81° 15' 31.14"	29.793450	-81.258650	12/01/03
SJ-35-SS	29° 46' 49.20"	81° 15' 16.50"	29.780333	-81.254583	12/01/03
SJ-35-MB	29° 46' 49.08"	81° 15' 17.46"	29.780300	-81.254850	12/01/03
SJ-35-BB	29° 46' 48.66"	81° 15' 18.90"	29.780183	-81.255250	12/01/03

Table 2 cont.					
SJ-36-SS	29° 45' 59.76"	81° 15' 1.14"	29.766600	-81.250317	12/01/03
SJ-36-MB	29° 45' 59.70"	81° 15' 2.34"	29.766583	-81.250650	12/01/03
SJ-36-BB	29° 45' 59.58"	81° 15' 3.72"	29.766550	-81.251033	12/01/03
SJ-37-SS	29° 45' 13.08"	81° 14' 44.34"	29.753633	-81.245650	12/01/03
SJ-37-MB	29° 45' 12.90"	81° 14' 45.60"	29.753583	-81.246000	12/01/03
SJ-37-BB	29° 45' 12.42"	81° 14' 46.92"	29.753450	-81.246367	12/01/03
SJ-38-SS	29° 44' 26.52"	81° 14' 26.16"	29.740700	-81.240600	12/01/03
SJ-38-MB	29° 44' 26.28"	81° 14' 27.48"	29.740633	-81.240967	12/01/03
SJ-38-BB	29° 44' 25.92"	81° 14' 28.86"	29.740533	-81.241350	12/01/03
SJ-39-SS	29° 43' 38.46"	81° 14' 5.88"	29.727350	-81.234967	12/01/03
SJ-39-MB	29° 43' 38.10"	81° 14' 7.02"	29.727250	-81.235283	12/01/03
SJ-39-BB	29° 43' 37.92"	81° 14' 8.10"	29.727200	-81.235583	12/01/03
SJ-40-SS	29° 42' 53.22"	81° 13' 42.06"	29.714783	-81.228350	12/01/03
SJ-40-MB	29° 42' 52.98"	81° 13' 44.04"	29.714717	-81.228900	12/01/03
SJ-40-BB	29° 42' 52.50"	81° 13' 45.30"	29.714583	-81.229250	12/01/03
SJ-41-SS	29° 42' 26.04"	81° 13' 38.28"	29.707233	-81.227300	12/02/03
SJ-41-MB	29° 42' 26.70"	81° 13' 39.90"	29.707417	-81.227750	12/02/03
SJ-41-BB	29° 42' 28.74"	81° 13' 41.46"	29.707983	-81.228183	12/02/03
SJ-42-SS	29° 41' 44.76"	81° 13' 20.04"	29.695767	-81.222233	12/02/03
SJ-42-MB	29° 41' 44.46"	81° 13' 20.76"	29.695683	-81.222433	12/02/03
SJ-42-BB	29° 41' 44.10"	81° 13' 21.48"	29.695583	-81.222633	12/02/03
SJ-43-SS	29° 40' 57.30"	81° 13' 3.00"	29.682583	-81.217500	12/02/03
SJ-43-MB	29° 40' 57.12"	81° 13' 3.66"	29.682533	-81.217683	12/02/03
SJ-43-BB	29° 40' 57.06"	81° 13' 4.14"	29.682517	-81.217817	12/02/03
SJ-44-SS	29° 40' 19.56"	81° 12' 49.02"	29.672100	-81.213617	12/02/03
SJ-44-MB	29° 40' 19.44"	81° 12' 49.32"	29.672067	-81.213700	12/02/03
SJ-44-BB	29° 40' 19.38"	81° 12' 49.80"	29.672050	-81.213833	12/02/03
FG-01-SS	29° 39' 38.04"	81° 12' 31.08"	29.660567	-81.208633	12/03/03
FG-01-BB	29° 39' 37.92"	81° 12' 31.50"	29.660533	-81.208750	12/03/03
FG-02-SS	29° 38' 51.84"	81° 12' 11.76"	29.647733	-81.203267	12/03/03
FG-02-BB	29° 38' 51.84"	81° 12' 12.54"	29.647733	-81.203483	12/03/03
FG-03-SS	29° 38' 7.08"	81° 11' 53.88"	29.635300	-81.198300	12/03/03
FG-03-MB	29° 38' 6.84"	81° 11' 54.54"	29.635233	-81.198483	12/03/03
FG-03-BB	29° 38' 6.90"	81° 11' 54.72"	29.635250	-81.198533	12/03/03
FG-04-SS	29° 37' 23.10"	81° 11' 34.80"	29.623083	-81.193000	12/03/03
FG-04-BB	29° 37' 22.92"	81° 11' 35.46"	29.623033	-81.193183	12/03/03
FG-05-SS	29° 36' 34.38"	81° 11' 13.02"	29.609550	-81.186950	12/03/03
FG-05-BB	29° 36' 34.26"	81° 11' 14.04"	29.609517	-81.187233	12/03/03
FG-06-SS	29° 35' 49.50"	81° 10' 54.72"	29.597083	-81.181867	12/03/03
FG-06-BB	29° 35' 49.26"	81° 10' 55.44"	29.597017	-81.182067	12/03/03
FG-07-SS	29° 35' 5.10"	81° 10' 35.70"	29.584750	-81.176583	12/03/03
FG-07-BB	29° 35' 4.92"	81° 10' 36.42"	29.584700	-81.176783	12/03/03
FG-08-SS	29° 34' 21.36"	81° 10' 17.40"	29.572600	-81.171500	12/03/03
FG-08-BB	29° 34' 21.18"	81° 10' 18.00"	29.572550	-81.171667	12/03/03
FG-09-SS	29° 33' 35.64"	81° 09' 56.88"	29.559900	-81.165800	12/03/03
FG-09-BB	29° 33' 34.80"	81° 09' 57.00"	29.559667	-81.165833	12/03/03
FG-10-SS *	29° 32' 50.70"	81° 09' 34.97"	29.547417	-81.159715	12/03/03

Table 2 cont.						
FG-10-BB	29° 32' 50.70"	81° 09' 36.48"	29.547417	-81.160133	12/03/03	
FG-11-SS	29° 32' 13.68"	81° 09' 17.52"	29.537133	-81.154867	12/03/03	
FG-11-BB	29° 32' 13.56"	81° 09' 18.18"	29.537100	-81.155050	12/03/03	
FG-12-SS	29° 31' 32.64"	81° 08' 56.34"	29.525733	-81.148983	12/03/03	
FG-12-BB	29° 31' 32.22"	81° 08' 56.94"	29.525617	-81.149150	12/03/03	
FG-13-SS	29° 30' 49.38"	81° 08' 34.80"	29.513717	-81.143000	12/03/03	
FG-13-BB	29° 30' 49.14"	81° 08' 35.40"	29.513650	-81.143167	12/03/03	
FG-14-SS	29° 30' 4.68"	81° 08' 12.12"	29.501300	-81.136700	12/03/03	
FG-14-BB	29° 30' 4.56"	81° 08' 12.96"	29.501267	-81.136933	12/03/03	
FG-15-SS	29° 29' 21.96"	81° 07' 51.90"	29.489433	-81.131083	12/03/03	
FG-15-BB	29° 29' 21.90"	81° 07' 52.38"	29.489417	-81.131217	12/03/03	
FG-16-SS	29° 28' 38.16"	81° 07' 30.84"	29.477267	-81.125233	12/03/03	
FG-16-BB	29° 28' 37.92"	81° 07' 31.26"	29.477200	-81.125350	12/03/03	
FG-17-SS	29° 27' 55.38"	81° 07' 10.68"	29.465383	-81.119633	12/03/03	
FG-17-BB	29° 27' 55.32"	81° 07' 10.98"	29.465367	-81.119717	12/03/03	
FG-18-SS	29° 27' 12.90"	81° 06' 50.94"	29.453583	-81.114150	12/03/03	
FG-18-BB	29° 27' 12.90"	81° 06' 51.42"	29.453583	-81.114283	12/03/03	
FG-19-SS	29° 26' 30.12"	81° 06' 31.50"	29.441700	-81.108750	12/03/03	
FG-19-BB	29° 26' 30.06"	81° 06' 32.10"	29.441683	-81.108917	12/03/03	
FG-20-SS	29° 25' 47.22"	81° 06' 12.60"	29.429783	-81.103500	12/03/03	
FG-20-BB	29° 25' 47.16"	81° 06' 12.72"	29.429767	-81.103533	12/03/03	
VO-01-SS	29° 25' 2.40"	81° 05' 52.32"	29.417333	-81.097867	11/15/04	
VO-01-BB	29° 25' 2.28"	81° 05' 52.56"	29.417300	-81.097933	11/15/04	
VO-02-SS	29° 24' 17.82"	81° 05' 31.62"	29.404950	-81.092117	11/15/04	
VO-02-BB	29° 24' 17.88"	81° 05' 31.92"	29.404967	-81.092200	11/15/04	
VO-03-SS	29° 23' 33.36"	81° 05' 11.16"	29.392600	-81.086433	11/15/04	
VO-03-BB	29° 23' 33.24"	81° 05' 11.64"	29.392567	-81.086567	11/15/04	
VO-04-SS	29° 22' 49.74"	81° 04' 50.16"	29.380483	-81.080600	11/15/04	
VO-04-BB	29° 22' 49.62"	81° 04' 51.60"	29.380450	-81.081000	11/15/04	
VO-05-SS	29° 22' 5.70"	81° 04' 30.60"	29.368250	-81.075167	11/15/04	
VO-05-BB	29° 22' 5.52"	81° 04' 31.20"	29.368200	-81.075333	11/15/04	
VO-06-SS	29° 21' 22.50"	81° 04' 10.38"	29.356250	-81.069550	11/15/04	
VO-06-BB	29° 21' 22.02"	81° 04' 10.92"	29.356117	-81.069700	11/15/04	
VO-07-SS	29° 20' 40.26"	81° 03' 48.78"	29.344517	-81.063550	11/15/04	
VO-07-BB	29° 20' 39.96"	81° 03' 49.62"	29.344433	-81.063783	11/15/04	
VO-08-SS	29° 19' 58.26"	81° 03' 29.70"	29.332850	-81.058250	11/15/04	
VO-08-BB	29° 19' 58.38"	81° 03' 30.42"	29.332883	-81.058450	11/15/04	
VO-09-SS	29° 19' 16.56"	81° 03' 10.98"	29.321267	-81.053050	11/15/04	
VO-09-BB	29° 19' 16.38"	81° 03' 11.16"	29.321217	-81.053100	11/15/04	
VO-10-SS	29° 18' 30.72"	81° 02' 48.36"	29.308533	-81.046767	11/15/04	
VO-10-BB	29° 18' 30.78"	81° 02' 49.32"	29.308550	-81.047033	11/15/04	
VO-11-SS	29° 17' 46.68"	81° 02' 27.06"	29.296300	-81.040850	11/15/04	
VO-11-BB	29° 17' 46.26"	81° 02' 28.56"	29.296183	-81.041267	11/15/04	
VO-12-SS	29° 17' 3.48"	81° 02' 6.06"	29.284300	-81.035017	11/15/04	
VO-12-BB	29° 17' 2.82"	81° 02' 6.90"	29.284117	-81.035250	11/15/04	
VO-13-SS	29° 16' 21.24"	81° 01' 45.06"	29.272567	-81.029183	11/15/04	
VO-13-BB	29° 16' 20.94"	81° 01' 45.54"	29.272483	-81.029317	11/15/04	

Table 2 cont.					
VO-14-SS	29° 15' 37.92"	81° 01' 23.04"	29.260533	-81.023067	11/15/04
VO-14-BB	29° 15' 37.56"	81° 01' 23.64"	29.260433	-81.023233	11/15/04
VO-15-SS	29° 14' 53.82"	81° 01' 1.62"	29.248283	-81.017117	11/15/04
VO-15-BB	29° 14' 53.52"	81° 01' 2.64"	29.248200	-81.017400	11/15/04
VO-16-SS	29° 14' 10.74"	81° 00' 39.36"	29.236317	-81.010933	11/15/04
VO-16-BB	29° 14' 10.26"	81° 00' 40.44"	29.236183	-81.011233	11/15/04
VO-17-SS	29° 13' 26.82"	81° 00' 19.08"	29.224117	-81.005300	11/15/04
VO-17-BB	29° 13' 26.58"	81° 00' 20.10"	29.224050	-81.005583	11/15/04
VO-18-SS	29° 12' 44.64"	80° 59' 59.40"	29.212400	-80.999833	11/15/04
VO-18-BB	29° 12' 44.28"	81° 0' 0.24"	29.212300	-81.000067	11/15/04
VO-19-SS	29° 12' 2.34"	80° 59' 37.74"	29.200650	-80.993817	11/15/04
VO-19-BB	29° 12' 1.56"	80° 59' 38.94"	29.200433	-80.994150	11/15/04
VO-20-SS	29° 11' 20.10"	80° 59' 16.68"	29.188917	-80.987967	11/15/04
VO-20-BB	29° 11' 19.86"	80° 59' 17.22"	29.188850	-80.988117	11/15/04
VO-21-SS	29° 10' 35.58"	80° 58' 53.58"	29.176550	-80.981550	11/15/04
VO-21-BB	29° 10' 35.34"	80° 58' 54.48"	29.176483	-80.981800	11/15/04
VO-22-SS	29° 9' 50.76"	80° 58' 28.62"	29.164100	-80.974617	11/16/04
VO-22-BB	29° 9' 50.76"	80° 58' 28.86"	29.164100	-80.974683	11/16/04
VO-23-SS	29° 9' 6.06"	80° 58' 5.70"	29.151683	-80.968250	11/16/04
VO-23-BB	29° 9' 6.06"	80° 58' 5.64"	29.151683	-80.968233	11/16/04
VO-24-SS	29° 8' 26.04"	80° 57' 44.22"	29.140567	-80.962283	11/16/04
VO-24-BB	29° 8' 25.92"	80° 57' 44.22"	29.140533	-80.962283	11/16/04
VO-25-BB	29° 7' 44.34"	80° 57' 20.46"	29.128983	-80.955683	11/16/04
VO-26-SS	29° 7' 2.82"	80° 56' 55.56"	29.117450	-80.948767	11/16/04
VO-26-BB	29° 7' 2.64"	80° 56' 56.04"	29.117400	-80.948900	11/16/04
VO-27-SS	29° 6' 23.04"	80° 56' 28.74"	29.106400	-80.941317	11/16/04
VO-27-BB	29° 6' 22.98"	80° 56' 28.98"	29.106383	-80.941383	11/16/04
VO-28-SS	29° 5' 43.80"	80° 55' 59.04"	29.095500	-80.933067	11/16/04
VO-28-BB	29° 5' 43.86"	80° 55' 59.04"	29.095517	-80.933067	11/16/04
VO-29-SS	29° 5' 6.36"	80° 55' 29.28"	29.085100	-80.924800	11/16/04
VO-29-BB	29° 5' 6.36"	80° 55' 30.00"	29.085100	-80.925000	11/16/04
VO-30-SS	29° 4' 43.62"	80° 55' 9.72"	29.078783	-80.919367	11/16/04
VO-30-BB	29° 4' 43.44"	80° 55' 9.90"	29.078733	-80.919417	11/16/04
VO-31-SS	29° 4' 16.98"	80° 54' 39.00"	29.071383	-80.910833	11/16/04
VO-31-BB	29° 4' 16.56"	80° 54' 39.78"	29.071267	-80.911050	11/16/04
VO-32-SS	29° 3' 35.40"	80° 54' 22.20"	29.059833	-80.906167	11/16/04
VO-32-BB	29° 3' 35.28"	80° 54' 22.20"	29.059800	-80.906167	11/16/04
VO-33-BB	29° 2' 52.68"	80° 54' 3.00"	29.047967	-80.900833	11/16/04
VO-35-SS	29° 1' 26.52"	80° 53' 13.20"	29.024033	-80.887000	11/16/04
VO-35-BB	29° 1' 26.52"	80° 53' 13.20"	29.024033	-80.887000	11/16/04
VO-36-BB	29° 0' 44.28"	80° 52' 48.12"	29.012300	-80.880033	11/16/04
VO-38-SS	28° 59' 22.50"	80° 51' 55.20"	28.989583	-80.865333	11/16/04
VO-38-BB	28° 59' 22.56"	80° 51' 55.68"	28.989600	-80.865467	11/16/04
VO-39-SS	28° 58' 40.80"	80° 51' 27.54"	28.978000	-80.857650	11/16/04
VO-39-BB	28° 58' 40.62"	80° 51' 27.78"	28.977950	-80.857717	11/16/04
VO-40-SS	28° 58' 3.66"	80° 51' 2.16"	28.967683	-80.850600	11/16/04
VO-40-BB	28° 58' 3.54"	80° 51' 2.34"	28.967650	-80.850650	11/16/04

Table 2 cont.					
VO-41-SS	28° 57' 23.76"	80° 50' 34.92"	28.956600	-80.843033	11/16/04
VO-41-BB	28° 57' 23.52"	80° 50' 35.22"	28.956533	-80.843117	11/16/04
VO-42-SS	28° 56' 45.66"	80° 50' 7.50"	28.946017	-80.835417	11/16/04
VO-42-BB	28° 56' 44.28"	80° 50' 7.38"	28.945633	-80.835383	11/16/04
VO-43-SS	28° 56' 3.30"	80° 49' 37.98"	28.934250	-80.827217	11/16/04
VO-43-BB	28° 56' 3.12"	80° 49' 38.70"	28.934200	-80.827417	11/16/04
VO-44-SS	28° 55' 27.90"	80° 49' 13.86"	28.924417	-80.820517	11/17/04
VO-44-BB	28° 55' 27.72"	80° 49' 14.10"	28.924367	-80.820583	11/17/04
VO-45-SS	28° 54' 41.22"	80° 48' 42.12"	28.911450	-80.811700	11/17/04
VO-45-BB	28° 54' 41.04"	80° 48' 42.48"	28.911400	-80.811800	11/17/04
VO-46-SS	28° 54' 3.66"	80° 48' 16.02"	28.901017	-80.804450	11/17/04
VO-46-BB	28° 54' 3.42"	80° 48' 16.38"	28.900950	-80.804550	11/17/04
VO-47-SS	28° 53' 21.78"	80° 47' 47.16"	28.889383	-80.796433	11/17/04
VO-47-BB	28° 53' 21.48"	80° 47' 47.64"	28.889300	-80.796567	11/17/04
VO-48-SS	28° 52' 50.04"	80° 47' 26.04"	28.880567	-80.790567	11/17/04
VO-48-BB	28° 52' 49.92"	80° 47' 26.46"	28.880533	-80.790683	11/17/04
VO-49-SS	28° 52' 14.34"	80° 47' 2.64"	28.870650	-80.784067	11/17/04
VO-49-BB	28° 52' 14.10"	80° 47' 3.06"	28.870583	-80.784183	11/17/04
VO-50-SS	28° 51' 39.78"	80° 46' 40.08"	28.861050	-80.777800	11/17/04
VO-50-BB	28° 51' 39.60"	80° 46' 40.62"	28.861000	-80.777950	11/17/04
VO-51-SS	28° 51' 5.70"	80° 46' 18.96"	28.851583	-80.771933	11/17/04
VO-51-BB	28° 51' 5.40"	80° 46' 19.20"	28.851500	-80.772000	11/17/04
VO-52-SS	28° 50' 31.56"	80° 45' 57.18"	28.842100	-80.765883	11/17/04
VO-52-BB	28° 50' 31.32"	80° 45' 57.54"	28.842033	-80.765983	11/17/04
VO-53-SS	28° 49' 57.48"	80° 45' 35.88"	28.832633	-80.759967	11/17/04
VO-53-BB	28° 49' 57.12"	80° 45' 36.12"	28.832533	-80.760033	11/17/04
VO-54-SS	28° 49' 22.74"	80° 45' 14.76"	28.822983	-80.754100	11/17/04
VO-54-BB	28° 49' 22.74"	80° 45' 14.82"	28.822983	-80.754117	11/17/04
VO-55-SS	28° 48' 48.24"	80° 44' 52.08"	28.813400	-80.747800	11/17/04
VO-55-BB	28° 48' 48.24"	80° 44' 52.62"	28.813400	-80.747950	11/17/04
VO-56-SS	28° 48' 13.56"	80° 44' 29.34"	28.803767	-80.741483	11/17/04
VO-56-BB	28° 48' 13.38"	80° 44' 29.28"	28.803717	-80.741467	11/17/04
VO-57-SS	28° 47' 40.02"	80° 44' 6.66"	28.794450	-80.735183	11/17/04
VO-57-BB	28° 47' 39.78"	80° 44' 7.02"	28.794383	-80.735283	11/17/04
BV-01-SS	28° 46' 56.4"	80° 43' 35.9"	28.782333	-80.726639	03/19/09
BV-01-BB	28° 46' 55.7"	80° 43' 36.9"	28.782139	-80.726917	03/19/09
BV-02-SS	28° 46' 12.9"	80° 43' 8.2"	28.770250	-80.718944	03/19/09
BV-02-BB	28° 46' 12.6"	80° 43' 8.7"	28.770167	-80.719083	03/19/09
BV-03-SS	28° 45' 30.1"	80° 42' 39.2"	28.758361	-80.710889	03/19/09
BV-03-BB	28° 45' 29.0"	80° 42' 40.6"	28.758056	-80.711278	03/19/09
BV-04-SS	28° 44' 49.1"	80° 42' 9.7"	28.746972	-80.702694	03/19/09
BV-04-BB	28° 44' 48.5"	80° 42' 10.0"	28.746806	-80.702778	03/19/09
BV-05-SS	28° 44' 7.7"	80° 41' 38.0"	28.735472	-80.693889	03/19/09
BV-05-BB	28° 44' 6.3"	80° 41' 36.6"	28.735083	-80.693500	03/19/09
BV-06-SS	28° 43' 26.2"	80° 41' 4.8"	28.723944	-80.684667	03/19/09
BV-06-BB	28° 43' 26.3"	80° 41' 5.6"	28.723972	-80.684889	03/19/09
BV-07-SS	28° 42' 47.5"	80° 40' 33.2"	28.713194	-80.675889	03/19/09

Table 2 cont.					
BV-07-BB	28° 42' 47.2"	80° 40' 33.7"	28.713111	-80.676028	03/19/09
BV-08-SS	28° 42' 8.2"	80° 40' 0.2"	28.702278	-80.666722	03/18/09
BV-08-BB	28° 42' 8.0"	80° 40' 0.8"	28.702222	-80.666889	03/18/09
BV-09-SS	28° 41' 26.1"	80° 39' 28.8"	28.690583	-80.658000	03/18/09
BV-09-BB	28° 41' 26.0"	80° 39' 29.2"	28.690556	-80.658111	03/18/09
BV-10-SS	28° 40' 45.0"	80° 38' 55.4"	28.679167	-80.648722	03/18/09
BV-10-BB	28° 40' 45.1"	80° 38' 55.6"	28.679194	-80.648778	03/18/09
BV-11-SS	28° 40' 4.6"	80° 38' 26.1"	28.667944	-80.640583	03/18/09
BV-11-BB	28° 40' 4.1"	80° 38' 26.6"	28.667806	-80.640722	03/18/09
BV-12-SS	28° 39' 22.1"	80° 37' 55.5"	28.656139	-80.632083	03/18/09
BV-12-BB	28° 39' 21.8"	80° 37' 56.1"	28.656056	-80.632250	03/18/09
BV-13-SS	28° 38' 39.3"	80° 37' 26.5"	28.644250	-80.624028	03/18/09
BV-13-BB	28° 38' 39.8"	80° 37' 27.5"	28.644389	-80.624306	03/18/09
BV-14-SS	28° 37' 59.3"	80° 36' 56.8"	28.633139	-80.615778	03/17/09
BV-14-BB	28° 38' 0.5"	80° 36' 56.8"	28.633472	-80.615778	03/17/09
BV-15-SS	28° 37' 19.0"	80° 36' 23.9"	28.621944	-80.606639	03/17/09
BV-15-BB	28° 37' 18.6"	80° 36' 23.5"	28.621833	-80.606528	03/17/09
BV-16-SS	28° 36' 39.2"	80° 35' 48.3"	28.610889	-80.596750	03/17/09
BV-16-BB	28° 36' 38.9"	80° 35' 48.6"	28.610806	-80.596833	03/17/09
BV-17-SS	28° 36' 0.9"	80° 35' 14.2"	28.600250	-80.587278	03/17/09
BV-17-BB	28° 36' 0.6"	80° 35' 14.4"	28.600167	-80.587333	03/17/09
BV-18-SS	28° 35' 21.5"	80° 34' 38.4"	28.589306	-80.577333	03/17/09
BV-18-BB	28° 35' 21.2"	80° 34' 38.7"	28.589222	-80.577417	03/17/09
BV-19-SS	28° 34' 36.1"	80° 34' 19.1"	28.576694	-80.571972	03/17/09
BV-19-BB	28° 34' 36.7"	80° 34' 19.2"	28.576861	-80.572000	03/17/09
BV-20-SS	28° 33' 47.1"	80° 34' 4.8"	28.563083	-80.568000	03/18/09
BV-20-BB	28° 33' 47.0"	80° 34' 5.2"	28.563056	-80.568111	03/18/09
BV-21-SS	28° 32' 57.9"	80° 33' 56.5"	28.549417	-80.565694	03/18/09
BV-21-BB	28° 32' 58.1"	80° 33' 56.9"	28.549472	-80.565806	03/18/09
BV-22-SS	28° 32' 8.3"	80° 33' 45.8"	28.535639	-80.562722	03/18/09
BV-22-BB	28° 32' 8.3"	80° 33' 46.5"	28.535639	-80.562917	03/18/09
BV-23-SS	28° 31' 21.7"	80° 33' 29.9"	28.522694	-80.558306	03/18/09
BV-23-BB	28° 31' 21.4"	80° 33' 30.3"	28.522611	-80.558417	03/18/09
BV-24-SS	28° 30' 36.4"	80° 33' 9.5"	28.510111	-80.552639	03/18/09
BV-24-BB	28° 30' 36.1"	80° 33' 10.0"	28.510028	-80.552778	03/18/09
BV-25-SS	28° 29' 52.3"	80° 32' 44.0"	28.497861	-80.545556	03/18/09
BV-25-BB	28° 29' 52.1"	80° 32' 44.4"	28.497806	-80.545667	03/18/09
BV-26-SS	28° 29' 6.3"	80° 32' 20.4"	28.485083	-80.539000	03/18/09
BV-26-BB	28° 29' 5.9"	80° 32' 20.8"	28.484972	-80.539111	03/18/09
BV-27-SS	28° 28' 20.6"	80° 31' 57.7"	28.472389	-80.532694	03/18/09
BV-27-BB	28° 28' 21.0"	80° 31' 58.4"	28.472500	-80.532889	03/18/09
BV-28-SS	28° 27' 35.8"	80° 31' 33.7"	28.459944	-80.526028	03/18/09
BV-28-BB	28° 27' 35.9"	80° 31' 34.4"	28.459972	-80.526222	03/18/09
BV-29	28° 27' 4.3"	80° 31' 35.8"	28.451194	-80.526611	03/18/09
BV-30-SS	28° 26' 46.4"	80° 32' 29.0"	28.446222	-80.541389	03/18/09
BV-30-BB	28° 26' 47.2"	80° 32' 29.8"	28.446444	-80.541611	03/18/09
BV-31-SS	28° 26' 22.7"	80° 33' 18.1"	28.439639	-80.555028	03/18/09

Table 2 cont.					
BV-31-MB	28° 26' 24.2"	80° 33' 17.9"	28.440056	-80.554972	03/18/09
BV-31-BB	28° 26' 24.7"	80° 33' 18.4"	28.440194	-80.555111	03/18/09
BV-32-SS	28° 26' 0.8"	80° 33' 59.2"	28.433556	-80.566444	03/18/09
BV-32-BB	28° 26' 1.1"	80° 33' 59.7"	28.433639	-80.566583	03/18/09
BV-33-SS	28° 25' 24.5"	80° 34' 36.8"	28.423472	-80.576889	03/18/09
BV-33-BB	28° 25' 23.4"	80° 34' 37.7"	28.423167	-80.577139	03/18/09
BV-34-SS	28° 24' 48.5"	80° 35' 0.8"	28.413472	-80.583556	03/18/09
BV-34-BB	28° 24' 48.5"	80° 35' 1.1"	28.413472	-80.583639	03/18/09
BV-35-SS	28° 24' 26.5"	80° 35' 23.9"	28.407361	-80.589972	10/28/08
BV-35-BB	28° 24' 26.7"	80° 35' 24.3"	28.407417	-80.590083	10/28/08
BV-36-SS	28° 23' 48.5"	80° 35' 39.0"	28.396806	-80.594167	03/17/09
BV-36-MB	28° 23' 48.7"	80° 35' 40.1"	28.396861	-80.594472	03/17/09
BV-36-BB	28° 23' 48.9"	80° 35' 40.7"	28.396917	-80.594639	03/17/09
BV-37-SS	28° 23' 4.0"	80° 35' 52.9"	28.384444	-80.598028	10/28/08
BV-37-MB	28° 23' 4.2"	80° 35' 53.4"	28.384500	-80.598167	10/28/08
BV-37-BB	28° 23' 4.2"	80° 35' 53.9"	28.384500	-80.598306	10/28/08
BV-38-SS	28° 22' 17.4"	80° 36' 4.7"	28.371500	-80.601306	10/28/08
BV-38-BB	28° 22' 17.4"	80° 36' 5.0"	28.371500	-80.601389	10/28/08
BV-39-SS	28° 21' 30.2"	80° 36' 13.3"	28.358389	-80.603694	10/28/08
BV-39-MB	28° 21' 30.4"	80° 36' 14.1"	28.358444	-80.603917	10/28/08
BV-39-BB	28° 21' 30.5"	80° 36' 14.6"	28.358472	-80.604056	10/28/08
BV-40-SS	28° 20' 44.0"	80° 36' 19.0"	28.345556	-80.605278	10/28/08
BV-40-MB	28° 20' 43.9"	80° 36' 19.5"	28.345528	-80.605417	10/28/08
BV-40-BB	28° 20' 44.0"	80° 36' 20.2"	28.345556	-80.605611	10/28/08
BV-41-SS	28° 19' 55.3"	80° 36' 24.1"	28.332028	-80.606694	10/28/08
BV-41-MB	28° 19' 55.5"	80° 36' 24.5"	28.332083	-80.606806	10/28/08
BV-41-BB	28° 19' 55.3"	80° 36' 25.1"	28.332028	-80.606972	10/28/08
BV-42-SS	28° 19' 8.9"	80° 36' 26.1"	28.319139	-80.607250	10/28/08
BV-42-BB	28° 19' 9.0"	80° 36' 27.0"	28.319167	-80.607500	10/28/08
BV-43-SS	28° 18' 21.9"	80° 36' 27.2"	28.306083	-80.607556	10/28/08
BV-43-BB	28° 18' 21.7"	80° 36' 27.6"	28.306028	-80.607667	10/28/08
BV-44-SS	28° 17' 33.0"	80° 36' 24.7"	28.292500	-80.606861	10/28/08
BV-44-BB	28° 17' 32.9"	80° 36' 25.5"	28.292472	-80.607083	10/28/08
BV-45-SS	28° 16' 43.0"	80° 36' 21.2"	28.278611	-80.605889	10/28/08
BV-45-BB	28° 16' 42.6"	80° 36' 21.9"	28.278500	-80.606083	10/28/08
BV-46-SS	28° 15' 58.5"	80° 36' 18.0"	28.266250	-80.605000	09/26/08
BV-46-MB	28° 15' 58.6"	80° 36' 18.0"	28.266278	-80.605000	09/26/08
BV-46-BB	28° 15' 58.7"	80° 36' 18.5"	28.266306	-80.605139	09/26/08
BV-47-SS	28° 15' 11.6"	80° 36' 11.9"	28.253222	-80.603306	09/25/08
BV-47-BB	28° 15' 11.6"	80° 36' 12.1"	28.253222	-80.603361	09/25/08
BV-48	28° 14' 23.1"	80° 36' 3.6"	28.239750	-80.601000	09/25/08
BV-49	28° 13' 40.3"	80° 35' 57.4"	28.227861	-80.599278	09/25/08
BV-50	28° 12' 50.0"	80° 35' 49.6"	28.213889	-80.597111	09/25/08
BV-51-SS	28° 12' 1.7"	80° 35' 42.2"	28.200472	-80.595056	09/25/08
BV-51-BB	28° 12' 1.7"	80° 35' 42.5"	28.200472	-80.595139	09/25/08
BV-52	28° 11' 18.5"	80° 35' 33.9"	28.188472	-80.592750	09/25/08
BV-53	28° 10' 34.2"	80° 35' 22.2"	28.176167	-80.589500	09/25/08

Table 2 cont.					
BV-54	28° 09' 50.0"	80° 35' 10.9"	28.163889	-80.586361	09/25/08
BV-55-SS	28° 09' 2.5"	80° 34' 58.6"	28.150694	-80.582944	09/25/08
BV-55-BB	28° 09' 2.6"	80° 34' 58.9"	28.150722	-80.583028	09/25/08
BV-56-SS	28° 08' 19.5"	80° 34' 47.6"	28.138750	-80.579889	09/25/08
BV-56-BB	28° 08' 19.5"	80° 34' 47.8"	28.138750	-80.579944	09/25/08
BV-57-SS	28° 07' 28.8"	80° 34' 33.8"	28.124667	-80.576056	09/25/08
BV-57-BB	28° 07' 28.8"	80° 34' 34.1"	28.124667	-80.576139	09/25/08
BV-58-SS	28° 06' 42.9"	80° 34' 19.9"	28.111917	-80.572194	09/25/08
BV-58-BB	28° 06' 42.9"	80° 34' 20.3"	28.111917	-80.572306	09/25/08
BV-59-SS	28° 06' 0.3"	80° 34' 6.0"	28.100083	-80.568333	09/25/08
BV-59-MB	28° 06' 0.2"	80° 34' 6.2"	28.100056	-80.568389	09/25/08
BV-59-BB	28° 06' 0.1"	80° 34' 6.8"	28.100028	-80.568556	09/25/08
BV-60-SS	28° 05' 14.1"	80° 33' 50.1"	28.087250	-80.563917	09/25/08
BV-60-MB	28° 05' 14.0"	80° 33' 50.4"	28.087222	-80.564000	09/25/08
BV-60-BB	28° 05' 14.0"	80° 33' 50.6"	28.087222	-80.564056	09/25/08
BV-61-SS	28° 04' 28.7"	80° 33' 32.7"	28.074639	-80.559083	09/24/08
BV-61-BB	28° 04' 28.7"	80° 33' 33.0"	28.074639	-80.559167	09/24/08
BV-62-SS	28° 03' 45.2"	80° 33' 14.9"	28.062556	-80.554139	09/24/08
BV-62-MB	28° 03' 45.2"	80° 33' 15.4"	28.062556	-80.554278	09/24/08
BV-62-BB	28° 03' 45.1"	80° 33' 15.5"	28.062528	-80.554306	09/24/08
BV-63-SS	28° 03' 1.4"	80° 32' 54.8"	28.050389	-80.548556	09/24/08
BV-63-BB	28° 03' 1.3"	80° 32' 54.9"	28.050361	-80.548583	09/24/08
BV-64-SS	28° 02' 19.0"	80° 32' 35.6"	28.038611	-80.543222	09/24/08
BV-64-BB	28° 02' 19.0"	80° 32' 35.7"	28.038611	-80.543250	09/24/08
BV-66-SS	28° 00' 47.2"	80° 31' 51.4"	28.013111	-80.530944	09/24/08
BV-66-BB	28° 00' 47.2"	80° 31' 51.6"	28.013111	-80.531000	09/24/08
BV-67-SS	28° 00' 8.0"	80° 31' 31.4"	28.002222	-80.525389	09/24/08
BV-67-BB	28° 00' 7.9"	80° 31' 31.6"	28.002194	-80.525444	09/24/08
BV-68-SS	27° 59' 26.3"	80° 31' 9.5"	27.990639	-80.519306	09/24/08
BV-68-BB	27° 59' 26.3"	80° 31' 9.7"	27.990639	-80.519361	09/24/08
BV-69-SS	27° 58' 40.7"	80° 30' 46.9"	27.977972	-80.513028	09/24/08
BV-69-BB	27° 58' 40.7"	80° 30' 47.3"	27.977972	-80.513139	09/24/08
BV-70-SS	27° 57' 58.2"	80° 30' 24.4"	27.966167	-80.506778	09/24/08
BV-70-BB	27° 57' 58.2"	80° 30' 24.5"	27.966167	-80.506806	09/24/08
BV-71-SS	27° 57' 14.5"	80° 29' 59.8"	27.954028	-80.499944	09/23/08
BV-71-BB	27° 57' 14.4"	80° 30' 0.0"	27.954000	-80.500000	09/23/08
BV-72-SS	27° 56' 30.1"	80° 29' 35.6"	27.941694	-80.493222	09/23/08
BV-72-BB	27° 56' 30.1"	80° 29' 35.8"	27.941694	-80.493278	09/23/08
BV-73-SS	27° 55' 48.9"	80° 29' 12.8"	27.930250	-80.486889	09/23/08
BV-73-BB	27° 55' 48.8"	80° 29' 13.0"	27.930222	-80.486944	09/23/08
BV-74-SS	27° 55' 4.6"	80° 28' 46.8"	27.917944	-80.479667	09/23/08
BV-74-MB	27° 55' 4.6"	80° 28' 46.9"	27.917944	-80.479694	09/23/08
BV-74-BB	27° 55' 4.6"	80° 28' 47.0"	27.917944	-80.479722	09/23/08
BV-75-SS	27° 54' 19.9"	80° 28' 20.6"	27.905528	-80.472389	09/23/08
BV-75-MB	27° 54' 20.0"	80° 28' 20.0"	27.905556	-80.472222	09/23/08
BV-75-BB	27° 54' 19.8"	80° 28' 20.8"	27.905500	-80.472444	09/23/08
BV-76	27° 53' 39.0"	80° 27' 56.2"	27.894167	-80.465611	10/29/08

Table 2 cont.					
BV-77-SS	27° 52' 54.6"	80° 27' 30.4"	27.881833	-80.458444	09/23/08
BV-77-MB	27° 52' 54.6"	80° 27' 30.6"	27.881833	-80.458500	09/23/08
BV-77-BB	27° 52' 54.6"	80° 27' 30.7"	27.881833	-80.458528	09/23/08
BV-78	27° 52' 17.2"	80° 27' 9.8"	27.871444	-80.452722	10/29/08
BV-79-SS	27° 51' 49.6"	80° 26' 53.9"	27.863778	-80.448306	09/25/08
BV-79-BB	27° 51' 49.4"	80° 26' 54.3"	27.863722	-80.448417	09/25/08
IR-01-SS	27° 51' 30.6"	80° 26' 47.4"	27.858500	-80.446500	10/29/08
IR-01-BB	27° 51' 30.3"	80° 26' 47.9"	27.858417	-80.446639	10/29/08
IR-02-SS	27° 50' 46.4"	80° 26' 24.1"	27.846222	-80.440028	10/29/08
IR-02-BB	27° 50' 46.0"	80° 26' 24.6"	27.846111	-80.440167	10/29/08
IR-03-SS	27° 49' 59.6"	80° 25' 59.6"	27.833222	-80.433222	10/29/08
IR-03-BB	27° 49' 59.7"	80° 25' 59.9"	27.833250	-80.433306	10/29/08
IR-04-SS	27° 49' 18.2"	80° 25' 37.6"	27.821722	-80.427111	10/29/08
IR-04-BB	27° 49' 17.9"	80° 25' 38.2"	27.821639	-80.427278	10/29/08
IR-05-SS	27° 48' 32.6"	80° 25' 15.6"	27.809056	-80.421000	10/29/08
IR-06-SS	27° 47' 47.2"	80° 24' 51.6"	27.796444	-80.414333	10/29/08
IR-06-BB	27° 47' 46.9"	80° 24' 51.9"	27.796361	-80.414417	10/29/08
IR-07-SS	27° 47' 5.0"	80° 24' 26.9"	27.784722	-80.407472	10/29/08
IR-08-SS	27° 46' 22.6"	80° 24' 5.4"	27.772944	-80.401500	10/29/08
IR-09-SS	27° 45' 36.7"	80° 23' 42.0"	27.760194	-80.395000	10/29/08
IR-09-BB	27° 45' 36.5"	80° 23' 42.6"	27.760139	-80.395167	10/29/08
IR-10-SS	27° 44' 52.9"	80° 23' 15.9"	27.748028	-80.387750	10/29/08
IR-10-BB	27° 44' 52.9"	80° 23' 16.4"	27.748028	-80.387889	10/29/08
IR-11-SS	27° 44' 7.2"	80° 22' 54.3"	27.735333	-80.381750	10/29/08
IR-11-BB	27° 44' 7.0"	80° 22' 54.6"	27.735278	-80.381833	10/29/08
IR-12-SS	27° 43' 19.2"	80° 22' 39.5"	27.722000	-80.377639	10/29/08
IR-12-BB	27° 43' 19.1"	80° 22' 40.1"	27.721972	-80.377806	10/29/08
IR-13-SS	27° 42' 32.3"	80° 22' 23.2"	27.708972	-80.373111	10/30/08
IR-13-BB	27° 42' 32.2"	80° 22' 23.8"	27.708944	-80.373278	10/30/08
IR-14-SS	27° 41' 44.0"	80° 22' 7.5"	27.695556	-80.368750	10/30/08
IR-14-BB	27° 41' 45.0"	80° 22' 9.1"	27.695833	-80.369194	10/30/08
IR-15-SS	27° 40' 55.7"	80° 21' 50.1"	27.682139	-80.363917	10/30/08
IR-15-BB	27° 40' 55.7"	80° 21' 50.5"	27.682139	-80.364028	10/30/08
IR-16-SS	27° 40' 6.9"	80° 21' 35.7"	27.668583	-80.359917	10/30/08
IR-17-SS	27° 39' 19.4"	80° 21' 21.0"	27.655389	-80.355833	10/30/08
IR-18-SS	27° 38' 31.2"	80° 21' 6.3"	27.642000	-80.351750	10/30/08
IR-18-BB *	27° 38' 31.2"	80° 21' 7.2"	27.642000	-80.352000	10/30/08
IR-19-SS	27° 37' 46.7"	80° 20' 58.7"	27.629639	-80.349639	10/30/08
IR-19-MB	27° 37' 46.3"	80° 20' 59.2"	27.629528	-80.349778	10/30/08
IR-19-BB	27° 37' 45.8"	80° 21' 0.3"	27.629389	-80.350083	10/30/08
IR-20-SS	27° 37' 0.9"	80° 20' 38.2"	27.616917	-80.343944	10/30/08
IR-20-MB	27° 37' 0.9"	80° 20' 38.6"	27.616917	-80.344056	10/30/08
IR-20-BB	27° 37' 0.5"	80° 20' 39.3"	27.616806	-80.344250	10/30/08
IR-21-SS	27° 36' 20.2"	80° 20' 8.4"	27.605611	-80.335667	10/30/08
IR-21-BB	27° 36' 19.9"	80° 20' 9.0"	27.605528	-80.335833	10/30/08
IR-22-SS	27° 35' 32.1"	80° 19' 48.1"	27.592250	-80.330028	10/30/08
IR-22-BB	27° 35' 32.1"	80° 19' 48.3"	27.592250	-80.330083	10/30/08

Table 2 cont.					
IR-23-SS	27° 34' 49.3"	80° 19' 37.2"	27.580361	-80.327000	10/30/08
IR-23-BB	27° 34' 49.0"	80° 19' 37.7"	27.580278	-80.327139	10/30/08
IR-24-SS	27° 34' 0.8"	80° 19' 26.0"	27.566889	-80.323889	10/30/08
IR-24-BB	27° 34' 0.6"	80° 19' 27.0"	27.566833	-80.324167	10/30/08
SL-01	27° 33' 12.6"	80° 19' 13.2"	27.553500	-80.320333	10/30/08
SL-02	27° 32' 25.1"	80° 18' 58.4"	27.540306	-80.316222	10/30/08
SL-03	27° 31' 38.0"	80° 18' 44.2"	27.527222	-80.312278	10/30/08
SL-04	27° 30' 53.4"	80° 18' 24.4"	27.514833	-80.306778	10/31/08
SL-05	27° 30' 8.3"	80° 18' 4.4"	27.502306	-80.301222	10/31/08
SL-06	27° 29' 19.2"	80° 17' 48.1"	27.488667	-80.296694	10/31/08
SL-07-SS	27° 28' 34.3"	80° 17' 28.5"	27.476194	-80.291250	10/31/08
SL-07-BB	27° 28' 33.7"	80° 17' 29.4"	27.476028	-80.291500	10/31/08
SL-08-SS	27° 27' 44.2"	80° 17' 18.0"	27.462278	-80.288333	12/16/08
SL-08-BB	27° 27' 44.2"	80° 17' 18.0"	27.462278	-80.288333	12/16/08
SL-09-SS	27° 26' 59.4"	80° 17' 0.2"	27.449833	-80.283389	12/16/08
SL-09-BB	27° 26' 59.2"	80° 17' 0.9"	27.449778	-80.283583	12/16/08
SL-10-SS	27° 26' 11.8"	80° 16' 41.9"	27.436611	-80.278306	12/16/08
SL-10-BB	27° 26' 11.5"	80° 16' 42.9"	27.436528	-80.278583	12/16/08
SL-11-SS	27° 25' 25.2"	80° 16' 24.4"	27.423667	-80.273444	12/16/08
SL-11-BB	27° 25' 24.9"	80° 16' 24.9"	27.423583	-80.273583	12/16/08
SL-12-SS	27° 24' 41.0"	80° 16' 6.7"	27.411389	-80.268528	12/16/08
SL-12-BB	27° 24' 40.8"	80° 16' 7.4"	27.411333	-80.268722	12/16/08
SL-13	27° 23' 52.1"	80° 15' 47.6"	27.397806	-80.263222	12/16/08
SL-14	27° 23' 7.9"	80° 15' 26.7"	27.385528	-80.257417	12/16/08
SL-15-SS	27° 22' 24.3"	80° 15' 2.5"	27.373417	-80.250694	12/16/08
SL-15-BB	27° 22' 24.1"	80° 15' 3.0"	27.373361	-80.250833	12/16/08
SL-16	27° 21' 39.8"	80° 14' 38.5"	27.361056	-80.244028	12/16/08
SL-17	27° 20' 56.0"	80° 14' 15.7"	27.348889	-80.237694	12/16/08
SL-18	27° 20' 10.3"	80° 13' 57.1"	27.336194	-80.232528	12/16/08
SL-19	27° 19' 23.7"	80° 13' 38.3"	27.323250	-80.227306	12/16/08
SL-20	27° 18' 39.9"	80° 13' 18.0"	27.311083	-80.221667	12/16/08
SL-21-SS	27° 17' 55.3"	80° 12' 58.0"	27.298694	-80.216111	12/16/08
SL-21-BB	27° 17' 54.2"	80° 12' 58.1"	27.298389	-80.216139	12/16/08
SL-22-SS	27° 17' 7.6"	80° 12' 37.7"	27.285444	-80.210472	12/16/08
SL-22-BB	27° 17' 8.1"	80° 12' 37.9"	27.285583	-80.210528	12/16/08
SL-23	27° 16' 20.4"	80° 12' 15.0"	27.272333	-80.204167	12/16/08
MT-01-SS	27° 15' 38.8"	80° 11' 55.5"	27.260778	-80.198750	12/16/08
MT-01-BB	27° 15' 38.8"	80° 11' 56.0"	27.260778	-80.198889	12/16/08
MT-02-SS	27° 14' 58.2"	80° 11' 35.8"	27.249500	-80.193278	12/16/08
MT-02-BB	27° 14' 57.8"	80° 11' 36.8"	27.249389	-80.193556	12/16/08
MT-03-SS	27° 14' 17.9"	80° 11' 13.4"	27.238306	-80.187056	12/16/08
MT-03-BB	27° 14' 12.8"	80° 11' 13.8"	27.236889	-80.187167	12/16/08
MT-04-SS	27° 13' 38.1"	80° 10' 51.7"	27.227250	-80.181028	12/17/08
MT-04-BB	27° 13' 37.7"	80° 10' 52.2"	27.227139	-80.181167	12/17/08
MT-05-SS	27° 12' 58.3"	80° 10' 29.4"	27.216194	-80.174833	12/17/08
MT-05-MB	27° 12' 57.9"	80° 10' 29.9"	27.216083	-80.174972	12/17/08
MT-05-BB	27° 12' 57.7"	80° 10' 30.6"	27.216028	-80.175167	12/17/08

Table 2 cont.					
MT-06	27° 12' 18.3"	80° 10' 6.3"	27.205083	-80.168417	12/17/08
MT-07	27° 11' 38.0"	80° 09' 45.3"	27.193889	-80.162583	12/17/08
MT-08	27° 10' 51.4"	80° 09' 31.8"	27.180944	-80.158833	12/17/08
MT-09-SS	27° 10' 14.6"	80° 09' 13.9"	27.170722	-80.153861	12/17/08
MT-09-BB *	27° 10' 14.6"	80° 09' 14.4"	27.170722	-80.154	12/17/08
MT-10	27° 09' 22.6"	80° 09' 19.2"	27.156278	-80.155333	12/17/08
MT-11	27° 08' 43.5"	80° 09' 1.7"	27.145417	-80.150472	12/17/08
MT-12	27° 08' 0.2"	80° 08' 46.3"	27.133389	-80.146194	12/17/08
MT-13-SS	27° 07' 17.2"	80° 08' 33.1"	27.121444	-80.142528	12/17/08
MT-13-BB	27° 07' 17.1"	80° 08' 33.8"	27.121417	-80.142722	12/17/08
MT-14-SS	27° 06' 35.3"	80° 08' 16.7"	27.109806	-80.137972	12/17/08
MT-14-BB	27° 06' 34.3"	80° 08' 17.6"	27.109528	-80.138222	12/17/08
MT-15-SS	27° 05' 57.7"	80° 07' 56.0"	27.099361	-80.132222	12/17/08
MT-15-BB *	27° 05' 57.6"	80° 07' 57.3"	27.099320	-80.13259	12/17/08
MT-16-SS	27° 05' 16.2"	80° 07' 32.3"	27.087833	-80.125639	12/17/08
MT-16-BB	27° 05' 16.0"	80° 07' 32.6"	27.087778	-80.125722	12/17/08
MT-17	27° 04' 37.3"	80° 07' 10.1"	27.077028	-80.119472	12/18/08
MT-18-SS	27° 03' 55.0"	80° 06' 51.5"	27.065278	-80.114306	12/18/08
MT-18-BB	27° 03' 54.8"	80° 06' 52.0"	27.065222	-80.114444	12/18/08
MT-19	27° 03' 14.9"	80° 06' 32.1"	27.054139	-80.108917	12/18/08
MT-20	27° 02' 29.2"	80° 06' 12.9"	27.041444	-80.103583	12/18/08
MT-21	27° 01' 49.9"	80° 05' 55.7"	27.030528	-80.098806	12/18/08
MT-22-SS	27° 01' 8.9"	80° 05' 39.9"	27.019139	-80.094417	12/18/08
MT-22-BB	27° 01' 8.9"	80° 05' 40.9"	27.019139	-80.094694	12/18/08
MT-23-SS	27° 00' 25.9"	80° 05' 25.8"	27.007194	-80.090500	12/18/08
MT-23-BB	27° 00' 26.0"	80° 05' 27.3"	27.007222	-80.090917	12/18/08
MT-24-SS	26° 59' 42.7"	80° 05' 16.3"	26.995194	-80.087861	12/18/08
MT-24-MB	26° 59' 42.6"	80° 05' 16.7"	26.995167	-80.087972	12/18/08
MT-24-BB	26° 59' 42.7"	80° 05' 17.2"	26.995194	-80.088111	12/18/08
MT-25-SS	26° 59' 0.6"	80° 05' 4.7"	26.983500	-80.084639	12/18/08
MT-25-BB	26° 59' 0.5"	80° 05' 5.1"	26.983472	-80.084750	12/18/08
MT-26-SS	26° 58' 17.3"	80° 04' 50.3"	26.971472	-80.080639	12/18/08
MT-26-BB	26° 58' 17.3"	80° 04' 50.7"	26.971472	-80.080750	12/18/08
PB-01	26° 57' 42.8"	80° 04' 39.4"	26.961889	-80.077611	12/18/08
PB-02	26° 56' 54.6"	80° 04' 22.5"	26.948500	-80.072917	12/18/08
PB-03-SS	26° 56' 17.2"	80° 04' 12.3"	26.938111	-80.070083	12/18/08
PB-03-BB	26° 56' 17.1"	80° 04' 12.4"	26.938083	-80.070111	12/18/08
PB-04-SS	26° 55' 28.2"	80° 04' 0.1"	26.924500	-80.066694	12/18/08
PB-04-MB	26° 55' 28.0"	80° 04' 0.2"	26.924444	-80.066722	12/18/08
PB-04-BB	26° 55' 28.2"	80° 04' 0.7"	26.924500	-80.066861	12/18/08
PB-05	26° 54' 36.2"	80° 03' 43.8"	26.910056	-80.062167	12/18/08
PB-06-SS	26° 53' 48.0"	80° 03' 26.9"	26.896667	-80.057472	12/18/08
PB-06-MB	26° 53' 47.8"	80° 03' 27.0"	26.896611	-80.057500	12/18/08
PB-06-BB	26° 53' 47.5"	80° 03' 28.2"	26.896528	-80.057833	12/18/08
PB-07-SS	26° 52' 57.0"	80° 03' 12.4"	26.882500	-80.053444	01/06/09
PB-07-BB	26° 52' 56.7"	80° 03' 12.9"	26.882417	-80.053583	01/06/09
PB-08-SS	26° 52' 6.8"	80° 02' 55.2"	26.868556	-80.048667	01/06/09

Table 2 cont.					
PB-08-BB	26° 52' 6.7"	80° 02' 55.8"	26.868528	-80.048833	01/06/09
PB-09-SS	26° 51' 24.5"	80° 02' 44.0"	26.856806	-80.045556	01/06/09
PB-09-BB	26° 51' 24.4"	80° 02' 44.1"	26.856778	-80.045583	01/06/09
PB-10-SS	26° 50' 27.9"	80° 02' 32.4"	26.841083	-80.042333	01/06/09
PB-10-BB	26° 50' 27.7"	80° 02' 33.2"	26.841028	-80.042556	01/06/09
PB-11-SS	26° 49' 43.9"	80° 02' 21.7"	26.828861	-80.039361	01/06/09
PB-11-BB	26° 49' 43.9"	80° 02' 22.3"	26.828861	-80.039528	01/06/09
PB-12-SS	26° 49' 0.6"	80° 02' 10.6"	26.816833	-80.036278	01/06/09
PB-12-MB	26° 49' 0.2"	80° 02' 11.2"	26.816722	-80.036444	01/06/09
PB-12-BB	26° 49' 0.3"	80° 02' 11.7"	26.816750	-80.036583	01/06/09
PB-13-SS	26° 48' 3.5"	80° 01' 56.5"	26.800972	-80.032361	01/06/09
PB-13-BB	26° 48' 3.2"	80° 01' 57.0"	26.800889	-80.032500	01/06/09
PB-14-SS	26° 47' 15.1"	80° 01' 55.9"	26.787528	-80.032194	01/06/09
PB-14-BB	26° 47' 14.4"	80° 01' 56.2"	26.787333	-80.032278	01/06/09
PB-15-SS	26° 46' 26.5"	80° 01' 53.8"	26.774028	-80.031611	01/06/09
PB-15-MB	26° 46' 25.8"	80° 01' 53.7"	26.773833	-80.031583	01/06/09
PB-15-BB	26° 46' 25.6"	80° 01' 54.6"	26.773778	-80.031833	01/06/09
PB-16-SS	26° 45' 31.6"	80° 02' 11.3"	26.758778	-80.036472	01/07/09
PB-16-BB	26° 45' 31.6"	80° 02' 12.0"	26.758778	-80.036667	01/07/09
PB-17	26° 44' 34.8"	80° 02' 6.5"	26.743000	-80.035139	01/07/09
PB-18	26° 43' 42.6"	80° 02' 5.8"	26.728500	-80.034944	01/07/09
PB-19-SS	26° 42' 42.5"	80° 01' 58.5"	26.711806	-80.032917	01/07/09
PB-19-BB	26° 42' 42.5"	80° 01' 59.3"	26.711806	-80.033139	01/07/09
PB-20-SS	26° 41' 49.9"	80° 01' 58.3"	26.697194	-80.032861	01/07/09
PB-20-BB	26° 41' 49.2"	80° 01' 58.5"	26.697000	-80.032917	01/07/09
PB-21-SS	26° 40' 50.6"	80° 02' 5.9"	26.680722	-80.034972	01/07/09
PB-21-BB	26° 40' 50.6"	80° 02' 6.5"	26.680722	-80.035139	01/07/09
PB-22-SS	26° 39' 55.9"	80° 02' 10.0"	26.665528	-80.036111	01/07/09
PB-22-MB	26° 39' 55.8"	80° 02' 10.4"	26.665500	-80.036222	01/07/09
PB-22-BB	26° 39' 55.8"	80° 02' 11.1"	26.665500	-80.036417	01/07/09
PB-23	26° 39' 3.4"	80° 02' 12.8"	26.650944	-80.036889	01/07/09
PB-24-SS	26° 38' 13.1"	80° 02' 13.8"	26.636972	-80.037167	01/07/09
PB-24-BB	26° 38' 12.9"	80° 02' 14.5"	26.636917	-80.037361	01/07/09
PB-25-SS	26° 37' 24.1"	80° 02' 11.4"	26.623361	-80.036500	01/07/09
PB-25-MB	26° 37' 24.0"	80° 02' 12.0"	26.623333	-80.036667	01/07/09
PB-25-BB	26° 37' 23.8"	80° 02' 12.5"	26.623278	-80.036806	01/07/09
PB-26-SS	26° 36' 26.0"	80° 02' 12.0"	26.607222	-80.036667	01/07/09
PB-26-BB	26° 36' 26.1"	80° 02' 12.4"	26.607250	-80.036778	01/07/09
PB-27	26° 35' 25.2"	80° 02' 14.4"	26.590333	-80.037333	01/07/09
PB-28	26° 34' 36.2"	80° 02' 17.6"	26.576722	-80.038222	01/06/09
PB-29	26° 33' 45.9"	80° 02' 25.7"	26.562750	-80.040472	01/06/09
PB-30-SS	26° 32' 58.3"	80° 02' 30.8"	26.549528	-80.041889	01/06/09
PB-30-BB	26° 32' 58.4"	80° 02' 31.3"	26.549556	-80.042028	01/06/09
PB-31-SS	26° 32' 6.0"	80° 02' 43.0"	26.535000	-80.045278	01/06/09
PB-31-MB	26° 32' 6.1"	80° 02' 43.8"	26.535028	-80.045500	01/06/09
PB-31-BB	26° 32' 6.2"	80° 02' 44.2"	26.535056	-80.045611	01/06/09
PB-32-SS	26° 31' 18.1"	80° 02' 52.8"	26.521694	-80.048000	01/29/09

Table 2 cont.					
PB-32-BB	26° 31' 18.0"	80° 02' 53.6"	26.521667	-80.048222	01/29/09
PB-33-SS	26° 30' 28.0"	80° 03' 1.9"	26.507778	-80.050528	01/08/09
PB-33-MB	26° 30' 27.3"	80° 03' 2.6"	26.507583	-80.050722	01/08/09
PB-33-BB	26° 30' 27.0"	80° 03' 2.6"	26.507500	-80.050722	01/08/09
PB-34-SS	26° 29' 31.1"	80° 03' 10.6"	26.491972	-80.052944	01/08/09
PB-34-BB	26° 29' 31.3"	80° 03' 11.0"	26.492028	-80.053056	01/08/09
PB-35-SS	26° 28' 36.3"	80° 03' 17.8"	26.476750	-80.054944	01/08/09
PB-35-BB	26° 28' 36.1"	80° 03' 18.7"	26.476694	-80.055194	01/08/09
PB-36-SS	26° 27' 42.0"	80° 03' 26.1"	26.461667	-80.057250	01/08/09
PB-36-MB	26° 27' 42.2"	80° 03' 27.0"	26.461722	-80.057500	01/08/09
PB-36-BB	26° 27' 42.6"	80° 03' 26.4"	26.461833	-80.057333	01/08/09
PB-37-SS	26° 26' 47.1"	80° 03' 33.2"	26.446417	-80.059222	01/08/09
PB-37-MB	26° 26' 47.3"	80° 03' 33.5"	26.446472	-80.059306	01/08/09
PB-37-BB	26° 26' 47.3"	80° 03' 34.1"	26.446472	-80.059472	01/08/09
PB-38-SS	26° 25' 57.2"	80° 03' 40.9"	26.432556	-80.061361	01/08/09
PB-38-MB	26° 25' 57.3"	80° 03' 41.4"	26.432583	-80.061500	01/08/09
PB-38-BB	26° 25' 57.4"	80° 03' 42.1"	26.432611	-80.061694	01/08/09
PB-39-SS	26° 25' 7.9"	80° 03' 47.1"	26.418861	-80.063083	01/08/09
PB-39-BB	26° 25' 7.6"	80° 03' 47.5"	26.418778	-80.063194	01/08/09
PB-40-SS	26° 24' 14.3"	80° 03' 51.8"	26.403972	-80.064389	01/08/09
PB-40-BB	26° 24' 15.0"	80° 03' 52.5"	26.404167	-80.064583	01/08/09
PB-41-SS	26° 23' 21.7"	80° 03' 58.4"	26.389361	-80.066222	01/08/09
PB-41-BB	26° 23' 21.7"	80° 03' 59.0"	26.389361	-80.066389	01/08/09
PB-42-SS	26° 22' 27.5"	80° 04' 2.2"	26.374306	-80.067278	01/08/09
PB-42-BB	26° 22' 27.4"	80° 04' 2.9"	26.374278	-80.067472	01/08/09
PB-43-SS	26° 21' 35.9"	80° 04' 7.2"	26.359972	-80.068667	01/08/09
PB-43-BB	26° 21' 35.8"	80° 04' 8.2"	26.359944	-80.068944	01/08/09
PB-44-SS	26° 20' 38.9"	80° 04' 11.4"	26.344139	-80.069833	01/08/09
PB-44-MB	26° 20' 39.0"	80° 04' 12.2"	26.344167	-80.070056	01/08/09
PB-44-BB	26° 20' 38.9"	80° 04' 12.5"	26.344139	-80.070139	01/08/09
PB-45-SS	26° 19' 43.0"	80° 04' 23.6"	26.328611	-80.073222	01/27/09
PB-45-MB	26° 19' 43.0"	80° 04' 23.9"	26.328611	-80.073306	01/27/09
PB-45-BB	26° 19' 42.9"	80° 04' 24.0"	26.328583	-80.073333	01/27/09
BW-01-SS	26° 18' 56.4"	80° 04' 30.7"	26.315667	-80.075194	01/27/09
BW-01-MB	26° 18' 56.2"	80° 04' 30.8"	26.315611	-80.075222	01/27/09
BW-01-BB	26° 18' 56.2"	80° 04' 31.5"	26.315611	-80.075417	01/27/09
BW-02	26° 18' 10.5"	80° 04' 36.1"	26.302917	-80.076694	01/27/09
BW-03	26° 17' 16.9"	80° 04' 41.4"	26.288028	-80.078167	01/27/09
BW-04-SS	26° 16' 28.1"	80° 04' 45.1"	26.274472	-80.079194	01/27/09
BW-04-BB	26° 16' 28.1"	80° 04' 45.1"	26.274472	-80.079194	01/27/09
BW-05-SS	26° 15' 37.8"	80° 04' 48.8"	26.260500	-80.080222	01/27/09
BW-05-BB	26° 15' 37.9"	80° 04' 49.1"	26.260528	-80.080306	01/27/09
BW-06-SS	26° 15' 0.6"	80° 05' 3.6"	26.250167	-80.084333	01/27/09
BW-06-BB	26° 15' 0.7"	80° 05' 4.6"	26.250194	-80.084611	01/27/09
BW-07-SS	26° 14' 14.1"	80° 05' 14.8"	26.237250	-80.087444	01/27/09
BW-07-MB	26° 14' 14.0"	80° 05' 15.8"	26.237222	-80.087722	01/27/09
BW-07-BB	26° 14' 14.5"	80° 05' 17.4"	26.237361	-80.088167	01/27/09

Table 2 cont.					
BW-08-SS	26° 13' 3.2"	80° 05' 21.6"	26.217556	-80.089333	01/27/09
BW-08-MB	26° 13' 23.1"	80° 05' 22.1"	26.223083	-80.089472	01/27/09
BW-08-BB	26° 13' 23.1"	80° 05' 22.8"	26.223083	-80.089667	01/27/09
BW-09-SS	26° 12' 36.6"	80° 05' 29.8"	26.210167	-80.091611	01/27/09
BW-09-MB	26° 12' 36.6"	80° 05' 30.0"	26.210167	-80.091667	01/27/09
BW-09-BB	26° 12' 36.6"	80° 05' 30.6"	26.210167	-80.091833	01/27/09
BW-10-SS	26° 11' 49.1"	80° 05' 37.4"	26.196972	-80.093722	01/27/09
BW-10-MB	26° 11' 49.2"	80° 05' 38.2"	26.197000	-80.093944	01/27/09
BW-10-BB	26° 11' 49.3"	80° 05' 38.7"	26.197028	-80.094083	01/27/09
BW-11-SS	26° 10' 59.8"	80° 05' 44.3"	26.183278	-80.095639	01/27/09
BW-11-BB	26° 10' 59.7"	80° 05' 45.0"	26.183250	-80.095833	01/27/09
BW-12-SS	26° 10' 9.2"	80° 05' 51.6"	26.169222	-80.097667	01/27/09
BW-12-BB	26° 10' 8.8"	80° 05' 51.8"	26.169111	-80.097722	01/27/09
BW-13-SS	26° 9' 22.2"	80° 05' 58.9"	26.156167	-80.099694	01/27/09
BW-13-BB	26° 9' 22.1"	80° 05' 59.4"	26.156139	-80.099833	01/27/09
BW-14-SS	26° 8' 32.2"	80° 06' 7.1"	26.142278	-80.101972	01/27/09
BW-14-MB	26° 8' 32.0"	80° 06' 7.5"	26.142222	-80.102083	01/27/09
BW-14-BB	26° 8' 32.0"	80° 06' 8.0"	26.142222	-80.102222	01/27/09
BW-15-SS	26° 7' 41.7"	80° 06' 11.0"	26.128250	-80.103056	01/27/09
BW-15-BB	26° 7' 71.7"	80° 06' 11.6"	26.136583	-80.103222	01/27/09
BW-16-SS	26° 6' 51.1"	80° 06' 14.6"	26.114194	-80.104056	01/27/09
BW-16-MB	26° 6' 51.0"	80° 06' 14.7"	26.114167	-80.104083	01/27/09
BW-16-BB	26° 6' 51.1"	80° 06' 15.9"	26.114194	-80.104417	01/27/09
BW-17-SS	26° 5' 57.2"	80° 06' 16.3"	26.099222	-80.104528	01/27/09
BW-17-MB *	26° 5' 57.2"	80° 06' 18.3"	26.099210	-80.105090	01/27/09
BW-17-BB *	26° 5' 57.2"	80° 06' 19.5"	26.099220	-80.105420	01/27/09
BW-18-SS	26° 5' 12.4"	80° 06' 33.1"	26.086778	-80.109194	01/28/09
BW-18-MB	26° 5' 12.3"	80° 06' 33.5"	26.086750	-80.109306	01/28/09
BW-18-BB	26° 5' 12.4"	80° 06' 33.9"	26.086778	-80.109417	01/28/09
BW-19	26° 4' 21.1"	80° 06' 37.3"	26.072528	-80.110361	01/28/09
BW-20	26° 3' 29.6"	80° 06' 41.1"	26.058222	-80.111417	01/28/09
BW-21-SS	26° 2' 44.1"	80° 06' 45.3"	26.045583	-80.112583	01/28/09
BW-21-MB	26° 2' 44.1"	80° 06' 46.1"	26.045583	-80.112806	01/28/09
BW-21-BB	26° 2' 44.2"	80° 06' 46.9"	26.045611	-80.113028	01/28/09
BW-22-SS	26° 1' 53.3"	80° 06' 50.4"	26.031472	-80.114000	01/28/09
BW-22-BB	26° 1' 53.4"	80° 06' 51.1"	26.031500	-80.114194	01/28/09
BW-23-SS	26° 1' 3.1"	80° 06' 53.6"	26.017528	-80.114889	01/28/09
BW-23-BB	26° 1' 3.1"	80° 06' 54.6"	26.017528	-80.115167	01/28/09
BW-24-SS	26° 0' 14.1"	80° 06' 57.2"	26.003917	-80.115889	01/28/09
BW-24-BB	26° 0' 13.5"	80° 06' 57.7"	26.003750	-80.116028	01/28/09
BW-25	25° 59' 20.5"	80° 07' 1.1"	25.989028	-80.116972	01/28/09
BW-26	25° 58' 30.7"	80° 07' 5.8"	25.975194	-80.118278	01/28/09
DD-01-SS	25° 57' 47.9"	80° 07' 7.0"	25.963306	-80.118611	01/28/09
DD-01-BB	25° 57' 48.1"	80° 07' 7.5"	25.963361	-80.118750	01/28/09
DD-02-SS	25° 56' 55.0"	80° 07' 8.2"	25.948611	-80.118944	01/28/09
DD-02-BB	25° 56' 55.7"	80° 07' 10.8"	25.948806	-80.119667	01/28/09
DD-03-SS	25° 56' 2.4"	80° 07' 12.9"	25.934000	-80.120250	01/28/09

Table 2 cont.					
DD-03-BB	25° 56' 2.3"	80° 07' 12.9"	25.933972	-80.120250	01/28/09
DD-04-SS	25° 55' 7.8"	80° 07' 16.0"	25.918833	-80.121111	01/28/09
DD-04-MB	25° 55' 7.8"	80° 07' 16.6"	25.918833	-80.121278	01/28/09
DD-04-BB	25° 55' 7.8"	80° 07' 17.2"	25.918833	-80.121444	01/28/09
DD-05-SS	25° 54' 18.9"	80° 07' 17.8"	25.905250	-80.121611	01/28/09
DD-05-MB	25° 54' 19.0"	80° 07' 17.9"	25.905278	-80.121639	01/28/09
DD-05-BB	25° 54' 19.0"	80° 07' 18.2"	25.905278	-80.121722	01/28/09
DD-06-SS	25° 53' 28.8"	80° 07' 17.2"	25.891333	-80.121444	02/24/09
DD-06-BB	25° 53' 28.9"	80° 07' 18.6"	25.891361	-80.121833	02/24/09
DD-07-SS	25° 52' 36.5"	80° 07' 11.9"	25.876806	-80.119972	02/24/09
DD-07-MB	25° 52' 36.5"	80° 07' 12.4"	25.876806	-80.120111	02/24/09
DD-07-BB	25° 52' 36.5"	80° 07' 12.7"	25.876806	-80.120194	02/24/09
DD-08-SS	25° 51' 40.5"	80° 07' 8.7"	25.861250	-80.119083	02/24/09
DD-08-BB	25° 51' 40.4"	80° 07' 8.9"	25.861222	-80.119139	02/24/09
DD-09	25° 50' 50.3"	80° 07' 7.9"	25.847306	-80.118861	02/24/09
DD-10-SS	25° 50' 0.1"	80° 07' 9.8"	25.833361	-80.119389	02/24/09
DD-10-BB	25° 50' 0.0"	80° 07' 10.3"	25.833333	-80.119528	02/24/09
DD-11-SS	25° 49' 4.5"	80° 07' 14.4"	25.817917	-80.120667	02/24/09
DD-11-BB	25° 49' 4.9"	80° 07' 14.8"	25.818028	-80.120778	02/24/09
DD-12-SS	25° 48' 14.3"	80° 07' 24.3"	25.803972	-80.123417	02/24/09
DD-12-MB	25° 48' 14.5"	80° 07' 24.8"	25.804028	-80.123556	02/24/09
DD-12-BB	25° 48' 14.7"	80° 07' 25.4"	25.804083	-80.123722	02/24/09
DD-13-SS	25° 47' 30.9"	80° 07' 34.6"	25.791917	-80.126278	02/24/09
DD-13-MB	25° 47' 31.2"	80° 07' 36.8"	25.792000	-80.126889	02/24/09
DD-13-BB	25° 47' 31.5"	80° 07' 38.3"	25.792083	-80.127306	02/24/09
DD-14-SS	25° 46' 38.3"	80° 07' 44.4"	25.777306	-80.129000	02/24/09
DD-14-B	25° 46' 38.3"	80° 07' 44.7"	25.777306	-80.129083	02/24/09
DD-14-MB	25° 46' 38.5"	80° 07' 46.4"	25.777361	-80.129556	02/24/09
DD-14-BB	25° 46' 38.4"	80° 07' 47.9"	25.777333	-80.129972	02/24/09
DD-15-SS	25° 45' 52.6"	80° 07' 49.4"	25.764611	-80.130389	02/24/09
DD-15-MB	25° 45' 52.5"	80° 07' 50.0"	25.764583	-80.130556	02/24/09
DD-15-BB *	25° 45' 52.3"	80° 07' 51.4"	25.764530	-80.130950	02/24/09
DD-16	25° 44' 48.6"	80° 08' 33.1"	25.746833	-80.142528	02/24/09
DD-17	25° 44' 14.4"	80° 09' 8.2"	25.737333	-80.152278	02/24/09
DD-18	25° 43' 36.1"	80° 08' 54.5"	25.726694	-80.148472	02/25/09
DD-19	25° 43' 3.2"	80° 08' 56.1"	25.717556	-80.148917	02/25/09
DD-20-SS	25° 42' 12.1"	80° 09' 15.6"	25.703361	-80.154333	02/25/09
DD-20-MB	25° 42' 11.2"	80° 09' 14.4"	25.703111	-80.154000	02/25/09
DD-20-BB	25° 42' 10.5"	80° 09' 13.2"	25.702917	-80.153667	02/25/09
DD-21-SS	25° 41' 26.1"	80° 09' 24.0"	25.690583	-80.156667	02/25/09
DD-21-BB	25° 41' 25.7"	80° 09' 23.6"	25.690472	-80.156556	02/25/09
DD-22	25° 40' 38.0"	80° 09' 14.9"	25.677222	-80.154139	02/25/09
DD-23-SS	25° 40' 5.9"	80° 09' 17.3"	25.668306	-80.154806	02/25/09
DD-23-BB	25° 40' 5.2"	80° 09' 17.1"	25.668111	-80.154750	02/25/09

* The following sample locations were estimated: FG-10-SS, IR-18-BB, MT-09-BB
MT-15-BB, BW-17-MB, BW-17-BB, DD-15-BB